

RADFORD

**WOODWORK
of
DISTINCTION**



**PRICE
BULLETIN**

**SEPTEMBER
1941**

RADFORD & SANDERS Inc.

BALTIMORE, MARYLAND

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA

GUARANTEED MILLWORK

for 1941

**ISSUED FOR THE
RETAIL LUMBER DEALER**

Sizes and designs shown are actually
carried in stock in our warehouse at
Baltimore for quick shipment.

RADFORD & SANDERS INC.

612-622 WEST PRATT STREET • BALTIMORE, MD.

Phone LExington 4762-3-4-5

•
FACTORIES: OSHKOSH, WIS. and DULUTH, MINN.

TO THE TRADE

Guarantee

In the manufacture of Radford Millwork the closest possible attention is given to the selection of material and the quality of workmanship. We guarantee it to give complete satisfaction provided it is properly handled after it leaves our possession, and carefully installed.

Unpainted millwork should never be stored or installed in any place where the atmosphere has a high-moisture content, as, for instance, in a freshly plastered building.

The top and bottom edges of doors should always be adequately painted or primed after fitting, and all millwork should be painted or finished promptly upon installation.

We cannot entertain claims for replacement or repair of any alleged defective material if the foregoing precautions are not observed, and under no circumstances do we obligate ourselves to pay any costs of finishing or installation of millwork which has been replaced.

STOCK SIZES

All sizes listed in this Bulletin are carried in stock at Baltimore. Sizes not listed are not stock and require extra time and labor to manufacture.

HALF WINDOWS

Attention is directed to the fact that we do not accept orders for Top or Bottom Sash only of Double Hung Windows.

FREIGHT ALLOWANCE

We allow freight on all shipments weighing 200 pounds or more, except where special mention is made to the contrary. Freight is allowed on basis of rates in effect at date of quotation or acceptance of order. We do not allow any Government tax that may be assessed on freight bills or charges. All freight bills must be returned to this office within sixty days after shipment has been made, or we cannot allow credit.

DAMAGE IN TRANSIT

Any damage in transit is properly chargeable to the transportation companies and can be collected from them providing proper notation of damage is made on the expense bill by your agent. However, we are always ready to assist our customers by filing claims and crediting actual amounts collected to the customers when paid by the transportation companies.

RETURNED GOODS

Goods to be returned for credit will be accepted only under the following conditions:

Authorization must first be secured from us.

Goods must be returned within 60 days of date of purchase and must be in salable condition.

Return freight and bundling charges will be deducted from amount credited. Credit will be given for amount at which goods was originally purchased, less 10% to cover handling, etc.

We cannot authorize the return of shutters with cut-outs in panels, set-up frames or units, windows plowed for balances.

Non-stock items may not be returned under any circumstances.

TERMS

Less than carload: 2% discount if paid not later than the 10th of month following date of shipment or net 30 days after 1st of month following shipment.

Glass: 1% if paid within 10 days from date of invoice or 30 days net.

If shipment is freight allowed, deduct freight before taking cash discount.

Interest at 6% will be charged on all past due accounts.

No reversal of charges for telephone calls can be allowed.

BEDDING AND BACK PUTTYING

For Bedding and Back Puttying glazed windows and sash, add the following:

2 Light Windows and 1 Light Sash.....	8%
All other Windows and Sash.....	10%

FREIGHT SHIPMENTS

Freight is allowed on all orders weighing 200 lbs. or more. Shipments of orders less than 200 lbs. F. O. B. shipping point.

The following crating charges will apply on shipments, when material is ordered in less than full bundles.

Check Rail Windows, Open and Glazed..... (5 Open; 6 Glazed to a bundle)	\$.30 net per bundle
Plain Rail Windows, Open and Glazed..... (5 Open; 8 Glazed to a bundle)	.30 net per bundle
1½" and 1¾" Sash, Open and Glazed..... (10 Open; 12 Glazed to a bundle)	.30 net per bundle
Storm Sash, 1½"..... (10 Open; 10 Glazed to a bundle)	.50 net per bundle
Window Screens..... (10 to a bundle)	.50 net per bundle
Softwood Panel and Open Sash Doors and Open Side Lights..... (6-1¾"; 5-1¾" to a bundle)	.60 net per bundle
Softwood Doors and Side Lights, Glazed..... (6-1¾"; 5-1¾" to a bundle)	1.00 net per bundle
Hardwood Doors, Open and Glazed..... (4-1¾"; 3-1¾" to a bundle)	1.00 net per bundle
Combination Doors, Open..... (6 to a bundle)	.60 net per bundle
Combination Doors, Glazed..... (6 to a bundle)	1.00 net per bundle
Screen Doors..... (6 to a bundle)	.60 net per bundle
Garage Doors..... (1 Pair or 1 Set to a bundle)	1.00 net per bundle
Columns, Round or Square..... (4-6" and 8"; 3-10"; 2-12" to a bundle)	.50 net per bundle
Blinds and Shutters..... (5 pair to a bundle)	.25 net per bundle

NO CRATING CHARGES FOR FULL BUNDLES

TRUCK DELIVERIES

No charge is made for truck delivery to points within our trucking area.

Crating charges will be made on truck delivery when customer specifies that material should be packed.

ENTRANCE FRAME

R-2000

Clear Grade Pine. Oak Sill.

Toxic Treated before assembly.

Pilasters are fluted one side, plain one side, and may be used with either side exposed.

PRICE INCLUDES:

Head Trim, Assembled—One Carton.

Side Trim, K.D.—One Carton.

Jams and Sill, K.D.—Bundled.

For 13 $\frac{3}{4}$ " Doors, Sizes from
2-8 x 6-8 to 3-0 x 7-0.



R-2000. For Frame Construction, Jams up to 5 $\frac{1}{4}$ "	\$38.69
If Jams and Sill omitted, DEDUCT	6.40
For Masonry Construction, Jams up to 10 $\frac{1}{4}$ ", No Sill Included, ADD	2.35
For Masonry Construction, Jams up to 10 $\frac{1}{4}$ ", Sill Included, ADD	7.30
If Completely Set Up, ADD	8.25

When ordering, specify exact Jamb width, and type of Sill to be used.

Door illustrated is R-2016, priced on page 75.

ENTRANCE FRAME

R-2001

Clear Grade Pine. Oak Sill.

Toxic Treated before assembly.

Pilasters are fluted one side, plain one side, and may be used with either side exposed.

PRICE INCLUDES:

Head Trim, Assembled—One Carton.

Side Trim, K.D.—One Carton.

Jams and Sill, K.D.—Bundled.

For 13 $\frac{3}{4}$ " Doors, Sizes from
2-8 x 6-8 to 3-0 x 7-0.

R-2001. For Frame Construction, Jams up to 5 $\frac{1}{4}$ "	\$44.14
If Jams and Sill omitted, DEDUCT	6.40
For Masonry Construction, Jams up to 10 $\frac{1}{4}$ ", No Sill Included, ADD	2.35
For Masonry Construction, Jams up to 10 $\frac{1}{4}$ ", Sill Included, ADD	7.30
If Completely Set Up, ADD	8.25

When ordering, specify exact Jamb width, and type of Sill to be used.

Door illustrated is R-2307, priced on page 95.





ENTRANCE FRAME

R-2002

Clear Grade Pine. Oak Sill.

Toxic Treated before assembly.

Pilasters are fluted one side, plain one side, and may be used with either side exposed.

PRICE INCLUDES:

Head Trim, Assembled—One Carton.

Side Trim, K.D.—One Carton.

Jambs and Sill, K.D.—Bundled.

For 1 $\frac{3}{4}$ " Doors, Sizes from
2-8 x 6-8 to 3-0 x 7-0.

R-2002. For Frame Construction, Jambs up to 5 $\frac{1}{4}$ "	\$47.93
If Jambs and Sill omitted, DEDUCT	6.40
For Masonry Construction, Jambs up to 10 $\frac{1}{4}$ ", No Sill Included, ADD	2.35
For Masonry Construction, Jambs up to 10 $\frac{1}{4}$ ", Sill Included, ADD	7.30
If Completely Set Up, ADD	8.25

When ordering, specify exact Jamb width, and type of Sill to be used.

Door illustrated is R-2007, priced on page 74.

ENTRANCE FRAME

R-2003

Clear Grade Pine. Oak Sill.

Toxic Treated before assembly.

Pilasters are fluted one side, plain one side, and may be used with either side exposed.

PRICE INCLUDES:

Head Trim, Assembled—One Carton.

Side Trim, K.D.—One Carton.

Jambs and Sill, K.D.—Bundled.

For 1 $\frac{3}{4}$ " Doors, Sizes from
2-8 x 6-8 to 3-0 x 7-0.



R-2003. For Frame Construction, Jambs up to 5 $\frac{1}{4}$ "	\$60.84
If Jambs and Sill omitted, DEDUCT	6.40
For Masonry Construction, Jambs up to 10 $\frac{1}{4}$ ", No Sill Included, ADD	2.35
For Masonry Construction, Jambs up to 10 $\frac{1}{4}$ ", Sill Included, ADD	7.30
If Completely Set Up, ADD	8.25

When ordering, specify exact Jamb width, and type of Sill to be used.

Door illustrated is R-2017, priced on page 75.

RADFORD & SANDERS

BALTIMORE, MARYLAND INC.

ENTRANCE FRAME

R-2004

Clear Grade Pine. Oak Sill.
Toxic Treated before assembly.

Pilasters are fluted one side, plain one side, and may be used with either side exposed.

PRICE INCLUDES:

Head Trim, Assembled—One Carton.

Side Trim, K.D.—One Carton.

Jambs and Sill, K.D.—Bundled.

For $1\frac{3}{4}$ " Doors, Sizes from
2-8 x 6-8 to 3-0 x 7-0.



R-2004. For Frame Construction, Jambs up to $5\frac{1}{4}$ "	\$52.20
If Jambs and Sill omitted, DEDUCT	6.40
For Masonry Construction, Jambs up to $10\frac{1}{4}$ ", No Sill Included, ADD	2.35
For Masonry Construction, Jambs up to $10\frac{1}{4}$ ", Sill Included, ADD	7.30
If Completely Set Up, ADD	8.25

When ordering, specify exact Jamb width, and type of Sill to be used.
Door illustrated is R-2014, priced on page 74.



ENTRANCE FRAME

R-2005

Clear Grade Pine. Oak Sill.
Toxic Treated before assembly.

Pilasters are fluted one side, plain one side, and may be used with either side exposed.

PRICE INCLUDES:

Head Trim, Assembled—One Carton.

Side Trim, K.D.—One Carton.

Jambs and Sill, K.D.—Bundled.

For $1\frac{3}{4}$ " Doors, Sizes from
2-8 x 6-8 to 3-0 x 7-0.

R-2005. For Frame Construction, Jambs up to $5\frac{1}{4}$ "	\$44.62
If Jambs and Sill omitted, DEDUCT	6.40
For Masonry Construction, Jambs up to $10\frac{1}{4}$ ", No Sill Included, ADD	2.35
For Masonry Construction, Jambs up to $10\frac{1}{4}$ ", Sill Included, ADD	7.30
If Completely Set Up, ADD	8.25

When ordering, specify exact Jamb width, and type of Sill to be used.
Door illustrated is R-2307, priced on page 96.

ENTRANCE FRAME

R-2006

Clear Grade Pine. Oak Sill.

Toxic Treated before assembly.

Pilasters are fluted one side, plain one side, and may be used with either side exposed.

PRICE INCLUDES:

Head Trim, Assembled—One Carton.

Side Trim, K.D.—One Carton.

Jambs and Sill, K.D.—Bundled.

For $1\frac{3}{4}$ " Doors, Sizes from
2-8 x 6-8 to 3-0 x 7-0.



R-2006. For Frame Construction, Jambs up to $5\frac{1}{4}$ "	\$54.34
If Jambs and Sill omitted, DEDUCT	6.40
For Masonry Construction, Jambs up to $10\frac{1}{4}$ ", No Sill Included, ADD	2.35
For Masonry Construction, Jambs up to $10\frac{1}{4}$ ", Sill Included, ADD	7.30
If Completely Set Up, ADD	8.25

When ordering, specify exact Jamb width, and type of Sill to be used.
Door illustrated is R-2015, priced on page 75.

ENTRANCE FRAME

R-2045

Clear Grade Pine. Oak Sill.

Toxic Treated before assembly.

Glass Bedded in Putty.

Pilasters are fluted one side, plain one side, and may be used with either side exposed.

PRICE INCLUDES:

Head Trim, including Transom
Glazed D.S.B., Assembled—
One Carton.

Side Trim, including Sidelight
Panels, K.D.—One Carton.

Sidelight Sash, Glazed D.S.B.

Jambs and Sill, K.D.—Bundled.

For $1\frac{3}{4}$ " Doors, Sizes from
2-8 x 6-8 to 3-0 x 7-0.

Sidelight Openings 10" wide.



R-2045. For Frame Construction, Jambs up to $5\frac{1}{4}$ "	\$77.28
For Masonry Construction, Brick Reveal, No Sill Included, DEDUCT	2.80
For Masonry Construction, Brick Reveal, Sill Included, ADD	4.00
If Completely Set Up, ADD	12.00

When ordering, specify exact Jamb width, and type of Sill to be used.
Door illustrated is R-2307, priced on page 96.

RADFORD & SANDERS

INC.

BALTIMORE

MARYLAND



ENTRANCE FRAME

R-2046

Clear Grade Pine. Oak Sill.

Toxic Treated before assembly.

Glass Bedded in Putty.

Pilasters are fluted one side, plain one side, and may be used with either side exposed.

PRICE INCLUDES:

Head Trim, Assembled—One Carton.

Side Trim, including Sidelight

Panels, K.D.—One Carton.

Sidelight Sash, Glazed D. S. B.

Jams and Sill, K.D.—Bundled.

For 13/4" Doors, Sizes from
2-8 x 6-8 to 3-0 x 7-0,

Sidelight Openings 10" wide.

R-2046. For Frame Construction, Jams up to 5 1/4"	\$48.02
For Masonry Construction, Brick Reveal, No Sill Included, DEDUCT	2.80
For Masonry Construction, Brick Reveal, Sill Included, ADD	4.00
If Completely Set Up, ADD	10.50

When ordering, specify exact Jamb width, and type of Sill to be used.
Door illustrated is R-2307, priced on page 96.

ENTRANCE FRAME

R-2047

Clear Grade Pine. Oak Sill.

Toxic Treated before assembly.

Glass Bedded in Putty.

Pilasters are fluted one side, plain one side, and may be used with either side exposed.

PRICE INCLUDES:

Head Trim, including Fan Panel,

Assembled—One Carton

Side Trim, including Sidelight

Panels, K.D.—One Carton.

Sidelight Sash, Glazed D.S.B.

Jams and Sill, K.D.—Bundled.

For 13/4" Doors, Sizes from
2-8 x 6-8 to 3-0 x 7-0,


Sidelight Openings 10" wide.

R-2047. For Frame Construction, Jams up to 5 1/4"	\$74.64
For Masonry Construction, Brick Reveal, No Sill Included, DEDUCT	2.80
For Masonry Construction, Brick Reveal, Sill Included, ADD	4.00
If Completely Set Up, ADD	12.00

When ordering, specify exact Jamb width, and type of Sill to be used.
Door illustrated is R-2307, priced on page 96.




ECONOMY ENTRANCE FRAMES



R-2020



R-2021



R-2022

Clear Grade Pine Toxic Treated before assembly.

Pilasters are fluted one side, plain one side, and may be used with either side exposed.

PRICES INCLUDE:

Head Trim, Assembled—one carton.

Side Trim, K. D.—one carton.

Jamb and Sill, K. D.—Bundled.

For 1 3/4" Doors, Sizes from 2-8 x 6-8 to 3-0 x 7-0.

R-2020.	For Frame Construction, Pine Sill, Jamb up to 5 1/4"	\$24.89
R-2021.	For Frame Construction, Pine Sill, Jamb up to 5 1/4"	35.98
R-2022.	For Frame Construction, Pine Sill, Jamb up to 5 1/4"	38.40

EXTRAS

For Oak Sill, Frame Construction, ADD.....	\$1.20
If Jamb and Sill omitted, DEDUCT.....	5.25
For Masonry Construction, Jamb up to 10 1/4", No Sill included, ADD.....	3.50
For Masonry Construction, Jamb up to 10 1/4", Oak Sill included, ADD.....	8.45
If completely Set Up, ADD.....	8.25

When ordering, specify exact Jamb Width, and type of Sill to be used.

Door illustrated is R-2307, priced on page 96.

DOOR WEATHERSTRIPS

"METALANE"* DOOR EQUIPMENT NO. 828

Including fold back spring leaf members for Head and Sides, Lock Strip, 1 1/8" Sill Strips with interlocking door members and necessary screws and nails. Made of the same aluminum alloy metal as furnished on the Narroline and Economy Window Units.

Opening Size	Price	
2-6 x 7-0	\$3.42	Stock Sets are readily cut at the job to fit any smaller size door.
2-8 x 7-0	3.53	
3-0 x 7-0	3.79	We recommend application at the time door is hung.


In addition to the above, which is carried in stock at our warehouse, we can furnish other types of "Metalane"* Door, Casement and Window Weatherstrip Equipment, for shipment from factory. Prices upon application.

* "Metalane" is a Trade-Mark Reg. U. S. Pat. Office, property of Monarch Metal Weather-strip Corp., all rights reserved.


ECONOMY WINDOW UNIT

A COMPLETE DOUBLE HUNG WINDOW UNIT FOR ALL TYPES OF WALL CONSTRUCTION


FURNISHED AS A UNIT MADE UP OF THE FOLLOWING PARTS COMPLETELY ASSEMBLED




HEAD



CHECK RAIL



JAMB



SILL

FRAME

Clear Grade Pine . . . Toxic Treated . . . No Pockets or Pulleys . . . Designed for use in all types of walls . . . Jamb Width adjustable by means of the removable Inside Liner . . . Popular Exterior Moulding permits the use of $1\frac{3}{8}$ " Blinds or Shutters . . . Wide Wind-Break for weather-tight installation . . . One-Piece Sill for simplicity and leak resistance . . . $2\frac{3}{4}$ " Mullions and lack of Pockets permit Narrow Moulding Effects.

WINDOW

Regular $1\frac{3}{8}$ " Check Rail Windows . . . Glazed SSB . . . #1 W. P. Pine . . . Pre-fitted . . . Toxic Treated.

BALANCES

Offered in two equally efficient types:
Unique Window Balance, Type D
Grand Rapids Invisible Sash Balance
For complete information, see page 13.

WEATHERSTRIPS

"MetaLane"* Weatherstrip Equipment #428 . . . Interlocking side members full length of run for both sash . . . Aluminum Alloy with a hard, smooth, glass-like surface sealed with a permanent lubricant that makes it an ideal frictionless metal . . . High resistance to oxidizing, discoloring and corrosion . . . Not affected by salt atmosphere, coal smoke or alkalis.

When sheathing is applied before frames are set, be sure to allow for the Wind-Break.

* "MetaLane" is a Trade-Mark Reg. U. S. Pat. Office, property of Monarch Metal Weatherstrip Corp., all rights reserved.

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

ECONOMY WINDOW UNITS

PRICES

SET UP—SINGLE—GLAZED SSB—NO DRIP CAP

Opening Size	8 Lt.	2 Lt.	4/1 Lt. Type E	2/1 Lt. Top 2 W
1- 8½ x 3-10¼	\$12.93	\$12.40	\$13.06	\$12.85
4- 6¼	13.60	13.08	13.74	13.53
Opening Size	12 Lt.	2 Lt.	6/1 Lt. Type F	3/1 Lt. Type A
2- 0½ x 3- 0¼	\$13.25	\$12.31	\$12.83	\$12.57
3- 2¼	13.25	12.31	12.83	12.57
3- 6¼	13.54	12.75	13.27	13.12
3-10¼	14.20	13.21	13.73	13.58
4- 6¼	14.96	13.98	14.50	14.35
2- 4½ x 3- 0¼	13.46	12.78	13.29	13.04
3- 2¼	13.46	12.78	13.29	13.04
3- 6¼	14.17	13.32	13.84	13.69
3-10¼	14.42	13.72	14.24	14.09
4- 2¼	14.94	14.07	15.06	14.75
4- 6¼	15.18	14.56	15.08	14.93
4-10¼	15.42	14.80	15.32	15.17
5- 2¼	15.76	15.26	15.77	15.62
5- 6¼	16.53	15.80	16.31	16.16
2- 7½ x 3- 0¼	14.06	13.32	13.84	13.58
3- 2¼	14.06	13.32	13.84	13.58
3- 6¼	14.32	13.80	14.31	14.16
3-10¼	14.92	14.16	14.68	14.53
4- 2¼	15.22	14.56	15.55	15.24
4- 6¼	15.46	15.06	15.57	15.42
4-10¼	15.83	15.44	15.95	15.80
5- 2¼	16.18	15.79	16.31	16.16
5- 6¼	16.74	16.50	16.92	16.77
2-10½ x 3- 2¼	14.21			
3-10¼	15.07	14.52	15.04	14.89
4- 6¼	16.06	15.46	15.97	15.82
4-10¼	16.28	16.01	16.52	16.37
5- 2¼	16.67	16.26	16.78	16.63
5- 6¼	17.18	17.20	17.72	17.57
Opening Size	16 Lt.	Opening Size	16 Lt.	
3-0¾ x 3- 2¼	\$15.35	3-4¾ x 4- 2¼	\$16.94	
3-10¼	15.83	4- 6¼	17.13	
4- 2¼	16.40	4-10¼	17.55	
4- 6¼	16.62	5- 2¼	17.94	
4-10¼	17.18	3-8¾ x 3-10¼	17.36	
5- 2¼	17.39	4- 6¼	17.82	
3-4¾ x 3- 2¼	16.19	4-10¼	18.27	
3- 6¼	16.46	5- 2¼	18.72	
3-10¼	16.67			

Twin Units—Double Single Price. Triple Units—Treble Single Price.

IMPORTANT—When ordering be sure to specify whether Unique Window Balances or Grand Rapids Invisible Balances are desired. See page 13.

Exterior Moulding 1½ x 2 can be furnished, when specified, at no additional charge.



EXTRAS

	Single	Twin	Triple
If furnished with Drip Cap R-8284 applied, add.....	\$0.17	\$0.34	\$0.51
Reducing Jamb in Width, add.....	.30	.60	.90
Rabbeting Wind-break for ½" Sheathing, add.....	.30	.45	.60
If furnished with ¾" Extension Jamb applied (for Brick or Brick Veneer Construction), add.....	.50	.65	.80
Rabbeting Exterior Moulding (for Stucco Construction), add.....	.30	.45	.60
Ripping Wind-break flush with Exterior Moulding (for Stone or Block Construction), add.....	.30	.45	.60

For shipments of Economy Units outside of our regular trucking area, we reserve the privilege of shipping K. D. at no allowance from above prices.

ECONOMY DOOR FRAMES

FOR USE WITH ECONOMY WINDOW UNITS



FRAME BUILDING

CLEAR GRADE PINE

W. P. PINE SILL

IMPORTANT JOINTS TREATED

In Ordering, Specify if Jamb's are to be rabbetted $1\frac{3}{8}$ " or $1\frac{3}{4}$ ".

Exterior Moulding $1\frac{1}{8}$ " x 2" can be furnished, when specified, at no additional charge.

PRICES

Opening Size	K. D. No Drip Cap
2- 6 x 6- 6.....	\$5.70
6- 8.....	5.81
6-10.....	5.87
7- 0.....	5.96
2- 8 x 6- 6.....	5.83
6- 8.....	5.94
7- 0.....	6.09
2-10 x 6- 8.....	6.10
6-10.....	6.16
7- 0.....	6.25
3- 0 x 6- 8.....	6.18
7- 0.....	6.32

EXTRAS

If furnished with Drip Cap R-8284 applied, add.....	\$0.17
If furnished Set Up, add.....	.90
For Oak Sill, add.....	1.80
For Transom Frame:	
Add to K. D. Price.....	2.25
Add to Set Up Price.....	3.08
For Sidelight Frame, Treble Price of K. D. Single Frame of same door size and	
Add if K. D.....	.75
Add if Set Up.....	2.78

Economy Door Frames for Masonry Construction—See Door Frame R-2520, illustrated and priced on page 32.

For Door Weatherstrips—see page 9.

UNIQUE WINDOW BALANCES



Rust-proofed . . . Working parts concealed . . . True balance at any point . . . Simple installation.

Each Set includes 4 Balances for one window.


Type D, per set. \$2.25

For Windows up to and including 3'-8 $\frac{3}{4}$ " wide and 5'-6 $\frac{1}{4}$ " high—For larger sizes, prices upon application.

In preparing Windows for Unique Balances, groove each sash $\frac{5}{8}$ " wide x $\frac{5}{8}$ " deep down center of edge, full length on each side, provided sash is prefitted. If sash is not prefitted, groove $\frac{5}{8}$ " wide x $\frac{3}{4}$ " deep.

For Grooving our Stock Windows as above, add per window. \$0.30

GRAND RAPIDS INVISIBLE SASH BALANCE



No tube or tape shows. . . . Painting of frame simplified. . . . Easily installed.

Set consists of 4 balances per window.

Price per Set. \$2.10

For windows up to and including 4'-4 $\frac{1}{2}$ " wide and 5'-6 $\frac{1}{4}$ " high. For larger sizes, price upon application.

To prepare windows for Grand Rapids Invisible Balance, groove each sash $\frac{5}{8}$ " wide x $\frac{3}{4}$ " deep down center of edge, full length on each side, provided sash is prefitted. If sash is not prefitted, groove $\frac{5}{8}$ " wide x $\frac{9}{16}$ " deep.



For grooving our stock windows as above, add per window. \$0.30

RADFORD & SANDERS


INC.

BALTIMORE

MARYLAND

ANDERSEN HORIZONTAL GLIDING UNITS

A COMPLETE HORIZONTAL GLIDING WINDOW UNIT FOR ALL TYPES
OF FRAME OR MASONRY WALL CONSTRUCTION.



INCLUDING

Frame . . . Locked Sill Joints . . . Sash . . . Factory Fitted . . . Toxic Treated . . .
Glazed SSA . . . Glass Bedded in Putty . . . Silver Seal Weatherstrips . . . Hardware
. . . Inside Stops . . . Screens . . . Removable Double Glazing . . . Adjusted . . . Ready
to Install.

The Andersen Horizontal Gliding Unit is the answer to the modern trend towards wider window openings and is suitable for all types of architecture.

The Unit resembles a casement window when closed with two sash standing in the same plane. The sash glide past each other when open and ventilation is like a casement, in the same volume as a double hung. Complete ventilation can be obtained by the easy removal of both sash.

The three-way lock not only locks the sash securely at head, sill and center, but also tightly closes the sash so that the efficient Silver Seal Weatherstripping makes positive contact all around.


Andersen Horizontal Gliding Units are made of clear pine, and all wood parts are protected against decay, termites and moisture with Chemical Preservative Treatment.

ANDERSEN HORIZONTAL GLIDING UNITS

OUTSTANDING FEATURES



QUICKLY INSTALLED — Frame is set in wall. Temporary sill track holds sash in place. When job is ready for interior trim, the permanent head and sill tracks and side stops are quickly installed.



WEATHERTIGHT — Air leakage tests show this window is tighter than a good weatherstripped double hung window. Condensation tests show that the outside double glazing is exceptionally efficient.



SASH REMOVED FOR EASY CLEANING — Sash are easily and quickly removed from the inside, without tools, by simply lifting up and swinging out at the bottom. To replace just reverse the operation.




REMOVABLE DOUBLE GLAZING — Attached to the outer face of sash with special fasteners. Easily removed for cleaning from inside of building. Can be left in place the year 'round.

OPERATING SIMPLICITY



The sash glide on these steel glides in the sill track.




The sash are guided by these steel guides in the head track.

Two steel glides are fastened to the bottom of each sash. These glide smoothly in the grooves in hardwood sill track. At the top each sash has two steel guides in place and permit easy removal and replacing of the sash. That is all the operating equipment required besides the simple three-way lock installed in one of the sash.


ANDERSEN HORIZONTAL GLIDING UNITS

SIZES AND LAYOUTS

DIVIDED LIGHTS





HORIZONTAL LIGHTS



For Opening Dimensions, see opposite page.

When sheathing is applied before frames are set,
be sure to allow for the Wind-Break.

DETAILS



ANDERSEN HORIZONTAL GLIDING UNITS

PRICES AND EXTRAS

UNIT Divided Lights	NUMBERS Horizontal Lights	Glazed SSA K.D.	Screen 18 Mesh Bronze Wire	Removable Double Glazing	Drip Cap R-8284	Sash Opening
			ADD PER OPENING			
*2721	*27021	\$13.27	\$2.42	\$3.38	\$0.17	2'7 ³ / ₁₆ x 2' 1 ³ / ₁₆
*2730	*27030	14.90	2.91	3.96	.17	3' 0 ¹ / ₈
*2736	*27036	15.81	3.27	4.42	.17	3' 6 ¹ / ₈
*2740	*27040	16.59	3.43	4.74	.17	3'10 ¹ / ₁₆
*2746	*27046	17.65	3.80	5.38	.17	4' 6 ¹ / ₁₆
*3421	34021	15.17	2.85	3.80	.22	3'4 ³ / ₁₆ x 2' 1 ³ / ₁₆
*3430	34030	17.12	3.48	4.81	.22	3' 0 ¹ / ₈
*3436	34036	18.15	3.92	5.20	.22	3' 6 ¹ / ₈
*3440	34040	19.37	4.14	5.52	.22	3'10 ¹ / ₁₆
*3446	34046	20.19	4.59	6.44	.22	4' 6 ¹ / ₁₆
3456	34056	22.94	5.22	7.64	.22	5' 6 ³ / ₄
4021	40021	16.40	3.19	4.21	.26	4'0 ³ / ₁₆ x 2' 1 ³ / ₁₆
*4030	40030	18.56	3.92	5.26	.26	3' 0 ¹ / ₈
*4036	40036	19.52	4.49	5.82	.26	3' 6 ¹ / ₈
*4040	40040	20.83	4.69	6.44	.26	3'10 ¹ / ₁₆
*4046	40046	21.99	5.24	6.92	.26	4' 6 ¹ / ₁₆
4056	40056	24.60	6.11	8.33	.26	5' 6 ³ / ₄
4821	48021	18.33	3.53	4.60	.31	4'8 ¹ / ₁₆ x 2' 1 ³ / ₁₆
*4830	48030	20.98	4.37	6.00	.31	3' 0 ¹ / ₈
*4836	48036	22.05	5.03	7.02	.31	3' 6 ¹ / ₈
*4840	48040	23.71	5.24	7.06	.31	3'10 ¹ / ₁₆
*4846	48046	25.04	5.92	8.07	.31	4' 6 ¹ / ₁₆
4856	48056	27.98	6.98	10.01	.31	5' 6 ³ / ₄
5230	52030	22.11	5.65	6.44	.37	5'2 ¹ / ₁₆ x 3' 0 ¹ / ₈
5236	52036	23.23	6.37	7.20	.37	3' 6 ¹ / ₈
*5240	52040	24.94	6.72	7.77	.37	3'10 ¹ / ₁₆
*5246	52046	26.31	7.42	8.72	.37	4' 6 ¹ / ₁₆
5256	52056	29.38	8.45	10.44	.37	5' 6 ³ / ₄
5836	58036	24.38	6.85	7.91	.41	5'8 ¹ / ₁₆ x 3' 6 ¹ / ₈
5840	58040	26.35	7.31	8.79	.41	3'10 ¹ / ₁₆
5846	58046	27.49	8.02	9.66	.41	4' 6 ¹ / ₁₆
5856	58056	30.85	9.18	11.57	.41	5' 6 ³ / ₄

For Units with Head Exterior Moulding and Sill Horns Extended for Angle Bay or Corner Construction, Add \$0.64.

Twin Units—Double Single Price, and Add. \$0.28
Triple Units—Treble Single Price, and Add.76

	Single	Twin	Triple
If furnished Set-Up, Add	\$0.94	\$1.88	\$2.82

These units can only be furnished Set-Up when delivered by our trucks within our trucking area.

* Items are available complete from stock. On remaining items the frames only are available from stock, with shipment of sash and hardware requiring about 3 weeks. However, frames can be set in wall and the sash and hardware can easily be installed at a later time.

PRICES INCLUDE: Frame . . . Sash . . . Factory Fitted . . . Toxic Treated . . . Glazed SSA . . . Glass Bedded in Putty . . . Weatherstrips Applied . . . Hardware Applied . . . Head and Sill Tracks . . . Pine Inside Stops.

Inside Stops can be furnished in other woods at additional charge.

RADFORD & SANDERS

BALTIMORE, MARYLAND INC.

ANDERSEN CASEMENT UNITS

A COMPLETE CASEMENT UNIT FOR ALL TYPES OF FRAME OR
MASONRY WALL CONSTRUCTION



INCLUDING

Frame . . . Locked Sill Joints . . . Sash . . . Factory Fitted . . . Toxic Treated
Glazed SSA . . . Glass Bedded in Putty . . . Silver Seal Weatherstrips . . . Hardware
Screens . . . Removable Double Glazing . . . Adjusted . . . Ready to Install

The outswinging Andersen Casement Window is the first casement to successfully combine the weathertightness of wood construction with the simple, narrow-line beauty of metal. The classic lines of Andersen Casements blend harmoniously with any type of architecture and lend distinction to any interior.

Because of their exceptional weathertightness, Andersen Wood Casements meet the exacting requirements of ideal air conditioning and winter heating. Special frame construction stops air leakage around sash and frame, and insures weather-tight joining with wall in either wood frame or masonry construction. Removable double glazing reduces heat loss through the glass 60%. These features mean year 'round comfort, freedom from dust and dirt and substantial fuel savings.

Andersen Casements are made of clear pine, and all wood parts are protected against decay, termites and moisture with Chemical Preservative Treatment.

ANDERSEN CASEMENT UNITS DISTINCTIVE HARDWARE FEATURES



(Left)

EXTENSION HINGES permit easy cleaning of outside glass from the inside.



(Right)

ROTO-GEAR SASH OPERATOR has solid bronze handle and case. Adjusts and automatically locks sash in any position. Powerful and easy to operate. Independent of screen. Does not interfere with drapes, shades or Venetian Blinds.



(Left)

REMOVABLE DOUBLE GLAZING (storm sash) is easily and quickly slipped in place or removed for cleaning or storing. Inside screen removed same easy way.



(Right)

SASH LOCK pulls the sash completely shut and locks it securely when closed without opening or removing the screen. Also forcibly ejects the sash when opened.

(Below)


BAR SASH OPERATOR is bronze finish over cadmium plating. Works easily and smoothly. Holds sash securely in any position. A very satisfactory low priced operator.



ANDERSEN CASEMENT UNITS

SIZES AND LAYOUTS CARRIED IN STOCK

We can furnish a complete list of sizes and designs that can be shipped promptly from factory.



Glass size in Sash 1 Light wide... 12 x 12
Glass size in all other layouts... 8 x 12

PRICES INCLUDE

Frame... Sash... Factory Fitted...
Toxic Treated... Glazed SSA... Glass
Bedded in Putty... Silver Seal
Weatherstrips Applied.

Inside Stops, Mullion Center Inside
Casing and Transom Bar Inside Casing
all in Pine. Furnished loose for instal-
lation with interior trim. (Can be furn-
ished in other woods at additional
charge.)

(For Prices and Extras,
see opposite Page.)

DETAIL OF COMPLETE UNIT—

Details show installation of standard
frame in typical frame wall.

Head and sill sections show wood
siding exterior, with extension jambs
on interior.


Jamb section shows stucco exterior,
with plaster return on interior.

This same frame is used for all types
of wall construction with suitable ex-
tension jambs, or with plaster return.

Finish moulding with screen rabbet
shown in sill detail is for swinging sash
only. For stationary sash the same
moulding as shown at head and jamb
is used at the sill.




TRANSOM



MULLION

When sheathing is applied before frames
are set, be sure to allow for the Wind-
Break.



Patent Nos. 17,551
1,648,752-1,879,005
2,001,982

ANDERSEN CASEMENT UNITS

PRICES AND EXTRAS

Cost 11 1/2 High
 Selling Price 50%

Unit No.	Glazed SSA K. D.	Pine Extension Jambs ADD PER UNIT	Water Drip	*Double Glazing D. S. A.	Rough Studding Opening	Masonry Opening (Moulding 1 1/8" Wide)
1212	\$5.24	\$0.42	\$0.12	\$3.32	1- 6 1/4 x 2- 6	1- 5 1/4 x 2- 6 1/8
1313	6.59	.56	.12	4.26	3- 6 3/16	3- 6 5/16
1413	9.57	.59	.12	6.63	4- 9 3/4	4- 9 7/8
1414	8.58	.59	.12	5.58	4- 6 3/8	4- 6 1/2
1514	11.55	.72	.12	7.95	5- 9 15/16	5-10 1/16
2214	5.70	.44	.13	3.75	1-10 1/2 x 2- 6	1- 9 1/2 x 2- 6 1/8
2316	7.26	.58	.13	4.81	3- 6 3/16	3- 6 5/16
2416	10.45	.62	.13	7.47	4- 9 3/4	4- 9 7/8
2418	9.47	.62	.13	6.30	4- 6 3/8	4- 6 1/2
2518	12.65	.74	.13	8.97	5- 9 15/16	5-10 1/16
4224	10.00	.56	.22	7.50	3- 6 1/4 x 2- 6	3- 5 1/4 x 2- 6 1/8
4326	12.86	.70	.22	9.61	3- 6 3/16	3- 6 5/16
4426	18.88	.74	.22	14.94	4- 9 3/4	4- 9 7/8
4428	17.01	.74	.22	12.61	4- 6 3/8	4- 6 1/2
4528	23.01	.86	.22	17.93	5- 9 15/16	5-10 1/16
6234	14.42	.69	.31	11.25	5- 2 x 2- 6	5- 1 x 2- 6 1/8
6336	18.58	.84	.31	14.42	3- 6 3/16	3- 6 5/16
6436	27.46	.87	.31	22.41	4- 9 3/4	4- 9 7/8
6438	24.66	.87	.31	18.91	4- 6 3/8	4- 6 1/2
6538	33.53	.99	.31	26.90	5- 9 15/16	5-10 1/16
8244	18.74	.81	.40	15.00	6- 9 3/4 x 2- 6	6- 8 3/4 x 2- 6 1/8
8346	24.20	.96	.40	19.23	3- 6 3/16	3- 6 5/16
8446	35.90	.99	.40	29.88	4- 9 3/4	4- 9 7/8
8448	32.22	.99	.40	25.21	4- 6 3/8	4- 6 1/2
8548	43.91	1.11	.40	35.86	5- 9 15/16	5-10 1/16
10254	23.18	.95	.47	18.76	8- 5 1/2 x 2- 6	8- 4 1/2 x 2- 6 1/8
10356	29.93	1.09	.47	24.04	3- 6 3/16	3- 6 5/16
10456	44.51	1.12	.47	37.35	4- 9 3/4	4- 9 7/8
10458	39.89	1.12	.47	31.52	4- 6 3/8	4- 6 1/2
10558	54.45	1.24	.47	44.83	5- 9 15/16	5-10 1/16

WHEN ORDERING EXTENSION JAMBS, SPECIFY OVERALL JAMB WIDTH DESIRED.
(EXTRAS, ALLOW UP TO 6 1/2" OVERALL.)

For Units with Head Exterior Moulding and Sill Horns extended for Angle Bay or Corner Construction, add \$0.64.

For Setting Up—Hardware Applied: (Add for hardware as shown below):

For each operating sash.....	\$1.56
For each stationary sash.....	1.31
For each transom.....	.56

The above Casements can only be furnished Set Up when delivered by our own trucks within our trucking area.

Complete Hardware for Swinging Sash: (Includes Sash Operator, Lock, Hinges, Burglar Bolt and Screws):

Bar Operator, per set.....	\$3.78
Roto-Gear Operator, per set.....	5.80

When ordering, specify number of swinging sash wanted and whether hinged on right or left, considered when viewed from outside.

For Each Sash	Screens Wood Frame 18 Mesh Bronze Wire
2 Light (1-Wide).....	*\$1.23
3 Light (1-Wide).....	* 1.55
4 Light (1-Wide).....	* 1.84
4 Light (2-Wide).....	1.64
6 Light (2-Wide).....	2.02
8 Light (2-Wide).....	2.31

*—Items not stock but can be shipped immediately from factory.

ANDERSEN NARROLINE UNITS

A COMPLETE DOUBLE HUNG WINDOW UNIT FOR ALL TYPES OF
FRAME OR MASONRY WALL CONSTRUCTION



INCLUDING

Frame... Locked Sill Joints... Sash... Factory Fitted... Toxic Treated...
Glazed SSA... Glass Bedded in Putty... Silver Seal Weatherstrips... Flat Sash
Weights... Noiseless Sash Pulleys... Galvanized Sash Chains... Ready to Install.

The Narroline Double Hung Window is furnished as a complete window unit with prefitted sash. It is distinguished by modern, narrow mullions and casings and retains the time-tested counterbalancing principle with specially designed weights to insure a lifetime of dependable and trouble-free sash operation.

The Narroline is effectively weatherstripped with Silver Seal Weatherstrips. Special frame construction insures weathertight joining with wall in either wood frame or masonry construction. With these features the Narroline meets the exacting requirements of ideal air conditioning and winter heating.

Andersen Narroline Units are made of clear pine, and all wood parts are protected against decay, termites and moisture with Chemical Preservative Treatment.

ANDERSEN NARROLINE UNITS

DISTINCTIVE FEATURES

WINDOW

1½ Inches thick. Glazed SSA Bedded in Putty. Improved construction eliminates exposed end wood at bottom rail. The sash are milled for weatherstrip ribs and are furnished with check rail and bottom rail weatherstrips installed.

WEATHERSTRIPPED

Maximum weathertightness and easy sash operation are assured by new duplex action Silver-Seal Weatherstrips (patent pending). They are made of strong, attractive aluminum alloy, electro-chemically treated to give a permanently lubricated glass-like surface.

COUNTERBALANCED

The time-tested principle of counterbalancing is retained to insure a lifetime of trouble-free sash operation. The special flat weights permit modern narrow mullions and trim. Counterbalancing equipment includes the weights, sash chain cut to length and Andersen Noiseless Pulleys installed in the frame.

LEAKPROOF

Andersen Leakproof Locked Sill Joint with steep sill slope and chamfered blind stop to insure quick drainage, and the weathertight wide wind-break, make the Narroline frames leakproof.

IMPROVED FRAME DESIGN

Inside casing can be as narrow as 2½ inches without any blocking or other special preparation. The wide wind-break permits the use of exterior moulding or casings of any desired width.

The **WIDE WIND-BREAK** completely closes and seals the opening between frame and wall in the only sure and dependable way in frame, stucco and brick veneer walls. Mortar clinch grooves are provided for weathertight installation in masonry walls. These features are essential to complete wall insulation and mean added fuel economy and home comfort.

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

ANDERSEN NARROLINE UNITS

PRICES



NO. 680—K.D.—SINGLE—GLAZED SSA BEDDED—NO DRIP CAP

Opening Size	2 Lts. A-1211	8 Lts. A-2444	4/1 Lts. A-1341		
1- 8 x 3-10	\$10.63	\$11.25	\$11.11		
4- 6	11.58	12.21	12.05		
4-10	12.60		
1-10 x 4- 6	12.49		
2- 0 x 3-10	See	11.95	11.94		
4- 6	Below	12.82	12.83		
Opening Size	2 Lts. A-1211	12 Lts. A-3466	6/1 Lts. A-1361	3/1 Lts. A-1231	15 Lts. A-3569
2- 0 x 3- 0	\$10.15	\$11.30	\$10.66	\$10.40
3- 6	10.75	11.76	11.47	11.12
3-10	11.45	12.47	12.17	11.80
4- 2	12.91
4- 6	12.35	13.40	13.06	12.72
4-10	12.82	13.88	13.54	13.17
5- 2	13.33	14.41	14.04	13.70
2- 4 x 3- 0	10.68	11.59	11.19	10.93
3- 6	11.58	12.51	12.29	11.93
3-10	12.13	12.89	12.85	12.48
4- 2	13.58
4- 6	13.12	13.88	13.85	13.48
4-10	13.57	14.32	14.27	13.92
5- 2	14.10	14.77	14.81	14.47
5- 6	\$15.40
2- 7 x 3- 0	11.47	12.32	11.97	11.71
3- 6	12.11	12.75	12.82	12.45
3-10	12.70	13.59	13.41	13.06
4- 2	13.93
4- 6	13.75	14.29	14.46	14.10
4-10	14.35	14.89	15.05	14.70
5- 2	14.78	15.34	15.49	15.15
5- 6	15.97
2-10 x 3- 0	11.79	12.55	12.29	12.05
3-10	13.08	13.72	13.79	12.96
4- 2	14.47
4- 6	14.27	14.86	14.98	14.64
4-10	15.00	15.41	15.72	15.35
5- 2	15.34	15.89	16.04	15.69
5- 6	16.78
Opening Size	2 Lts. A-1211	16 Lts. A-4488	8/1 Lts. A-1381	4/1 Lts. A-1241	20 Lts. A-4582
3- 0 x 3-10	\$13.64	\$14.79	\$14.58
4- 2	15.53
4- 6	14.93	15.87	15.87	\$15.40
4-10	* 16.77	16.53	* 17.71	* 17.23
5- 2	* 17.99	17.14	* 18.93
5- 6	\$18.19
3- 4 x 3-10	15.74
4- 2	16.15
4- 6	* 17.18	16.41	* 18.12	* 17.64
4-10	* 18.02	17.24	* 18.98	* 18.49
5- 2	17.87
5- 6	18.80
3- 8 x 3-10	16.55
4- 6	* 18.01	17.22	* 18.95	* 18.48
4-10	* 19.09	18.10	* 20.02	* 19.55
5- 2	18.64

* These items priced with sash glazed DSA Bedded.
See opposite page for extras.

ANDERSEN NARROLINE UNITS

DETAILS



Details show installation of standard frame in typical frame wall.

This same frame is used for all types of wall construction with suitable adjustment of jambs or with plaster return.

When sheathing is applied before frames are set, be sure to allow for the Wind-Break.


EXTRAS

Twin Units—Double Single Price, and add.....			
Triple Units—Treble Single Price, and add.....			\$0.28
For Units with Head Exterior Moulding and Sill Horns extended for Angle Bay or Corner Construction, add.....			.76
			.64
If furnished Set Up complete, add.....	Single	Twin	Triple
If furnished Frame only Set Up, add.....	\$1.25	\$2.50	\$3.75
If furnished with Drip Cap R-8284, add.....	.75	1.50	2.25
Reducing Jambs in Width (not less than 4 3/4"), add.....	.14	.28	.42
Rabbeting Wind-break for 1/2" Sheathing, add.....	.25	.50	.75
If furnished with 3/4" Extension Jambs (for Brick or Brick Veneer Construction), add.....	.25	.35	.45
Rabbeting Exterior Moulding (for Stucco Construction), add.....	.50	.65	.80
Ripping Wind-break flush with Box, including filler strip, (for Stone or Block Construction), add.....	.25	.35	.45
	.25	.35	.45

Units No. 680 can only be furnished Set Up when delivered by our trucks within our trucking area.
We can furnish a complete list of sizes and designs that can be shipped promptly from factory.

ANDERSEN DOOR FRAMES


NARROLINE



No. 886

To Match Narroline Window Unit
No. 680 and Master Window Frame
No. 621.

MASTER



No. 802

To Match Master Window Frame
No. 601.

CLEAR
PINE

No. 886
Toxic
Treated
Suited for
Any Type
Wall Con-
struction.

No. 802 for
Frame
Building.
Important
Joints
Treated.

For Weather-
strips,
See Page 9.

In ordering, Specify if Jambs are to be Rabbeted $1\frac{3}{8}$ " or $1\frac{3}{4}$ "

No. 886 No Drip Cap		Opening Size	No. 802 With Drip Cap	
K.D. No Sill	K.D. Oak Sill		K.D. W.P.P. Sill	K.D. Oak Sill
\$6.30	\$8.69	2- 6 x 6- 6	\$7.34	\$9.14
6.30	8.69	6- 8	7.34	9.14
6.52	8.91	6-10	7.58	9.38
6.52	8.91	7- 0	7.58	9.38
6.30	8.69	2- 8 x 6- 6	7.34	9.14
6.30	8.69	6- 8	7.34	9.14
6.52	8.91	7- 0	7.58	9.38
6.47	9.20	2-10 x 6- 8	7.69	9.49
6.69	9.42	6-10	7.93	9.73
6.69	9.42	7- 0		
6.47	9.20	3- 0 x 6- 8		
6.69	9.42	7- 0		

EXTRAS

If furnished Set-Up, Add.....	\$0.75
If furnished with Drip Cap R-8284, Add.....	.14
For Transom Frame, Add to K.D. Price.....	1.88
Add to Set-Up Price.....	2.57
For Sidelight Frame, Treble Price of K.D. Single Frame of same door size and Add if K.D.....	.63
Add if Set-Up.....	2.31


If furnished Set-Up, Add.....	\$0.90
For Transom Frame, Add to K.D. Price.....	2.25
Add to Set-Up Price.....	3.08
For Sidelight Frame, Treble Price of K.D. Single Frame of same door size and Add if K.D.....	.75
Add if Set-Up.....	2.78

ANDERSEN MASTER WINDOW FRAMES

CLEAR GRADE PINE

FRAME CONSTRUCTION • LOCKED SILL JOINT

IMPORTANT JOINTS TREATED



No. 601

For $1\frac{3}{8}$ " Ck. Rl. Windows. Pockets cut and screwed in. Noiseless, water-proof pulleys screwed in.

Drip Cap, Blind Stops, Parting Strips and Inside Liner nailed.

Opening Size	K. D. Single
2- $0\frac{1}{2}$ x 3- $2\frac{1}{4}$	\$4.55
3- $6\frac{1}{4}$	4.71
3- $10\frac{1}{4}$	4.96
4- $6\frac{1}{4}$	5.27
4- $10\frac{1}{4}$	5.45
5- $2\frac{1}{4}$	5.63
5- $6\frac{1}{4}$	5.83
2- $4\frac{1}{2}$ x 3- $2\frac{1}{4}$	4.73
3- $6\frac{1}{4}$	4.89
3- $10\frac{1}{4}$	5.14
4- $6\frac{1}{4}$	5.45
4- $10\frac{1}{4}$	5.63
5- $2\frac{1}{4}$	5.81
5- $6\frac{1}{4}$	6.01
2- $6\frac{1}{2}$ x 3- $10\frac{1}{4}$	5.23
4- $6\frac{1}{4}$	5.54
4- $10\frac{1}{4}$	5.72
5- $2\frac{1}{4}$	5.90
5- $6\frac{1}{4}$	6.10
2- $7\frac{1}{2}$ x 3- $2\frac{1}{4}$	4.91
3- $6\frac{1}{4}$	5.07
3- $10\frac{1}{4}$	5.32
4- $6\frac{1}{4}$	5.63
4- $10\frac{1}{4}$	5.81
5- $2\frac{1}{4}$	5.99
5- $6\frac{1}{4}$	6.19
2- $8\frac{1}{2}$ x 3- $10\frac{1}{4}$	5.32
4- $6\frac{1}{4}$	5.63
4- $10\frac{1}{4}$	5.81
5- $2\frac{1}{4}$	5.99
5- $6\frac{1}{4}$	6.19
2- $10\frac{1}{2}$ x 3- $2\frac{1}{4}$	5.09
3- $10\frac{1}{4}$	5.49
4- $6\frac{1}{4}$	5.80
4- $10\frac{1}{4}$	5.99
5- $2\frac{1}{4}$	6.17
5- $6\frac{1}{4}$	6.36
3- $0\frac{3}{4}$ x 3- $2\frac{1}{4}$	5.33
3- $10\frac{1}{4}$	5.74
4- $6\frac{1}{4}$	6.05
4- $10\frac{1}{4}$	6.23
5- $2\frac{1}{4}$	6.41
3- $4\frac{3}{4}$ x 3- $2\frac{1}{4}$	5.48
3- $6\frac{1}{4}$	5.64
3- $10\frac{1}{4}$	5.89
4- $6\frac{1}{4}$	6.20
4- $10\frac{1}{4}$	6.38
5- $2\frac{1}{4}$	6.56
3- $8\frac{3}{4}$ x 3- $10\frac{1}{4}$	6.14
4- $6\frac{1}{4}$	6.45
4- $10\frac{1}{4}$	6.63
5- $2\frac{1}{4}$	6.81

EXTRAS

For Twin Frames—Double Single Price, and..... add \$0.42
For Triple Frames—Treble Single Price, and..... add 1.11

	Single	Twin	Triple
If Inside Sash Bead No. R-8118 $\frac{1}{2}$ furnished, add...	\$0.40	\$0.80	\$1.20
If furnished Set Up, add.....	.90	1.65	2.48

ANDERSEN ALL PURPOSE WINDOW FRAMES

FOR ALL TYPES OF FRAME OR MASONRY WALL CONSTRUCTION
LEAKPROOF AND WEATHERTIGHT

For $1\frac{3}{8}$ " Check Rail Windows. Pockets cut and screwed in. Noiseless waterproof pulleys screwed in.

Drip Cap, Parting Strips and Inside Liner nailed.

Andersen All Purpose Window Frame No. 621 with Wind-break, Combination Exterior Moulding and Removable Inside Liner is adaptable for any type of wall.

The alterations listed below suggest a few methods of adapting the All Purpose Frame for various types of wall construction.

Other conversions will appear evident, or will be suggested upon receipt of complete wall information.

Adjustments can be made by us, when specified, or can be accomplished by the dealer or at the job. See opposite page for extras if work is done by us.

FRAME WALL—See detail on opposite page for normal use, no alterations required.

FRAME WALL WITH $\frac{1}{2}$ " SHEATHING—Wind-break is rabbeted in back and Jambs are reduced in width.

BRICK VENEER WALL WITH WIND-BREAK OUTSIDE OF SHEATHING FORMING $\frac{3}{4}$ " AIR SPACE—Drip Cap is removed and Extension Jambs are applied.

BRICK WALL WITH FURRING—Drip Cap is removed and Full Box is formed by adding $\frac{3}{4}$ "x $3\frac{1}{2}$ " Inside Liner and $\frac{1}{2}$ "x $4\frac{1}{2}$ " Back Liner.

STUCCO WALL—Exterior Moulding is rabbeted thickness of stucco and lath.

PLANK TYPE (STONE OR SQUARE BLOCK WALL)—Drip Cap is removed and Full Box is formed by adding $\frac{3}{4}$ "x $3\frac{1}{2}$ " Inside Liner and $\frac{1}{2}$ "x $4\frac{1}{2}$ " Back Liner. Wind-break is ripped flush with box and Auxiliary Moulding is added to Exterior Moulding.


When sheathing is applied before frames are set, be sure to allow for the Wind-break.

ANDERSEN ALL PURPOSE WINDOW FRAMES

CLEAR GRADE PINE

LOCKED SILL JOINT

IMPORTANT JOINTS TREATED



No. 621

Opening Size	K.D. Single
2- 0 1/2 x 3- 2 1/4	\$4.55
3- 6 1/4	4.71
3- 10 1/4	4.96
4- 6 1/4	5.27
4- 10 1/4	5.45
5- 2 1/4	5.63
5- 6 1/4	5.83
2- 4 1/2 x 3- 2 1/4	4.73
3- 6 1/4	4.89
3- 10 1/4	5.14
4- 6 1/4	5.45
4- 10 1/4	5.63
5- 2 1/4	5.81
5- 6 1/4	6.01
2- 7 1/2 x 3- 2 1/4	4.91
3- 6 1/4	5.07
3- 10 1/4	5.32
4- 6 1/4	5.63
4- 10 1/4	5.81
5- 2 1/4	5.99
5- 6 1/4	6.19
2- 10 1/2 x 3- 2 1/4	5.09
3- 10 1/4	5.49
4- 6 1/4	5.80
4- 10 1/4	5.99
5- 2 1/4	6.17
5- 6 1/4	6.36
3- 0 3/4 x 3- 2 1/4	5.33
3- 10 1/4	5.74
4- 6 1/4	6.05
4- 10 1/4	6.23
5- 2 1/4	6.41
3- 4 3/4 x 3- 2 1/4	5.48
3- 6 1/4	5.64
3- 10 1/4	5.89
4- 6 1/4	6.20
4- 10 1/4	6.38
5- 2 1/4	6.56
3- 8 3/4 x 3- 10 1/4	6.14
4- 6 1/4	6.45
4- 10 1/4	6.63
5- 2 1/4	6.81

EXTRAS

For Twin Frames—Double Single Price, and Add.	\$0.42
For Triple Frames—Treble Single Price, and Add.	1.11

	Single	Twin	Triple
If furnished Set-Up, Add.	\$0.90	\$1.65	\$2.48
If Inside Sash Bead No. R-8118 1/2 furnished, Add.	.40	.80	1.20
Reducing Jamb's in Width, Add.	.30	.60	.90
Rabbeting Wind-break for 1/2" Sheathing, Add.	.30	.45	.60
If furnished with 3/4" Extension Jamb's, Add.	.50	.65	.80
If furnished with Full Box, Add to K.D. Price.	1.75	2.25	2.75
Add to Set-Up Price.	2.35	3.45	4.55
Rabbeting Exterior Moulding, Add.	.30	.45	.60
Ripping Wind-break, Add.	.30	.45	.60
If furnished with Auxiliary Moulding for Plank Type, Add.	1.00	1.35	1.70

WINDOW FRAMES

FRAME BUILDING







CLEAR GRADE PINE

For $1\frac{3}{8}$ " Check Rail
Windows

W. P. Pine Main Sill

Pockets cut and screwed
in. Jamb Proof Pulleys
screwed in. Parting Stop
and Blind Stop Nailed in.

IMPORTANT JOINTS TREATED



R-2552

R-2559

Opening Size	R-2552		R-2559		Opening Size	R-2552		R-2559	
	K.D. Single	K.D. Twin	K.D. Single	K.D. Twin		K.D. Single	K.D. Twin	K.D. Single	K.D. Twin
2- 0 1/2 x 3- 2 1/4	\$4.53	\$4.26	\$8.70	2- 8 1/2 x 3-10 1/4	\$4.99
3- 6 1/4	4.84	4.43	9.01	4- 6 1/4	5.32
3-10 1/4	5.15	\$10.51	4.68	9.46	4-10 1/4	5.47
4- 6 1/4	5.56	11.32	5.01	10.05	5- 2 1/4	5.63
4-10 1/4	5.75	11.68	5.16	10.31	5- 6 1/4	5.84
5- 2 1/4	5.96	12.06	5.32	10.60	5-10 1/4	6.03
5- 6 1/4	6.17	12.46	5.53	11.01					
5-10 1/4	6.42	5.72					
2- 4 1/2 x 3- 2 1/4	4.67	4.42	9.02	2-10 1/2 x 3- 2 1/4	\$5.06	4.71	\$9.60
3- 6 1/4	4.98	4.59	9.33	3-10 1/4	5.68	\$11.57	5.13	10.36
3-10 1/4	5.29	10.79	4.84	9.78	4- 6 1/4	6.09	12.37	5.46	10.95
4- 6 1/4	5.70	11.60	5.17	10.37	4-10 1/4	6.28	12.73	5.61	11.21
4-10 1/4	5.89	11.96	5.32	10.63	5- 2 1/4	6.49	13.11	5.77	11.50
5- 2 1/4	6.10	12.34	5.48	10.92	5- 6 1/4	6.70	13.52	5.98	11.91
5- 6 1/4	6.31	12.75	5.69	11.33	5-10 1/4	6.94	6.17
5-10 1/4	6.56	5.88	6- 6 1/4	7.63
6- 2 1/4	6.90					
6- 6 1/4	7.24					
2- 6 1/2 x 3-10 1/4	4.91	3- 0 3/4 x 3- 2 1/4	5.21	4.90	9.98
4- 6 1/4	5.23	3-10 1/4	5.82	11.87	5.32	10.74
4-10 1/4	5.38	4- 6 1/4	6.24	12.67	5.65	11.33
5- 2 1/4	5.54	4-10 1/4	6.43	13.03	5.80	11.59
5- 6 1/4	5.76	5- 2 1/4	6.63	13.41	5.96	11.89
5-10 1/4	5.94	5- 6 1/4	6.85	13.82	6.18	12.30
2- 7 1/2 x 3- 2 1/4	4.92	4.57	9.32	3- 4 3/4 x 3- 2 1/4	5.37	5.06	10.29
3- 6 1/4	5.22	4.74	9.63	3- 6 1/4	5.68	5.23	10.60
3-10 1/4	5.53	11.29	4.99	10.08	3-10 1/4	5.99	12.19	5.48	11.05
4- 6 1/4	5.95	12.09	5.32	10.67	4- 6 1/4	6.40	12.99	5.81	11.64
4-10 1/4	6.14	12.45	5.47	10.93	4-10 1/4	6.59	13.35	5.96	11.90
5- 2 1/4	6.35	12.83	5.63	11.22	5- 2 1/4	6.80	13.73	6.12	12.20
5- 6 1/4	6.56	13.24	5.84	11.63	5- 6 1/4	7.01	14.14	6.33	12.61
5-10 1/4	6.80	6.03	5-10 1/4	7.25	6.51
6- 2 1/4	7.15	3- 8 3/4 x 3-10 1/4	6.32	5.72
6- 6 1/4	7.48	4- 6 1/4	6.73	6.05
					4-10 1/4	6.92	6.20
					5- 2 1/4	7.13	6.36
					5- 6 1/4	7.34	6.58
					5-10 1/4	7.59	6.76


EXTRAS

For Triple Frames—Treble Single Price, and Add. \$0.75

	Single	Twin	Triple
Reducing Jamb in width, Add.	\$0.30	\$0.60	\$0.90
If furnished Set Up, Main Sill included, Add.90	1.65	2.48
If Inside Sash Bead R-8118 1/2 furnished on R-2559, Add.40	.80	1.20

DOOR FRAMES


FRAME BUILDING
CLEAR GRADE PINE



R-2506

W. P. PINE SILL
IMPORTANT JOINTS
TREATED

In Ordering, Specify if
Jambs are to be rabbetted
 $1\frac{3}{8}"$ or $1\frac{3}{4}"$.



R-2554


R-2506 K. D.	Opening Size	R-2554 K. D.
\$7.02	2- 6 x 6- 6	\$6.85
7.16	6- 8	6.99
7.26	6-10	7.10
7.40	7- 0	7.24
7.17	2- 8 x 6- 6	6.99
7.31	6- 8	7.13
7.55	7- 0	7.38
7.47	2-10 x 6- 8	7.30
7.58	6-10	7.40
7.72	7- 0	7.54
7.64	3- 0 x 6- 8	7.44
7.88	7- 0	7.69

EXTRAS

If furnished Set Up, add	\$0.90
For Oak Sill, add	1.80
Reducing Jambs in width, add30
For Transom Frame, add to K. D. Price	2.25
add to Set Up Price	3.08
For Sidelight Frame, Treble Price of K. D. Single Frame of same door size and add if K. D.75
add if Set Up	2.78

DOOR FRAMES


CLEAR GRADE PINE




R-2523
FRAME BUILDING

**IMPORTANT JOINTS
TREATED**

In Ordering, Specify if
Jambs are to be rabbetted
 $1\frac{3}{8}$ " or $1\frac{3}{4}$ ".



R-2520
BRICK BUILDING






R-2523		Opening Size	R-2520	
K. D.	W. P. P. Sill		K. D.	No Sill
\$6.98	2- 6 x 6- 6	\$4.66
7.11	6- 8	4.78
7.22	6-10	4.84
7.36	7- 0	4.94
7.11	2- 8 x 6- 6	4.74
7.25	6- 8	4.86
7.49	7- 0	5.02
7.42	2-10 x 6- 8	4.89
7.52	6-10	4.95
7.66	7- 0	5.05
7.58	3- 0 x 6- 8	4.92
7.83	7- 0	5.08

EXTRAS

If furnished Set Up, add.....	\$.90	If furnished Set Up, add.....	\$.90
For Oak Sill, add.....	1.80	For 3 x 12 Ga. Pine Sill add.....	2.60
For Transom Frame, add to K. D. Price	2.25	For Transom Frame, add to K. D. Price	2.25
add to Set Up Price	3.08	add to Set Up Price	3.08
For Sidelight Frame, Treble Price of K.D.		For Sidelight Frame, Treble Price of K.D.	
Single Frame of same door size and		Single Frame of same door size and	
add if K. D.....	.75	add if K. D.....	.75
add if Set Up.....	2.78	add if Set Up.....	2.78

WINDOW FRAMES

BRICK BUILDING
CLEAR GRADE PINE



For 1 ³/₈" Check Rail Windows.

No Main Sill.

Pockets cut and Screwed in. Jamb
Proof Pulleys Screwed in. Parting
Bead Nailed in.

IMPORTANT JOINTS TREATED

R-2521

Opening Size	K.D. Single	K.D. Twin	Opening Size	K.D. Single	K.D. Twin
2- 0½ x 3- 2¼	\$4.33	2- 7½ x 5-10¼	\$6.76
3- 6¼	4.61	6- 2¼	7.08
3-10¼	4.87	\$9.56	6- 6¼	7.25
4- 6¼	5.32	10.38			
4-10¼	5.52	10.75	2-10½ x 3- 2¼	4.73
5- 2¼	5.72	11.12	3-10¼	5.22	\$10.26
5- 6¼	5.97	11.56	4- 6¼	5.67	11.08
5-10¼	6.43	4-10¼	5.87	11.45
			5- 2¼	6.07	11.82
2- 4½ x 3- 2¼	4.50	5- 6¼	6.32	12.26
3- 6¼	4.78	5-10¼	6.83
3-10¼	5.04	9.91	6- 6¼	7.36
4- 6¼	5.49	10.73			
4-10¼	5.69	11.10	3- 0¾ x 3- 2¼	4.74
5- 2¼	5.89	11.47	3-10¼	5.28	10.42
5- 6¼	6.14	11.91	4- 6¼	5.73	11.25
5-10¼	6.62	4-10¼	5.93	11.62
6- 2¼	6.93	5- 2¼	6.13	11.99
6- 6¼	7.14	5- 6¼	6.52	12.49
2- 7½ x 3- 2¼	4.62	3- 4¾ x 3- 2¼	4.94
3- 6¼	4.90	3- 6¼	5.22
3-10¼	5.16	10.15	3-10¼	5.48	10.84
4- 6¼	5.61	10.97	4- 6¼	5.93	11.67
4-10¼	5.81	11.34	4-10¼	6.13	12.03
5- 2¼	6.01	11.71	5- 2¼	6.33	12.40
5- 6¼	6.26	12.15	5- 6¼	6.72	12.90
			5-10¼	7.10

EXTRAS




For Triple Frames—Treble Single Price, and Add..... \$0.75

	Single	Twin
If Inside Sash Bead No. R-8118½ furnished, Add.....	\$0.40	\$0.80
If furnished Set-Up, Add.....	1.58	3.00
If 4 x 6 Ga. Pine Main Sill furnished, Add to K.D. Price.....	1.50	2.70
Add to Set-Up Price.....	1.65	2.85




WINDOW FRAMES

FRAME BUILDING
CLEAR GRADE PINE

FOR 1 1/8" PLAIN RAIL WINDOW
W. P. PINE SILL



R-2538



R-2558



R-2538 K.D.	Opening Size	R-2558 K.D.
\$2.74	2- 4 1/2 x 3- 10 1/4	\$3.56
2.99	4- 6 1/4	3.83
...	5- 2 1/4	4.12
...	2- 7 1/2 x 4- 6 1/4	4.09
...	5- 2 1/4	4.30
3.13	2- 10 1/2 x 4- 6 1/4	4.24
...	5- 2 1/4	4.48

If furnished Set-Up, Add. \$0.90
For Twin Frames R-2558—Double Single Price, and Add. 42

CELLAR FRAMES

CLEAR GRADE PINE

For 1 3/8" Sash



CELLAR FRAME

R-2522

**IMPORTANT JOINTS
TREATED**

R-2522


K.D.—No Main Sill

Opening Size		Opening Size	
2- 4 1/2 x 1- 3	\$1.74	2- 7 1/2 x 1- 11	\$2.16
1- 5	1.91	2- 1	2.21
1- 7	1.96		
1- 9	2.01		
2- 7 1/2 x 1- 5	2.00	2- 10 1/2 x 1- 5	2.07
1- 6	2.05	1- 7	2.12
1- 7	2.05	1- 9	2.17
1- 9	2.10	1- 11	2.23
		2- 1	2.28

EXTRAS

If furnished Set-Up, Add. \$0.53
If 4 x 6 Ga. Pine Main Sill furnished, Add to K.D. Price. 1.50
Add to Set-Up Price. 1.67

CASEMENT FRAMES








FRAME BUILDING

CLEAR GRADE
PINE

FOR 1 3/8" SASH

IMPORTANT JOINTS
TREATED



ANDERSEN No. 702

R-2537

In ordering, specify if Sash is to Swing In or Out.

Opening Size	Andersen No. 702 K.D.	R-2537 K.D.	Opening Size	Andersen No. 702 K.D.	R-2537 K.D.
1- 8 1/2 x 2- 1 1/4	\$3.94	\$2.93	2- 7 1/2 x 2- 5 1/4	\$4.75	\$3.98
2- 5 1/4	4.13	3.19	2- 9 1/4	4.99	4.20
3- 1	4.52	3.57	3- 1	5.14	4.36
3- 7	5.10	3.91	2-10 1/2 x 2- 1 1/4	4.73	3.86
3-11 1/2	5.29	4.20	2- 5 1/4	4.92	4.12
4- 7 1/2	5.66	4.62	2- 9 1/4	5.16	4.34
5- 3 1/2	6.03	5.01	3- 1	5.31	4.51
1-10 1/2 x 2- 1 1/4	4.04	3.10	3- 4 1/2 x 2- 1 1/4	5.07	4.29
2- 5 1/4	4.23	3.36	2- 5 1/4	5.26	4.55
3- 7	5.20	4.08	3- 1	5.65	4.94
4- 7 1/2	5.76	4.79	3- 7	6.23	5.27
2- 0 1/2 x 2- 1 1/4	4.13	3.24	3-11 1/2	6.42	5.56
2- 5 1/4	4.32	3.50	4- 7 1/2	6.79	5.98
2- 9 1/4	4.56	3.72	5- 3 1/2	7.16	6.37
3- 7	5.29	4.22	4- 0 1/2 x 2- 1 1/4	5.57	4.89
4- 7 1/2	5.85	4.93	2- 5 1/4	5.76	5.15
2- 4 1/2 x 2- 1 1/4	4.32	3.42	2- 9 1/4	6.00	5.37
2- 5 1/4	4.50	3.65	3- 7	6.73	5.87
2- 9 1/4	4.74	3.91	4- 7 1/2	7.29	6.58
3- 1	4.89	4.07			



EXTRAS

If furnished Set-Up, Main Sill Included, Add..... \$0.68
Mullion Frames—Double Single Price, and Add..... .42

Can be furnished for Brick Building with Stock Brick Mould, instead of outside casing. Any size other than those listed above can be furnished promptly—Price upon application.

ANDERSEN BASEMENT WINDOWS

A COMPLETE UNIT TOXIC TREATED



The Complete Unit Includes:

Frame—Clear Pine, Completely Set-up.

Sash—Glazed S.S., Fitted and Hung in Frame.

Weatherstrips—factory applied.

Screen—18-Mesh Bronze Wire, Fitted and Installed in Frame.

Hardware—Automatic Hardware, Cadmium Plated and applied.

Automatic sash hardware holds the sash in two open positions securely and without rattling. Cam lock holds sash tightly in closed position and automatically ejects the sash for easy operation. The sash hinges permit easy removal of the sash from frame when desired without the use of tools.

Screen is held in place with fasteners on the inside.

Ready to set in wall—Carton packed.

3-Light Glass Sizes	Price, Each Complete	Masonry Opening Sizes
8 x 12	\$5.21	2- 5 $\frac{1}{4}$ x 1- 5 $\frac{3}{8}$
9 x 10	5.31	2- 8 $\frac{1}{4}$ x 1- 3 $\frac{3}{8}$
18	6.26	1-11 $\frac{3}{8}$
10 x 12	5.69	2-11 $\frac{1}{4}$ x 1- 5 $\frac{3}{8}$
16	6.20	1- 9 $\frac{3}{8}$
20	6.77	2- 1 $\frac{3}{8}$

The 9 x 10 and 9 x 18 are adapted for use in Block Walls by forming a cement sill at bottom of opening to take up the extra height.

We can furnish a complete list of sizes and designs that can be shipped promptly from factory.

GABLE FRAME AND SASH

W. P. PINE



R-2436

Frame complete, set up with sash
1 $\frac{3}{8}$ " thick.

Carton packed.

Sold only as complete unit.

Sash made square inside to swing in.



R-2437

	Frame Construction	Brick Construction
R-2436—2-6x1-6 Glazed	\$14.40	\$15.15
R-2437—1-3x1-6 Glazed (Right or Left)	9.60	10.35

LOUVRE FRAMES

W. P. PINE



R-2438



R-2439



R-2440

Special Louvre construction to keep out rain.

Inside covered with 16 mesh wire and panel back for storm protection.

Made square inside as indicated in cut.

	Frame Construction	Brick Construction
R-2438—1-3x1-6 (Right or Left)	\$6.87	\$7.62
R-2439—0-8x2-0	6.23	6.23
2-6	6.23	6.23
R-2440—2-6x1-6	9.35	10.10

RADFORD & SANDERS

INC.

BALTIMORE


MARYLAND

WINDOWS

BALTIMORE OPENINGS



18 LIGHTS



16 LIGHTS



15 LIGHTS

18 LT. WINDOWS

1 1/8" Plain Rail				1 3/8" Check Rail			
Glass Size	Opening Size	Open	Glazed S. S.	Glass Size	Opening Size	Open	Glazed S. S.
8 x 10	2- 4 1/2 x 5-6 3/4	\$2.64	\$4.35	10 x 12	2-10 15/16 x 6-7 7/8	\$3.73	\$6.04
10 x 12	2-10 1/2 x 6-6 3/4	2.97	5.33	14	7-7 7/8	4.00	6.62
				12 x 14	3- 4 15/16 x 7-7 7/8	4.16	7.76

16 LT. WINDOWS

1 3/8" Check Rail

Bars 3/16" B. G.

Glass Size	Opening Size	Open	Glazed S. S.
8 x 8	3- 0 3/4 x 3- 2 1/4	\$3.05	\$4.55
10	3-10 1/4	3.05	4.55
11	4- 2 1/4	3.15	4.86
12	4- 6 1/4	3.15	4.86
13	4-10 1/4	3.24	5.20
14	5- 2 1/4	3.24	5.20
9 x 8	3- 4 3/4 x 3- 2 1/4	3.24	5.13
9	3- 6 1/4	3.24	5.13
10	3-10 1/4	3.24	5.13
11	4- 2 1/4	3.24	5.13
12	4- 6 1/4	3.24	5.13
13	4-10 1/4	3.30	5.31
14	5- 2 1/4	3.44	5.51
10 x 10	3- 8 3/4 x 3-10 1/4	3.45	5.48
12	4- 6 1/4	3.45	5.48
13	4-10 1/4	3.50	5.69
14	5- 2 1/4	3.56	5.93

15 LT. WINDOWS

1 1/8" Plain Rail

Glass Size	Opening Size	Open	Glazed S. S.
8 x 10	2- 4 1/2 x 4- 8 7/8	\$2.36	\$3.76

WINDOWS

BALTIMORE OPENINGS



12 LT. WINDOWS

Glass Size	Opening Size	1 1/8" Plain Rail		1 3/8" Check Rail			
		Open	Glazed S. S.	Bars 5/16" B. G. Open	Glazed S. S.	Bars 3/8" B. G. Open	Glazed S. S.
6 5/8 x 8	2- 0 1/2 x 3- 2 1/4	\$2.23	\$3.24
9	3- 6 1/4	2.23	3.24
10	3-10 1/4	2.41	3.69
12	4- 6 1/4	2.52	3.97
7 x 9	2- 1 1/2 x 3- 6 1/4	\$1.96	\$3.03
8 x 7	2- 4 1/2 x 2-10 1/4	2.23	3.24
8	3- 2 1/4	2.23	3.24
9	3- 6 1/4	2.34	3.66
10	3-10 1/4	2.12	3.35	*2.41	3.69	\$2.56	\$3.83
11	4- 2 1/4	2.48	3.97
12	4- 6 1/4	2.22	3.63	2.52	3.97	2.70	4.11
13	4-10 1/4	2.59	4.00	2.76	4.14
14	5- 2 1/4	2.63	4.14	2.83	4.31
15	5- 6 1/4	2.78	4.55
16	5-10 1/4	2.93	4.76
9 x 8	2- 7 1/2 x 3- 2 1/4	2.29	3.62
9	3- 6 1/4	2.40	3.62	2.55	3.76
10	3-10 1/4	2.46	4.00	2.62	4.11
11	4- 2 1/4	2.53	4.04
12	4- 6 1/4	2.26	3.81	*2.58	4.04	2.75	4.17
13	4-10 1/4	2.32	3.95	2.64	4.21
14	5- 2 1/4	2.36	4.12	2.69	4.35	2.87	4.52
15	5- 6 1/4	2.78	4.55
16	5-10 1/4	2.93	4.76
10 x 8	2-10 1/2 x 3- 2 1/4	2.38	3.55
10	3-10 1/4	2.55	3.93	2.71	4.07
12	4- 6 1/4	2.34	4.02	*2.66	4.42	2.84	4.55
13	4-10 1/4	2.73	4.45	2.91	4.59
14	5- 2 1/4	2.44	4.37	2.78	4.62	2.97	4.80
15	5- 6 1/4	2.52	4.55	2.86	4.80	3.06	4.97
16	5-10 1/4	2.65	5.11	3.02	5.42
18	6- 6 1/4	3.13	6.00
12 x 14	3- 4 1/2 x 5- 2 1/4	2.99	5.49
16	5-10 1/4	3.23	5.93
18	6- 6 1/4	3.34	6.38
20	7- 2 1/4	3.46	6.76

*—Also carried in stock 1 3/8" Plain Rail.

RADFORD & SANDERS

INC.

BALTIMORE


MARYLAND

WINDOWS

BALTIMORE OPENINGS



8 LIGHTS



6 LIGHTS

8 LT. WINDOWS

1 1/8" Plain Rail

Glass Size	Opening Size	Open	Glazed S. S.
8 x 10	1- 8 1/2 x 3-10 1/4	\$1.71	\$2.50
10 x 12	2- 0 1/2 x 4- 6 1/4	1.90	2.97
14	5- 2 1/4	2.00	3.21
16	5-10 1/4	2.19	3.78
12 x 14	2- 4 1/2 x 5- 2 1/4	2.09	3.75

8 LT. WINDOWS

1 3/8" Check Rail

Bars 3/16" B. G.

Glass Size	Opening Size	Open	Glazed S. S.
8 x 10	1- 8 1/2 x 3-10 1/4	\$2.03	\$2.83
12	4- 6 1/4	2.14	3.04
9 x 12	1-10 1/2 x 4- 6 1/4	2.19	3.17
10 x 12	2- 0 1/2 x 4- 6 1/4	2.24	3.31

6 LT. WINDOWS

1 1/8" Plain Rail

Glass Size	Opening Size	Open	Glazed S. S.
8 x 10	2- 4 1/2 x 2- 2 1/4	\$1.51	\$2.13

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

WINDOWS BALTIMORE OPENINGS



4 LIGHTS



2 LIGHTS

4 LT. WINDOWS

Glass Size	Opening Size	1 1/8" Plain Rail		1 3/8" Check Rail	
		Open	Glazed S. S.	Open	Glazed S. S.
8 x 10	1- 8 1/2 x 2- 2 1/4	\$1.33	\$1.76
10 x 16	2- 0 1/2 x 3- 2 1/4	1.53	2.40
18	3- 6 1/4	1.60	2.55
20	3-10 1/4	1.65	2.68	\$1.88	\$2.79
24	4- 6 1/4	1.75	2.95	2.00	3.07
26	4-10 1/4	2.05	3.31
28	5- 2 1/4	2.12	3.45
12 x 20	2- 4 1/2 x 3-10 1/4	1.73	2.93	* 1.96	3.04
22	4- 2 1/4	2.03	3.21
24	4- 6 1/4	1.83	3.35	* 2.09	3.48
26	4-10 1/4	1.90	3.53	2.15	3.62
28	5- 2 1/4	1.94	3.70	2.21	3.83
30	5- 6 1/4	2.28	4.11
32	5-10 1/4	2.45	4.31
13 x 24	2- 7 1/2 x 4- 6 1/4	1.91	3.53	2.18	3.66
26	4-10 1/4	1.98	3.70	2.24	3.83
28	5- 2 1/4	2.03	3.98	2.31	4.11
30	5- 6 1/4	2.36	4.35
32	5-10 1/4	2.55	4.73
14 x 20	2- 9 x 3-10 1/4	2.05	3.24
24	4- 6 1/4	2.18	3.80
26	4-10 1/4	2.24	3.90
28	5- 2 1/4	2.31	4.31
30	5- 6 1/4	2.36	4.45
32	5-10 1/4	2.55	4.73
14 1/2 x 24	2-10 1/2 x 4- 6 1/4	2.23	3.90
26	4-10 1/4	2.29	4.28
28	5- 2 1/4	2.35	4.45
30	5- 6 1/4	2.41	4.62
32	5-10 1/4	2.60	4.90
36	6- 6 1/4	2.73	5.52

2 LT. WINDOWS

1 1/8" Plain Rail

Glass Size	Opening Size	Open	Glazed S. S.
20 x 20	2- 0 1/2 x 3-10 1/4	\$1.39	\$2.50
24 x 20	2- 4 1/2 x 3-10 1/4	1.47	2.75
24	4- 6 1/4	1.55	3.10
26	4-10 1/4	1.59	3.14

*—Also carried in stock 1 3/8" Plain Rail.

WINDOWS

BALTIMORE OPENINGS



2 LT. WINDOWS

1 3/8" Check Rail

Glass Size	Opening Size	Open	Glazed S. S.	Glazed D. S.
12 x 20	1- 4 1/2 x 3-10 1/4	\$1.46	\$1.98	\$2.23
24	4- 6 1/4	1.57	2.23	2.56
26	4-10 1/4	1.61	2.34	2.70
28	5- 2 1/4	1.66	2.45	2.81
14 x 24	1- 6 1/2 x 4- 6 1/4	1.61	2.41	2.77
26	4-10 1/4	1.66	2.48	2.88
28	5- 2 1/4	1.71	2.74	3.28
16 x 20	1- 8 1/2 x 3-10 1/4	1.57	2.30	2.66
24	4- 6 1/4	1.66	2.52	2.95
26	4-10 1/4	1.71	2.81	3.38
28	5- 2 1/4	1.76	2.88	3.53
30	5- 6 1/4	1.81	3.02	3.67
18 x 18	1-10 1/2 x 3- 6 1/4	1.57	2.34	2.70
20	3-10 1/4	1.61	2.45	2.84
24	4- 6 1/4	1.71	2.81	3.38
26	4-10 1/4	1.76	2.99	3.64
28	5- 2 1/4	1.81	3.10	3.82
30	5- 6 1/4	1.86	3.24	4.00
20 x 16	2- 0 1/2 x 3- 2 1/4	1.57	2.30	2.66
18	3- 6 1/4	1.61	2.45	2.84
20	3-10 1/4	1.66	2.70	3.24
22	4- 2 1/4	1.71	2.84	3.49
24	4- 6 1/4	1.76	2.99	3.64
26	4-10 1/4	1.81	3.10	3.82
28	5- 2 1/4	1.86	3.24	4.00
30	5- 6 1/4	1.91	3.38	4.21
32	5-10 1/4	2.05	3.71	4.61
22 x 24	2- 2 1/2 x 4- 6 1/4	1.81	3.10	3.82
26	4-10 1/4	1.86	3.24	4.00
28	5- 2 1/4	1.91	3.38	4.21
30	5- 6 1/4	1.95	3.64	4.54

Continued on opposite page.

WINDOWS

BALTIMORE OPENINGS

2 LT. WINDOWS—CONTINUED

Glass Size	Opening Size	Open	Glazed S. S.	Glazed D. S.
24 x 14	2- 4½ x 2-10¼	\$1.61	\$2.41	\$2.77
15	3- 0¼	1.64	2.45	2.84
16	3- 2¼	1.66	2.56	3.10
18	3- 6¼	1.71	2.81	3.38
*20	3-10¼	1.76	2.99	3.64
22	4- 2¼	1.81	3.10	3.82
*24	4- 6¼	1.86	3.35	4.18
*26	4-10¼	1.91	3.38	4.21
*28	5- 2¼	1.95	3.64	4.54
*30	5- 6¼	2.00	3.82	4.82
32	5-10¼	2.15	4.25	5.33
34	6- 2¼	2.21	4.32	5.36
36	6- 6¼	2.26	4.61	5.80
26 x 20	2 6½ x 3-10¼	1.81	3.10	3.82
22	4- 2¼	1.86	3.24	4.00
24	4- 6¼	1.91	3.38	4.21
26	4-10¼	1.95	3.64	4.54
28	5- 2¼	2.00	3.92	4.90
30	5- 6¼	2.05	4.18	5.26
32	5-10¼	2.21	4.32	5.36
27 x 16	2- 7½ x 3- 2¼	1.76	2.88	3.53
18	3- 6¼	1.81	3.10	3.82
20	3-10¼	1.86	3.24	4.00
22	4- 2¼	1.91	3.38	4.21
24	4- 6¼	1.95	3.64	4.54
26	4-10¼	2.00	3.82	4.82
28	5- 2¼	2.05	3.96	4.93
30	5- 6¼	2.11	4.31	5.29
32	5-10¼	2.26	4.79	6.05
34	6- 2¼	2.30	4.93	6.19
36	6- 6¼	2.36	5.33	6.77
28 x 20	2- 8½ x 3-10¼	1.86	3.24	4.00
22	4- 2¼	1.91	3.38	4.21
24	4- 6¼	1.95	3.64	4.54
26	4-10¼	2.00	3.92	4.90
28	5- 2¼	2.05	4.18	5.26
30	5- 6¼	2.11	4.21	5.29
32	5-10¼	2.26	4.90	6.16
30 x 20	2-10½ x 3-10¼	1.91	3.38	4.25
24	4- 6¼	2.00	3.82	4.82
26	4-10¼	2.05	4.18	5.26
28	5- 2¼	2.11	4.21	5.29
30	5- 6¼	2.15	4.82	6.08
32	5-10¼	2.30	4.93	6.19
36	6- 6¼	2.41	5.36	6.80
32 x 24	3- 0¼ x 4- 6¼	2.15	4.25	5.33
26	4-10¼	2.21	4.28	5.36
28	5- 2¼	2.26	4.90	6.16
30	5- 6¼	2.30	4.93	6.19
36 x 24	3- 4½ x 4- 6¼	2.26	4.61	5.80
26	4-10¼	2.30	4.93	6.19
28	5- 2¼	2.36	5.33	6.77
30	5- 6¼	2.41	5.36	6.80
32	5-10¼	2.46	5.90	7.56
40 x 24	3- 8½ x 4- 6¼	2.47	5.04	6.30
26	4-10¼	2.53	5.47	6.91
28	5- 2¼	2.57	5.98	7.63
30	5- 6¼	2.64	6.05	7.70
32	5-10¼	2.69	6.62	8.32

*—Also carried in stock 1¾" Plain Rail.

WINDOWS

BALTIMORE OPENINGS


 3 LT. TOP
TYPE A

 4 LT. TOP
TYPE B

 6 LT. TOP
TYPE F

1 3/4" Check Rail										
Glass Size Bottom Sash	Opening Size	TYPE A			TYPE B			TYPE F		
		Open	Glazed S. S.	Top Glazed S. S. Bottom Glazed D. S.	Open	Glazed S. S.	Top Glazed S. S. Bottom Glazed D. S.	Open	Glazed S. S.	Top Glazed S. S. Bottom Glazed D. S.
20 x 16	2- 0 1/2 x 3- 2 1/4	\$1.81	\$2.56	\$2.74	\$1.90	\$2.65	\$2.83	\$2.06	\$2.82	\$3.00
18	3- 6 1/4	1.97	2.82	3.02	2.08	2.94	3.14	2.11	2.97	3.17
20	3- 10 1/4	2.01	3.07	3.34	2.13	3.19	3.46	2.15	3.22	3.49
24	4- 6 1/4	2.11	3.36	3.68	2.22	3.48	3.80	2.25	3.51	3.83
26	4- 10 1/4	2.16	3.46	3.82	2.28	3.59	3.95	2.30	3.61	3.97
28	5- 2 1/4	2.21	3.61	3.99	2.33	3.73	4.11	2.35	3.76	4.14
24 x 14	2- 4 1/2 x 2- 10 1/4	1.86	2.67	2.85	1.94	2.41	2.94	2.11	2.93	3.11
16	3- 2 1/4	1.91	2.82	3.09	1.99	2.90	3.18	2.15	3.07	3.35
18	3- 6 1/4	2.06	3.18	3.46	2.18	3.30	3.59	2.20	3.33	3.61
20	3- 10 1/4	2.11	3.36	3.68	2.22	3.48	3.80	2.25	3.51	3.83
24	4- 6 1/4	2.21	3.72	4.13	2.33	3.84	4.26	2.35	3.87	4.28
26	4- 10 1/4	2.26	3.75	4.17	2.38	3.87	4.29	2.40	3.90	4.32
28	5- 2 1/4	2.30	4.00	4.46	2.42	4.13	4.58	2.45	4.15	4.61
30	5- 6 1/4	2.35	4.18	4.69	2.47	4.31	4.81	2.49	4.33	4.84
26 x 20	2- 6 1/2 x 3- 10 1/4	2.16	3.46	3.82	2.28	3.59	3.95	2.30	3.61	3.97
16	4- 6 1/4	2.26	3.75	4.17	2.38	3.87	4.29	2.40	3.90	4.32
24	4- 10 1/4	2.30	4.00	4.46	2.42	4.13	4.58	2.45	4.15	4.61
28	5- 2 1/4	2.35	4.29	4.78	2.47	4.41	4.90	2.49	4.44	4.93
27 x 16	2- 7 1/2 x 3- 2 1/4	2.00	3.14	3.46	2.08	3.23	3.55	2.25	3.40	3.72
18	3- 6 1/4	2.16	3.46	3.82	2.28	3.59	3.95	2.30	3.61	3.97
20	3- 10 1/4	2.21	3.61	4.36	2.33	3.73	4.11	2.35	3.76	4.14
24	4- 6 1/4	2.30	4.00	4.46	2.42	4.13	4.58	2.45	4.15	4.61
26	4- 10 1/4	2.35	4.18	4.69	2.47	4.31	4.81	2.49	4.33	4.84
28	5- 2 1/4	2.40	4.33	4.82	2.52	4.45	4.94	2.54	4.48	4.97
30	5- 6 1/4	2.46	4.58	5.12	2.57	4.70	5.24	2.60	4.73	5.27
28 x 24	2- 8 1/2 x 4- 6 1/4	2.30	4.00	4.46	2.42	4.13	4.58	2.45	4.15	4.61
26	4- 10 1/4	2.35	4.29	4.78	2.47	4.41	4.90	2.49	4.44	4.93
28	5- 2 1/4	2.40	4.54	5.08	2.52	4.67	5.21	2.54	4.69	5.23
30	5- 6 1/4	2.46	4.58	5.12	2.57	4.70	5.24	2.60	4.73	5.27
30 x 20	2- 10 1/2 x 3- 10 1/4	2.26	3.75	4.17	2.38	3.87	4.29	2.40	3.90	4.32
24	4- 6 1/4	2.35	4.18	4.69	2.47	4.31	4.81	2.49	4.33	4.84
26	4- 10 1/4	2.40	4.54	5.08	2.52	4.67	5.21	2.54	4.69	5.23
28	5- 2 1/4	2.46	4.58	5.12	2.57	4.70	5.24	2.60	4.73	5.27
30	5- 6 1/4	2.50	5.19	5.82	2.62	5.31	5.95	2.64	5.34	5.98

See page 54 for extras on divided top light windows not listed above.

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

SASH

BALTIMORE OPENINGS



1 LIGHT
TRANSON



1 LIGHT
SASH

1 LT. TRANSOMS

1 3/8" Thick

Opening Size	Open	Glazed S. S.	Opening Size	Open	Glazed S. S.
2-4 x 0-10	\$0.71	\$0.93	2- 8 x 1- 6	\$0.80	\$1.35
1- 0	.71	.97	1- 8	.82	1.41
1- 2	.73	1.07			
1- 4	.75	1.14	2-10 x 1- 0	.75	1.10
			1- 2	.78	1.14
2-6 x 0-10	.71	.93	1- 4	.80	1.28
1- 0	.71	.97	1- 6	.82	1.38
1- 2	.73	1.07	1- 8	.84	1.45
1- 4	.75	1.14			
1- 6	.78	1.21	3- 0 x 1- 0	.82	1.17
1- 8	.80	1.38	1- 2	.84	1.28
			1- 4	.87	1.38
2-8 x 0-10	.73	.97	1- 6	.89	1.45
1- 0	.73	1.04	1- 8	.91	1.55
1- 2	.75	1.10	2- 0	.97	1.79
1- 4	.78	1.17			

1 LT. SASH

1 3/8" Thick

Glass Size	Opening Size	Open	Glazed S. S.	Glass Size	Opening Size	Open	Glazed S. S.
16 x 16	1- 8 1/2 x 1- 9 1/4	\$0.88	\$1.15	24 x 24	2- 4 1/2 x 2- 5 1/4	\$1.02	\$1.76
20	2- 1 1/4	.92	1.30	26	2- 7 1/4	1.04	1.80
24	2- 5 1/4	.95	1.37	28	2- 9 1/4	1.06	1.91
18 x 20	1-10 1/2 x 2- 1 1/4	.95	1.37	30	2-11 1/4	1.09	2.02
24	2- 5 1/4	.97	1.51				
20 x 20	2- 0 1/2 x 2- 1 1/4	.97	1.51	26 x 26	2- 6 1/2 x 2- 7 1/4	1.08	1.91
24	2- 5 1/4	.99	1.62	28 x 24	2- 8 1/2 x 2- 5 1/4	1.08	1.91
26	2- 7 1/4	1.02	1.66	28	2- 9 1/4	1.12	2.21
28	2- 9 1/4	1.04	1.73				
24 x 16	2- 4 1/2 x 1- 9 1/4	.95	1.40	30 x 20	2-10 1/2 x 2- 1 1/4	1.05	1.80
20	2- 1 1/4	.99	1.62	24	2- 5 1/4	1.11	2.02
				30	2-11 1/4	1.17	2.56

GARAGE SASH

4 LT. SASH

1 3/8" Thick

Opening Size	Open	Glazed S. S.
2-0 x 2-0	\$1.00	\$1.43

6 LT. SASH

2 1/4" Rails All Around

Opening Size	Open	Glazed S. S.
3-0 x 2-0	\$1.31	\$2.26

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

SASH

BALTIMORE OPENINGS



2 LIGHT
CELLAR SASH



3 LIGHT
CELLAR SASH



4 LIGHT
BARN SASH

2 LT. CELLAR SASH

Glass Size	Opening Size	1 1/8" Thick		1 3/8" Thick	
		Open	Glazed S. S.	Open	Glazed S. S.
8 x 10	1- 9 x 1- 3	\$0.75	\$0.95
10 x 12	2- 1 x 1- 582	1.08
12 x 14	2- 5 x 1- 7	\$0.80	\$1.25
16	1- 9	.82	1.32
18	1-1197	1.49
20	2- 199	1.55
24	2- 5	1.05	1.79

3 LT. CELLAR SASH

Glass Size	Opening Size	1 1/8" Thick		1 3/8" Thick	
		Open	Glazed S. S.	Open	Glazed S. S.
8 x 10	2- 4 1/2 x 1- 3	\$0.81	\$1.13	\$0.91	\$1.20
12	1- 5	.83	1.20	.94	1.27
14	1- 7	.87	1.27
16	1- 9	.89	1.34
9 x 12	2- 7 1/2 x 1- 5	.87	1.27	.99	1.34
13	1- 6	1.00	1.37
14	1- 7	.90	1.34	1.01	1.45
16	1- 9	.92	1.41	1.04	1.52
18	1-11	1.08	1.73
20	2- 1	1.10	1.80
10 x 12	2-10 1/2 x 1- 5	.91	1.30	1.02	1.41
14	1- 7	.93	1.41	1.05	1.52
16	1- 9	.95	1.59	1.09	1.73
18	1-11	1.11	1.80
20	2- 1	1.14	1.90
10 1/2 x 19	3- 0 x 2- 0	1.30	2.15

4 LT. BARN SASH

Glass Size	Opening Size	1 1/8" Thick		1 3/8" Thick	
		Open	Glazed S. S.	Open	Glazed S. S.
8 x 10	1- 8 1/2 x 2- 1 1/4	\$0.88	\$1.30	\$0.98	\$1.39
12	2- 5 1/4	.92	1.40	1.04	1.49
9 x 12	1-10 1/2 x 2- 5 1/4	.95	1.47	1.07	1.57
10 x 10	2- 0 1/2 x 2- 1 1/4	1.04	1.49
12	2- 5 1/4	.98	1.54	1.10	1.64
14	2- 9 1/4	1.03	1.65	1.17	1.78

RADFORD & SANDERS

INC.

BALTIMORE

MARYLAND

SASH


BALTIMORE OPENINGS



6 LIGHT
BARN SASH



9 LIGHT
BARN SASH



12 LIGHT
BARN SASH

6 LT. BARN SASH

Glass Size	Opening Size	1 1/8" Thick		1 3/8" Thick	
		Open	Glazed S. S.	Open	Glazed S. S.
6 1/2 x 9 3/4	2- 0 x 2- 0	\$1.13	\$1.80
12 3/4	2- 6	1.22	2.12
15 3/8	3- 0	1.39	2.36
8 x 10	2- 4 1/2 x 2- 1 1/4	\$1.04	\$1.68	1.18	1.80
12	2- 5 1/4	1.11	1.82	1.25	1.94
14	2- 9 1/4	1.32	2.12
16	3- 1 1/4	1.30	2.17	1.48	2.33
8 1/2 x 9 3/4	2- 6 x 2- 0	1.23	2.12
12 3/8	2- 6	1.32	2.40
9 x 12	2- 7 1/2 x 2- 5 1/4	1.14	1.92	1.30	2.04
14	2- 9 1/4	1.37	2.22
16	3- 1 1/4	1.52	2.47
10 x 12	2-10 1/2 x 2- 5 1/4	1.19	2.03	1.34	2.15
14	2- 9 1/4	1.42	2.36
16	3- 1 1/4	1.57	2.89
10 1/2 x 9 3/4	3- 0 x 2- 0	1.37	2.36
12 3/8	2- 6	1.48	2.71

9 LT. BARN SASH

Glass Size	Opening Size	1 1/8" Thick		1 3/8" Thick	
		Open	Glazed S. S.	Open	Glazed S. S.
8 x 10	2- 4 1/2 x 2-11 1/4	\$1.44	\$2.41	\$1.61	\$2.59
12	3- 5 1/4	1.58	2.70	1.79	2.88
9 x 12	2- 7 1/2 x 3- 5 1/4	1.64	2.84	1.85	3.06
10 x 12	2-10 1/2 x 3- 5 1/4	1.68	2.99	1.91	3.20

12 LT. BARN SASH

Glass Size	Opening Size	1 1/8" Thick		1 3/8" Thick	
		Open	Glazed S. S.	Open	Glazed S. S.
8 x 10	2- 4 1/2 x 3-10 1/4	\$1.98	\$3.24	\$2.20	\$3.46
12	4- 6 1/4	2.08	3.53	2.34	3.78
10 x 12	2-10 1/2 x 4- 6 1/4	2.20	3.92	2.48	4.18

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

SASH

BALTIMORE OPENINGS



6 LIGHT
CASEMENT SASH



8 LIGHT
CASEMENT SASH



3 LIGHT
CUPBOARD SASH

6 LT. CASEMENT SASH

Stiles and Top Rail $2\frac{3}{16}$ " O. A.

Bottom Rail $4\frac{3}{8}$ " O. A.

Bars $\frac{3}{8}$ " B. G., $\frac{3}{4}$ " O. A.

Glass Size	Opening Size	1 $\frac{1}{8}$ " Thick		1 $\frac{3}{8}$ " Thick	
		Open	Glazed S. S.	Open	Glazed S. S.
8 x 10	1- $8\frac{1}{2}$ x 3- 1	\$1.31	\$1.83	\$1.44	\$1.95
12	3- 7	1.45	2.04	1.60	2.16
9 x 12	1-10 $\frac{1}{2}$ x 3- 7	1.63	2.26
10 x 12	2- 0 $\frac{1}{2}$ x 3- 7	1.58	2.29	1.75	2.45

8 LT. CASEMENT SASH

1 $\frac{3}{8}$ " Thick

Stiles and Top Rail $2\frac{3}{16}$ " O. A.

Bottom Rail $4\frac{3}{8}$ " O. A.

Bars $\frac{3}{8}$ " B. G., $\frac{3}{4}$ " O. A.

Glass Size	Opening Size	Open	Glazed S. S.
8 x 10	1- $8\frac{1}{2}$ x 3-11 $\frac{1}{2}$	\$1.88	\$2.70
12	4- 7 $\frac{1}{2}$	2.00	2.93
14	5- 3 $\frac{1}{2}$	2.14	3.15
9 x 12	1-10 $\frac{1}{2}$ x 4- 7 $\frac{1}{2}$	2.05	3.03
10 x 12	2- 0 $\frac{1}{2}$ x 4- 7 $\frac{1}{2}$	2.15	3.22

3 LT. CUPBOARD SASH

$\frac{3}{4}$ " Thick

Opening Size	Open	Glazed S. S.
1-6 x 3-6	\$0.98	\$1.88
4-0	1.08	2.03
4-6	1.15	2.21
1-8 x 3-6	1.00	1.95
4-0	1.10	2.18
4-6	1.17	2.32

For Rabbetting..... Per Pair, add \$0.45
For Grooving Sash and applying Water Drip No. 8288.... Per Sash, add 1.15

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

WINDOWS

WESTERN OPENINGS



8 LIGHTS



4 LIGHTS

8 LT. WINDOWS

1 3/8" Check Rail

Glass Size	Opening Size	Open	Glazed S. S.
8 x 12	1- 9 x 4- 6	\$2.14	\$3.04
14	5- 2	2.32	3.42
10 x 12	2- 1 x 4- 6	2.24	3.31
14	5- 2	2.38	3.59
16	5-10	2.60	4.17
12 x 14	2- 5 x 5- 2	2.48	4.14
16	5-10	2.70	4.49

4 LT. WINDOWS

Glass Size	Opening Size	1 1/8" Plain Rail		1 3/8" Check Rail	
		Open	Glazed S. S.	Open	Glazed S. S.
12 x 20	2- 5 x 3-10	\$1.66	\$2.80	\$1.96	\$3.04
24	4- 6	1.76	3.22	2.09	3.48
26	4-10	2.15	3.62
28	5- 2	2.21	3.83
15 x 24	2-11 x 4- 6	2.23	3.90
28	5- 2	2.35	4.45
30	5- 6	2.41	4.62
32	5-10	2.60	4.90

WINDOWS

NEW YORK OPENINGS



12 LIGHTS



4 LIGHTS

12 LT. WINDOWS

Glass Size	Opening Size	1 1/8" Plain Rail		1 3/8" Check Rail	
		Open	Glazed S. S.	Open	Glazed S. S.
7 x 9	2- 1 x 3- 6	\$1.89	\$2.90
8 x 10	2- 4 x 3-10	2.03	3.21	\$2.38	\$3.62
12	4- 6	2.13	3.48	2.49	3.97
13	4-10	2.55	4.00
14	5- 2	2.23	3.75	2.60	4.14
9 x 10	2- 7 x 3-10	2.46	4.00
12	4- 6	2.58	4.04
13	4-10	2.64	4.21
14	5- 2	2.27	3.95	2.69	4.35
15	5- 6	2.34	4.12
10 x 10	2-10 x 3-10	2.51	3.90
12	4- 6	2.25	3.85	2.62	4.24
13	4-10	2.69	4.42
14	5- 2	2.34	4.19	2.73	4.59
15	5- 6	2.82	4.76
16	5-10	2.55	4.89
12 x 14	3- 4 x 5- 2	2.52	4.96

4 LT. WINDOWS

Glass Size	Opening Size	1 1/8" Plain Rail		1 3/8" Check Rail	
		Open	Glazed S. S.	Open	Glazed S. S.
12 x 20	2- 4 x 3-10	\$1.66	\$2.80	\$1.96	\$3.04
24	4- 6	1.76	3.21	2.09	3.48
26	4-10	1.82	3.38	2.15	3.62
28	5- 2	1.86	3.54	2.21	3.83
14 x 24	2- 8 x 4- 6	1.83	3.51
26	4-10	1.90	3.61
28	5- 2	1.95	3.98

WINDOWS

NEW YORK OPENINGS



2 LT. WINDOWS

1 3/8" Check Rail

Glass Size	Opening Size	Open	Glazed S. S.	Glazed D. S.	Glass Size	Opening Size	Open	Glazed S. S.	Glazed D. S.
20 x 16	2 0 x 3- 2	\$1.49	\$2.21	\$2.55	28 x 20	2- 8 x 3-10	\$1.76	\$3.11	\$3.83
18	3- 6	1.53	2.35	2.73	24	4- 6	1.85	3.48	4.35
20	3-10	1.58	2.59	3.11	26	4-10	1.90	3.76	4.69
24	4- 6	1.67	2.86	3.48	28	5- 2	1.94	4.00	5.04
28	5- 2	1.76	3.11	3.83	30	5- 6	2.00	4.04	5.07
30	5- 6	1.81	3.24	4.04	32	5-10	2.14	4.69	5.90
24 x 16	2- 4 x 3- 2	1.58	2.45	2.97	34	6- 2	2.19	4.73	5.93
18	3- 6	1.62	2.69	3.24	36	6- 6	2.24	5.11	6.49
20	3-10	1.67	2.86	3.48	30 x 18	2-10 x 3- 6	1.76	3.11	3.83
24	4- 6	1.76	3.21	4.00	20	3-10	1.81	3.24	4.04
26	4-10	1.81	3.24	4.04	24	4- 6	1.90	3.66	4.62
28	5- 2	1.85	3.48	4.35	26	4-10	1.94	4.00	5.04
30	5- 6	1.90	3.66	4.62	28	5- 2	2.00	4.04	5.07
26 x 16	2- 6 x 3- 2	1.62	2.69	3.24	30	5- 6	2.04	4.62	5.83
18	3- 6	1.67	2.86	3.48	32	5-10	2.19	4.73	5.93
20	3-10	1.72	2.97	3.66	34	6- 2	2.24	5.11	6.49
24	4- 6	1.81	3.24	4.04	36	6- 6	2.29	5.14	6.52
26	4-10	1.85	3.48	4.35	32 x 24	3- 0 x 4- 6	2.04	4.07	5.11
28	5- 2	1.90	3.76	4.69	26	4-10	2.10	4.11	5.14
30	5- 6	1.94	4.00	5.04	28	5- 2	2.14	4.69	5.90
28 x 16	2- 8 x 3- 2	1.67	2.76	3.38	30	5- 6	2.19	4.73	5.93
18	3- 6	1.72	2.97	3.66					

2 LT. WINDOWS

1 1/8" Plain Rail

Glass Size	Opening Size	Open	Glazed S. S.
24 x 20	2- 4 x 3-10	\$1.41	\$2.63
24	4- 6	1.49	2.97


RADFORD & SANDERS

INC.


BALTIMORE

MARYLAND

WINDOWS NEW YORK OPENINGS



3 LT. TOP
TYPE A



4 LT. TOP
TYPE B



6 LT. TOP
TYPE F

1 3/8" Check Rail

Glass Size Bottom Sash	Opening Size	TYPE A			TYPE B			TYPE F		
		Open	Glazed S. S.	Top Glazed S. S. Bottom Glazed D. S.	Open	Glazed S. S.	Top Glazed S. S. Bottom Glazed D. S.	Open	Glazed S. S.	Top Glazed S. S. Bottom Glazed D. S.
20 x 16	2- 0 x 3- 2	\$1.72	\$2.46	\$2.63	\$1.80	\$2.54	\$2.71	\$1.95	\$2.70	\$2.88
18	3- 6	1.86	2.70	2.89	1.98	2.82	3.01	2.00	2.84	3.04
20	3-10	1.91	2.94	3.20	2.02	3.06	3.32	2.04	3.08	3.35
24	4- 6	2.00	3.22	3.53	2.11	3.33	3.64	2.13	3.36	3.67
28	5- 2	2.10	3.46	3.82	2.21	3.57	3.94	2.23	3.60	3.97
30	5- 6	2.14	3.59	4.00	2.25	3.71	4.11	2.28	3.74	4.14
24 x 16	2- 4 x 3- 2	1.81	2.70	2.96	1.89	2.78	3.04	2.04	2.95	3.21
18	3- 6	1.95	3.04	3.32	2.06	3.16	3.44	2.09	3.19	3.46
20	3-10	2.00	3.22	3.53	2.11	3.33	3.64	2.13	3.36	3.67
24	4- 6	2.10	3.56	3.96	2.21	3.68	4.08	2.23	3.71	4.11
26	4-10	2.14	3.59	4.00	2.25	3.71	4.11	2.28	3.74	4.14
28	5- 2	2.19	3.84	4.27	2.30	3.95	4.39	2.32	3.98	4.42
30	5- 6	2.23	4.01	4.49	2.34	4.13	4.61	2.36	4.15	4.64
26 x 18	2- 6 x 3- 6	2.00	3.22	3.53	2.11	3.33	3.64	2.13	3.36	3.67
20	3-10	2.05	3.32	3.66	2.16	3.44	3.78	2.19	3.46	3.81
24	4- 6	2.14	3.59	4.00	2.25	3.71	4.11	2.28	3.74	4.14
26	4-10	2.19	3.84	4.27	2.30	3.95	4.39	2.32	3.98	4.42
28	5- 2	2.23	4.11	4.58	2.34	4.23	4.70	2.36	4.26	4.73
30	5- 6	2.28	4.35	4.87	2.39	4.47	4.99	2.41	4.50	5.02
28 x 16	2- 8 x 3- 2	1.90	3.01	3.32	1.98	3.09	3.40	2.13	3.26	3.57
18	3- 6	2.05	3.32	3.66	2.16	3.44	3.78	2.19	3.46	3.81
20	3-10	2.10	3.46	3.82	2.21	3.57	3.94	2.23	3.60	3.97
24	4- 6	2.19	3.84	4.27	2.30	3.95	4.39	2.32	3.98	4.42
26	4-10	2.23	4.11	4.58	2.34	4.23	4.70	2.36	4.26	4.73
28	5- 2	2.28	4.35	4.87	2.39	4.47	4.99	2.41	4.50	5.02
30	5- 6	2.33	4.39	4.91	2.44	4.51	5.02	2.46	4.53	5.05
30 x 18	2-10 x 3- 6	2.10	3.46	3.82	2.21	3.57	3.94	2.23	3.60	3.97
20	3-10	2.14	3.59	4.00	2.25	3.71	4.11	2.28	3.74	4.14
24	4- 6	2.23	4.01	4.49	2.34	4.13	4.61	2.36	4.15	4.64
26	4-10	2.28	4.35	4.87	2.39	4.47	4.99	2.41	4.50	5.02
28	5- 2	2.33	4.39	4.91	2.44	4.51	5.02	2.46	4.53	5.05
30	5- 6	2.38	4.97	5.58	2.49	5.09	5.70	2.51	5.12	5.73
32	5-10	2.65	5.22	5.83	2.81	5.39	6.00	2.65	5.22	5.83
32 x 24	3- 0 x 4- 6	2.38	4.42	4.94	2.49	4.54	5.06	2.51	4.57	5.09
26	4-10	2.43	4.46	4.97	2.54	4.57	5.09	2.56	4.60	5.12
28	5- 2	2.48	5.04	5.65	2.59	5.16	5.77	2.61	5.19	5.80
30	5- 6	2.52	5.08	5.69	2.63	5.20	5.80	2.65	5.22	5.83

See page 54 for extras on divided top light windows not listed above.

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

SASH

NEW YORK OPENINGS

3 LIGHT
CELLAR SASH



4 LIGHT
BARN SASH



6 LIGHT
BARN SASH



9 LIGHT
BARN SASH

3 LT. CELLAR SASH—1 1/8" Thick

Glass Size	Opening Size	Open	Glazed S. S.
8 x 10	2- 4 x 1- 3	\$0.78	\$1.08
9 x 12	2- 7 x 1- 5	.83	1.22
10 x 12	2-10 x 1- 5	.87	1.25
14	1- 7	.89	1.35
16	1- 9	.92	1.52

4 LT. BARN SASH—1 1/8" Thick

Glass Size	Opening Size	Open	Glazed S. S.
7 x 9	1- 6 x 1-11	\$0.79	\$1.11
8 x 10	1- 8 x 2- 1	.84	1.24
9 x 12	1-10 x 2- 5	.92	1.41
10 x 10	2- 0 x 2- 1	.89	1.34
12	2- 5	.94	1.48
14	2- 9	.99	1.58

6 LT. BARN SASH—1 1/8" Thick

Glass Size	Opening Size	Open	Glazed S. S.
8 x 10	2- 4 x 2- 1	\$1.00	\$1.61
10 x 12	2-10 x 2- 5	1.14	1.94

9 LT. BARN SASH—1 1/8" Thick

Glass Size	Opening Size	Open	Glazed S. S.
7 x 9	2- 1 x 2- 8	\$1.22	\$2.06
8 x 10	2- 4 x 2-11	1.31	2.26
9 x 12	2- 7 x 3- 5	1.49	2.67
10 x 12	2-10 x 3- 5	1.53	2.80

WINDOWS

DIVIDED LIGHT TOPS

BALTIMORE AND NEW YORK OPENINGS

The designs illustrated in the divided light tops can be furnished from any stock two light windows shown in this Bulletin by placing bars in the top sash. Add to price of the two light windows the following extras:



A
Open or Glazed
\$0.68




B
Open or Glazed
\$0.90



C
Open or Glazed
\$1.17



D
Open or Glazed
\$1.56



E
Open or Glazed
\$0.66



F
Open or Glazed
\$0.99



G
Open or Glazed
\$1.32



H
Open or Glazed
\$1.49

WINDOWS

APPROXIMATE WEIGHTS $1\frac{3}{8}$ " GLAZED WINDOWS


S. S. GLASS — EXCEPT * ITEMS WHICH ARE D. S. GLASS

18 LTS.		GLASS SIZE HIGH												
		10	12	14	15						16			
GLASS	8	23	27	30	..						39			
SIZE	10	..	31	35	37						45			
WIDE	12	..	36	40	..						45			
16 LTS.		GLASS SIZE HIGH												
		8	9	10	11	12	13				14			
GLASS	8	19	..	21	22	24	26	27				29		
SIZE	9	21	22	23	24	26	28	29				32		
WIDE	10	25	..	28	30	32				39		
12 LTS.		GLASS SIZE HIGH												
		8	9	10	11	12	13	14	15	16	18	20		
GLASS SIZE WIDE	6 ³ / ₈	14	16	17	..	18		
	8	16	16	17	19	20	22	23	24	26		
	9	17	18	20	21	22	24	25	27	29		
	10	18	20	21	23	25	26	28	29	31	34	..		
	12	33	..	37	39	41	45	50	50		
8 LTS.		GLASS SIZE HIGH												
		10	12	13	14								16	
GLASS	8	14	15	17	17	17	17	17					..	
SIZE	9	..	17	18	18	18	18	18					..	
WIDE	10	16	18	19	19	19	20	20					23	
	12	..	21	24						26		
4 LTS.		GLASS SIZE HIGH												
		20	22	24	26	28	30	32					36	
GLASS SIZE WIDE	10	13	15	17	17	19	20	
	12	16	17	18	20	21	23	25	27				27	
	13	18	20	21	23	24	26	27					..	
	14	19	21	22	23	25	27	28	31				31	
	14 ¹ / ₂	20	22	23	25	26	28	29	32				32	
	15	20	22	23	25	26	28	29	32				32	
2 LTS.		GLASS SIZE HIGH												
		15	16	18	20	22	24	26	28	30	32	34	36	
GLASS SIZE WIDE	12	..	9	9	10	11	12	13	13	14	15	
	14	..	10	11	12	13	14	15	16	17	18	
	16	..	11	12	13	13	14	15	16	17	18	19	20	
	18	..	11	12	13	14	16	17	17	18	20	21	21	
	20	12	13	13	15	16	16	18	19	20	21	22	23	
	22	13	13	14	16	16	18	19	20	21	22	23	25	
	24	14	14	16	16	18	19	20	21	22	24	25	26	
	26	15	15	16	18	19	20	21	22	23	25	26	27	
	27	..	16	17	18	20	21	22	23	24	26	27	28	
	28	..	16	17	19	20	21	23	24	25	26	28	29	
	30	16	17	18	20	21	22	24	25	26	28	29	30	
	32	20	21	22	24	25	26	28	36	38	40	
	36	..	20	21	23	..	26	27	29	30	40	42	43	
	40	23	..	33	35	37	39	41	43	45	48	

Divided Light Tops Weigh Approximately 1 Pound More Than 2 Lights Listed Above.

STORM SASH

BALTIMORE OPENINGS



2 LIGHT



4 LIGHT


1 1/8" Thick

		2 Light		4 Light				2 Light		4 Light	
Opening Size		Open	Glazed S. S.	Open	Glazed S. S.	Opening Size		Open	Glazed S. S.	Open	Glazed S. S.
1- 8 1/2 x 3-11 1/2		\$1.47	\$2.30	2- 8 1/2 x 4- 7 1/2	\$1.83	\$3.64	\$2.03	\$3.66	
4- 7 1/2		1.55	2.52	4-11 1/2	1.87	3.82	2.09	3.83	
1-10 1/2 x 4- 7 1/2		1.60	2.81	5- 3 1/2	1.92	3.96	2.15	4.11	
2- 0 1/2 x 3- 3 1/2		1.47	2.30	5- 7 1/2	1.97	4.21	2.20	4.35	
3- 7 1/2		1.51	2.45	2-10 1/2 x 3-11 1/2	1.78	3.38	1.96	3.55	
3-11 1/2		1.55	2.70	\$1.75	\$2.79	4- 7 1/2	1.87	3.82	2.08	3.90	
4- 7 1/2		1.64	2.99	1.86	3.07	4-11 1/2	1.92	4.18	2.13	4.28	
4-11 1/2		1.70	3.10	1.91	3.31	5- 3 1/2	1.97	4.21	2.19	4.45	
5- 3 1/2		1.74	3.24	1.98	3.45	5- 7 1/2	2.01	4.82	2.25	4.62	
5- 7 1/2		1.78	3.38	2.02	3.59	3- 0 3/4 x 3- 3 1/2	1.96	3.42	2.09	3.38	
2- 4 1/2 x 3- 3 1/2		1.55	2.56	3-11 1/2	2.00	3.78	2.22	3.89	
3- 7 1/2		1.60	2.81	4- 3 1/2	2.08	3.98	2.28	4.14	
3-11 1/2		1.64	2.99	1.83	3.04	4- 7 1/2	2.12	4.34	2.34	4.28	
4- 7 1/2		1.74	3.35	1.95	3.48	4-11 1/2	2.18	4.38	2.41	4.72	
4-11 1/2		1.78	3.38	2.01	3.62	5- 3 1/2	2.24	5.00	2.46	4.90	
5- 3 1/2		1.83	3.64	2.06	3.83	3- 4 3/4 x 3- 3 1/2	2.00	3.53	2.19	3.60	
5- 7 1/2		1.87	3.82	2.12	4.11	3- 7 1/2	2.06	3.82	2.26	3.96	
2- 6 1/2 x 4- 7 1/2		1.78	3.38	2.03	3.66	3-11 1/2	2.10	4.10	2.31	4.18	
4-11 1/2		1.83	3.64	2.09	3.83	4- 3 1/2	2.22	4.70	2.38	4.57	
5- 3 1/2		1.87	3.92	2.15	4.11	4- 7 1/2	2.22	4.70	2.44	4.75	
5- 7 1/2		1.92	4.18	2.20	4.35	4-11 1/2	2.27	5.03	2.50	5.04	
2 7 1/2 x 3- 3 1/2		1.64	2.88	5- 3 1/2	2.34	5.44	2.56	5.29	
3- 7 1/2		1.70	3.10	3- 8 3/4 x 3-11 1/2	2.35	5.08	2.73	5.40	
3-11 1/2		1.74	3.24	1.91	3.17	4- 7 1/2	2.42	5.13	2.73	5.40	
4- 7 1/2		1.83	3.64	2.03	3.66	4-11 1/2	2.47	5.58	2.73	5.40	
4-11 1/2		1.87	3.82	2.09	3.83	5- 3 1/2	2.54	6.08	2.78	5.65	
5- 3 1/2		1.92	3.96	2.15	4.11						
5- 7 1/2		1.97	4.21	2.20	4.35						

Vertical Bars in 4 Light Storm Sash are tacked in.

WINDOW SCREENS

BALTIMORE OPENINGS



16 MESH ANTIQUE BRONZE WIRE

1 1/8" Thick

Stiles and Top Rail.....	2 3/8"	Overall
Bottom Rail.....	4"	Overall
Lock Rail.....	1"	Overall
Mortise and Tenon Construction.		

CAN BE MADE TO FIT NEW YORK
AND WESTERN OPENINGS

Opening Size

1- 8 1/2 x 3-11 1/2.....	\$2.21
4- 7 1/2.....	2.46

1-10 1/2 x 4- 7 1/2.....	2.61
--------------------------	------

2- 0 1/2 x 3- 3 1/2.....	2.18
3- 7 1/2.....	2.34
3-11 1/2.....	2.49
4- 7 1/2.....	2.77
4-11 1/2.....	2.92
5- 3 1/2.....	3.04
5- 7 1/2.....	3.20

2- 4 1/2 x 3- 3 1/2.....	2.46
3- 7 1/2.....	2.61
3-11 1/2.....	2.77
4- 7 1/2.....	3.11
4-11 1/2.....	3.26
5- 3 1/2.....	3.44
5- 7 1/2.....	3.60

2- 6 1/2 x 3-11 1/2.....	2.89
4- 7 1/2.....	3.26
4-11 1/2.....	3.41
5- 3 1/2.....	3.60
5- 7 1/2.....	3.75

2- 7 1/2 x 3- 3 1/2.....	2.61
3- 7 1/2.....	2.80
3-11 1/2.....	2.98
4- 7 1/2.....	3.35
4-11 1/2.....	3.51
5- 3 1/2.....	3.69
5- 7 1/2.....	3.87

Opening Size

2- 8 1/2 x 3-11 1/2.....	\$3.04
4- 7 1/2.....	3.41
4-11 1/2.....	3.60
5- 3 1/2.....	3.78
5- 7 1/2.....	3.97


2-10 1/2 x 3-11 1/2.....	3.17
4- 7 1/2.....	3.54
4-11 1/2.....	3.72
5- 3 1/2.....	3.94
5- 7 1/2.....	4.12
5-11 1/2.....	4.34

3- 0 3/4 x 3- 3 1/2.....	3.04
3-11 1/2.....	3.47
4- 7 1/2.....	3.91
4-11 1/2.....	4.12
5- 3 1/2.....	4.34
5- 7 1/2.....	4.55


3- 4 3/4 x 3- 3 1/2.....	3.69
3- 7 1/2.....	3.97
3-11 1/2.....	4.21
4- 7 1/2.....	4.73
4-11 1/2.....	5.00
5- 3 1/2.....	5.24
5- 7 1/2.....	5.52
5-11 1/2.....	5.76

3- 8 3/4 x 3-11 1/2.....	4.55
4- 7 1/2.....	5.14
4-11 1/2.....	5.42
5- 3 1/2.....	5.73


SCREEN DOORS



R-2363



R-2364



R-2372

NO. 1 W. P. PINE


IN THE WHITE

WIRED WITH 16 MESH BRONZE WIRE CLOTH
MORTISE AND TENON CONSTRUCTION


1 1/8" Thick

Size	R-2363	R-2364	R-2372
2- 4 1/2 x 6- 7.....			\$6 66
2- 6 1/2 x 6- 7.....	\$6.84	\$6.66	6 66
6- 9.....	7.20	7.01	7.01
7- 1.....	7.38	7.22	7.22
2- 8 1/2 x 6- 7.....			7.01
6- 9.....	7.20	7.01	7.01
7- 1.....	7.38	7.22	7.22
2-10 1/2 x 6- 9.....			7.40
6-11.....	7.55	7.40	7.40
7- 1.....			7.49
3- 0 1/2 x 6- 9.....	7.65		7.49
7- 1.....	7.91	7.71	7.77
Layouts	R-2363	R-2364	R-2372
Stiles and Top Rail....	3 3/4"	3 3/4"	3 3/4"
Cross Rails.....	3 7/8"	2 3/8"	2 3/4"
Mullions.....			2 3/4"
Bottom Rail.....	9 3/4"	7 1/4"	7 1/4"
	Raised Mitered Moulding	Flush Mitered Moulding	Flush Mitered Moulding

SCREEN DOORS



R-2373



R-2374

R-2373

NO. 1 W. P. PINE

WIRED WITH 14 MESH GALVANIZED WIRE CLOTH
FINISHED THREE COATS VARNISH

1 1/8" Thick

2- 6 x 6- 6.....	\$6.66
2- 8 x 6- 8.....	6.88
2-10 x 6-10.....	7.12
3- 0 x 7- 0.....	7.34

R-2374

YELLOW PINE

WIRED WITH 12 MESH GALVANIZED WIRE CLOTH
FINISHED TWO COATS VARNISH

7/8" Thick

2- 6 x 6- 6.....	\$4.15
2- 8 x 6- 8.....	4.33
2-10 x 6-10.....	4.52
3- 0 x 7- 0.....	4.69

COMBINATION DOORS



R-2380



R-2382

NO. 1 W. P. PINE

WIRED WITH 16 MESH WIRE CLOTH

1 1/8" Thick

Size	R-2380		R-2382	
	Price Glazed S. S. B. Bronze Wire	Galvanized Wire	Price Glazed S. S. B. Bronze Wire	Galvanized Wire
2- 6 1/2 x 6- 7 6- 9	\$10.49	\$ 9.86	\$10.85 10.93	\$10.22 10.30
2- 8 1/2 x 6- 9 7- 1	11.21	10.57	11.21 11.65	10.57 11.01
2-10 1/2 x 6-11 7- 1	11.37 11.49	10.73 10.85	11.96	11.33
3- 0 1/2 x 7- 1	11.85	11.21	12.28	11.65

COMBINATION DOORS



R-2383



R-2384

NO. 1 W. P. PINE

WIRED WITH 16 MESH WIRE CLOTH

1 1/8" Thick

Size	R-2383		R-2384	
	Price Glazed S. S. B. Bronze Wire	Galvanized Wire	Price Glazed S. S. B. Bronze Wire	Galvanized Wire
2- 6 1/2 x 6- 7 6- 9	\$10.37 10.45	\$ 9.74 9.82	\$10.80 10.97	\$10.26 10.34
2- 8 1/2 x 6- 9 7- 1	10.77 11.21	10.14 10.57	11.45 11.89	10.81 11.25
2-10 1/2 x 6-11 7- 1	11.33 11.45	10.69 10.81	11.96 12.08	11.33 11.45
3- 0 1/2 x 6- 9 7- 1	11.29 11.77	10.65 11.13	11.81 12.28	11.17 11.65

RADFORD & SANDERS


BALTIMORE

INC.

MARYLAND

BLINDS

W. P. PINE TOXIC TREATED



R-2470

STATIONARY SLATS
MIDDLE RAIL



R-2472

1/2 STATIONARY SLATS
1/2 ROLLING SLATS

		R-2470		R-2472	
Opening Size		1 3/8"	1 1/2"	1 5/8"	
2- 0 1/2 x 3-	3- 3 1/2	\$4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 7 1/2	5.46	
	4-11 1/2	5.85	\$6.24	
	5- 3 1/2	6.24	6.65	
	5- 7 1/2	6.63	
	5-11 1/2	7.02	
6- 7 1/2	7.80		
2- 4 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	\$4.50	4.99	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	6.24	
	5- 3 1/2	6.24	6.65	
	5- 7 1/2	6.63	
	5-11 1/2	7.02	
6- 7 1/2	7.80		
2- 7 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	
	5- 3 1/2	6.24	6.00	
	5- 7 1/2	6.63	
2- 11 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	
	5- 3 1/2	6.24	6.00	
	5- 7 1/2	6.63	
2- 14 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	
	5- 3 1/2	6.24	6.00	
	5- 7 1/2	6.63	
2- 17 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	
	5- 3 1/2	6.24	6.00	
	5- 7 1/2	6.63	
2- 20 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	
	5- 3 1/2	6.24	6.00	
	5- 7 1/2	6.63	
2- 23 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	
	5- 3 1/2	6.24	6.00	
	5- 7 1/2	6.63	
2- 26 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	
	5- 3 1/2	6.24	6.00	
	5- 7 1/2	6.63	
2- 29 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	
	5- 3 1/2	6.24	6.00	
	5- 7 1/2	6.63	
2- 32 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	
	5- 3 1/2	6.24	6.00	
	5- 7 1/2	6.63	
2- 35 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	
	5- 3 1/2	6.24	6.00	
	5- 7 1/2	6.63	
2- 38 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	
	5- 3 1/2	6.24	6.00	
	5- 7 1/2	6.63	
2- 41 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	
	5- 3 1/2	6.24	6.00	
	5- 7 1/2	6.63	
2- 44 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	
	5- 3 1/2	6.24	6.00	
	5- 7 1/2	6.63	
2- 47 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	
	5- 3 1/2	6.24	6.00	
	5- 7 1/2	6.63	
2- 50 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	
	5- 3 1/2	6.24	6.00	
	5- 7 1/2	6.63	
2- 53 1/2 x 3-	3- 3 1/2	4.68	
	3- 7 1/2	4.68	
	3-11 1/2	4.68	
	4- 3 1/2	5.07	
	4- 7 1/2	5.46	5.25	5.83	
	4-11 1/2	5.85	5.63	6.24	

		R-2470		R-2472		
Opening Size		1 3/8"	1 1/2"	1 5/8"		
2- 9 x 4-	4- 7 1/2	\$5.46		
	4-11 1/2	5.85		
	5- 3 1/2	6.24		
	5- 7 1/2	6.63		
	5-11 1/2	7.02		
2-10 1/2 x 3-11 1/2	4- 7 1/2	4.68		
	4-11 1/2	5.46	\$5.25	\$5.83		
	5- 3 1/2	5.85		
	5- 7 1/2	6.24	6.65		
	5- 11 1/2	6.63	7.08		
	6- 3 1/2	7.02		
2-11 1/2 x 3-11 1/2	6- 7 1/2	7.41		
	6- 7 1/2	7.80		
	3- 0 3/4 x 3-	3- 3 1/2	4.86	
3- 0 3/4 x 3-	3-11 1/2	4.86		
	4- 7 1/2	5.67		
	4-11 1/2	6.08		
	5- 3 1/2	6.48		
3- 4 3/4 x 3-	3- 3 1/2	5.16		
	3- 7 1/2	5.16		
	3-11 1/2	5.16		
	4- 7 1/2	6.02		
	4-11 1/2	6.45		
3- 4 3/4 x 3-	5- 3 1/2	6.88		
	5- 7 1/2	7.31		
	5- 11 1/2	7.74		
	6- 7 1/2	8.60		
	3- 8 3/4 x 3-11 1/2	4- 7 1/2	5.52	
		4-11 1/2	6.44	
4-11 1/2		6.90		
5- 3 1/2		7.36		

COLONIAL SHUTTERS

W. P. PINE TOXIC TREATED



R-2475



R-2477

Prices do not include cut-out in panels.

Opening Size		R-2475 1 3/4" Thick	R-2477 1 3/4" Thick	Opening Size		R-2475 1 3/4" Thick	R-2477 1 3/4" Thick
2- 0 1/2 x 3- 3 1/2	3- 11 1/2	\$5.82	\$7.07	2- 10 1/2 x 3- 11 1/2	4- 7 1/2	6.79	8.14
	4- 7 1/2	6.79	8.14		4- 11 1/2	7.28	8.67
	5- 3 1/2	7.76		5- 3 1/2	7.76	9.21
					5- 7 1/2	8.25
2- 4 1/2 x 3- 3 1/2	3- 7 1/2	7.07		5- 11 1/2	8.73
	3- 11 1/2	7.07	3- 0 3/4 x 3- 11 1/2	4- 7 1/2	6.06	7.31
	4- 7 1/2	5.82	7.07		4- 7 1/2	7.07	8.42
	4- 11 1/2	6.79	8.14		4- 11 1/2	7.58	8.97
	5- 3 1/2	7.28	8.67		5- 3 1/2	8.08	9.53
	5- 7 1/2	7.76	9.21	3- 4 3/4 x 3- 11 1/2	4- 7 1/2	6.48	7.79
2- 7 1/2 x 3- 3 1/2	5- 11 1/2	8.25		4- 7 1/2	7.56	8.98
	3- 7 1/2	7.07		4- 11 1/2	8.10	9.57
	3- 11 1/2	5.82	7.07		5- 3 1/2	8.64	10.17
	4- 7 1/2	6.79	8.14	3- 8 3/4 x 3- 11 1/2	4- 7 1/2	6.90	8.33
	4- 11 1/2	7.28	8.67		4- 7 1/2	8.05	9.61
	5- 3 1/2	7.76	9.21		4- 11 1/2	8.63	10.25
	5- 7 1/2	8.25		5- 3 1/2	9.20	10.89
	5- 11 1/2	8.73				


CUT-OUTS—Add Per Pair as follows:



R-2480—\$0.78



R-2481—\$0.78



R-2482—\$0.57



R-2483—\$0.78



R-2484—\$0.57



R-2485—\$0.57



R-2486—\$0.57



R-2487—\$0.57

For cut-outs other than those shown, prices given upon application.

FIR GARAGE DOORS

1 3/4" Thick



R-2390



R-2391



R-2393



R-2398

	R-2390		R-2391		R-2393		R-2398	
	Per Pair		Per Set		Per Pair		Per Pair	
Size of Opening	Open	Glazed S. S. B.	Open	Glazed S. S. B.	Open	Glazed S. S. B.	Open	Glazed S. S. B.
7-6 x 7-0	\$24.00	\$26.70
7-6	24.00	26.70
8-0 x 7-0	24.00	26.70	\$25.20	\$27.90	\$26.40	\$29.10	\$24.00	\$26.70
7-5	24.00	26.70	25.20	27.90	26.40	29.10	24.00	26.70
8-0	24.00	26.70	25.20	27.90	26.40	29.10	24.00	26.70

Single Door, One-Half Price of Corresponding Pair, or One-Third Price of Corresponding Set.

STANLEY "SWING-UP"

GARAGE DOOR HARDWARE

No. 2732



For doors 7'-0" to 8'-0" wide and 7'-0" to 8'-0" high, weighing up to 200 lbs. Can be used with any of our stock garage doors shown on this page or opposite page. Only 2" is required for headroom above top of door.

The garage need be no longer than the car. The door swings outward and upward and will clear all makes of cars with the rear bumper resting against the door.

One complete set in crate with instructions for installing. Gross weight, 152 lbs.

HARDWARE

Complete with Cylinder Lock (no doors included).....\$37.15 per set

GARAGE DOORS

W. P. PINE 1 3/4" Thick

FOR USE WITH STANLEY "SWING-UP" GARAGE DOOR HARDWARE



R-2394



R-2395

Size of Opening	R-2394	R-2395	
		Open	Glazed S. S. B.
8-0 x 7-0.....	\$27.34	\$27.58	\$28.08
7-6.....	27.90	28.14	28.64
8-0.....	28.55	28.79	29.29

CRAW-FIR-DOR

UPWARD ACTING GARAGE DOOR UNIT



Easily and quickly installed and without complicated assemblies, the Craw-Fir-Dor eliminates costly subsequent service charges. No cutting or trimming for installation is necessary, since doors are prefitted.

See opposite page for Door designs.

MAXIMUM SATISFACTION

The Craw-Fir-Dor is a new foolproof, sturdy, garage door that's manufactured from durable Douglas Fir, simple to operate, easy to install, priced so that anyone who has a car can afford one.

LONG-LIVED

Each unit consists of a pair of prefitted, factory drilled Douglas Fir doors, which are made durable by nature, and as strong and rigid as only this world-famous Pacific Northwest wood can make them.

ONE UNIT

Craw-Fir-Dor comes to you as one unit in one size 8'-0" x 7'-0"—complete with fir door and the hardware including locking device.

SHIPPING WEIGHTS

	No. 38	Nos. 39 & 40
A pair of Craw-Fir-Dors prefitted and factory drilled weigh about	75 lbs.	92 lbs.
A package containing a complete set of the hardware weighs about	63 lbs.	63 lbs.


TOTAL WEIGHT OF ONE UNIT about 138 lbs. 155 lbs.

PRICE PER UNIT

A Unit includes a pair of prefitted factory drilled garage doors, and one package containing all necessary hardware, including locking device.

Size	No. 38	No. 39		No. 40
		Open	Glazed	
8-0x7-0 1 3/8"	\$34.50	\$36.00	\$37.52	\$36.00


CRAW-FIR-DOR



DESIGN No. 38

SIMPLICITY


All the hardware necessary for complete installation comes in one compact carton with instructions. Doors are predrilled. No fine adjustments to be made—anyone can install it quickly.



DESIGN No. 39

ADAPTABILITY

Craw-Fir-Dors require two inches headroom and only two inches sideroom; they are almost universally adaptable. No expensive alterations are necessary for replacing old doors.



DESIGN No. 40

PLUS FEATURES

Safety margins for all hardware in excess of requirements; beauty of design; quiet in operation; permanence of construction; no waste clearance space necessary; unobstructed opening in width and height; and weatherstripped to prevent rattling, warping and sagging.

For prices of complete unit, see opposite page.

SASH DOORS



R-260



R-2161



R-2162

NO. 1 W. P. PINE C. & B.

Size	R-2160		R-2161		R-2162	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 6 x 6- 6 1 1/8"	\$ 6.38	\$ 7.50	\$ 7.13	\$ 8.32	\$ 7.51	\$ 8.63
6- 8 1 1/8"	6.47	7.67	7.23	8.42	7.60	8.80
2- 8 x 6- 8 1 1/8"	6.62	7.93	7.37	8.62	7.75	9.06
2-10 x 6- 8 1 1/8"	6.76	8.17	7.51	8.81	7.89	9.30
6-10 1 1/8"	7.18	8.74	7.94	9.33	8.31	9.87
3- 0 x 6- 8 1 1/8"	6.90	8.46	7.65	9.00	8.03	9.59
7- 0 1 1/8"	7.42	9.17	8.17	9.63	8.55	10.30
2- 6 x 6- 8 1 1/8"	8.76	9.96	9.70	10.89	9.89	11.09
2- 8 x 6- 8 1 1/8"	8.96	10.27	9.90	11.15	10.09	11.40
2-10 x 6-10 1 1/8"	9.75	11.31	10.69	12.08	10.88	12.44
3- 0 x 6- 8 1 1/8"	9.41	10.97	10.35	11.71	10.54	12.10
7- 0 1 1/8"	10.10	11.85	11.04	12.50	11.23	12.98

No. 1 FIR B. & C.

2- 6 x 6- 6 1 1/8"	6.11	7.23	6.59	7.78	7.24	8.36
6- 8 1 1/8"	6.19	7.39	6.67	7.86	7.32	8.52
2- 8 x 6- 8 1 1/8"	6.35	7.66	6.83	8.08	7.48	8.79
2-10 x 6- 8 1 1/8"	6.63	8.04	7.11	8.42	7.76	9.17
6-10 1 1/8"	7.07	8.63	7.55	8.94	8.20	9.76
3- 0 x 6- 8 1 1/8"	6.91	8.47	7.39	8.75	8.04	9.60
7- 0 1 1/8"	7.47	9.22	7.95	9.41	8.60	10.35
2- 8 x 6- 8 1 1/8"	8.24	9.55	8.72	9.96	9.37	10.68
3- 0 x 7- 0 1 1/8"	10.04	11.79	10.52	11.98	11.17	12.92

No. 2 FIR B. & C.

2- 6 x 6- 0 1 1/8"	5.67	6.61	6.15	7.16	6.80	7.74
6- 6 1 1/8"	5.94	7.06	6.42	7.61	7.07	8.19
6- 8 1 1/8"	6.02	7.22	6.50	7.69	7.15	8.35
2- 8 x 6- 8 1 1/8"	6.17	7.48	6.65	7.90	7.30	8.61
2-10 x 6- 8 1 1/8"	6.45	7.86	6.93	8.24	7.58	8.99
6-10 1 1/8"	6.88	8.44	7.36	8.75	8.01	9.57
3- 0 x 6- 8 1 1/8"	6.72	8.28	7.20	8.56	7.85	9.41
7- 0 1 1/8"	7.27	9.02	7.75	9.21	8.40	10.15

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

SASH DOORS



R-2163



R-2165



R-2170

No. 1 W. P. PINE C. & B.

Size	R-2163		R-2165		R-2170	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 6 x 6- 6 1 3/4"	\$ 7.61	\$ 8.98	\$ 7.88	\$ 9.00	\$ 7.94	\$ 9.79
6- 8 1 3/4"	7.70	9.13	7.97	9.17	8.03	9.88
2- 8 x 6- 8 1 3/4"	7.84	9.33	8.12	9.43	8.17	10.02
2-10 x 6- 8 1 3/4"	7.99	9.71	8.26	9.67	8.32	10.26
6-10 1 3/4"	8.41	10.13	8.68	10.24	8.74	10.75
3- 0 x 6- 8 1 3/4"	8.13	9.85	8.40	9.96	8.46	10.40
7- 0 1 3/4"	8.65	10.37	8.92	10.67	8.98	10.99
2- 6 x 6- 8 1 3/4"	10.30	11.73	10.26	11.46	10.84	12.69
2- 8 x 6- 8 1 3/4"	10.49	11.98	10.46	11.77	11.04	12.89
2-10 x 6-10 1 3/4"	11.29	13.01	11.25	12.81	11.83	13.84
3- 0 x 6- 8 1 3/4"	10.94	12.66	10.91	12.47	11.48	13.42
7- 0 1 3/4"	11.63	13.35	11.60	13.35	12.18	14.19

No. 1 FIR B. & C.

2- 6 x 6- 6 1 3/4"	6.83	8.20	7.61	8.73	7.43	9.28
6- 8 1 3/4"	6.91	8.34	7.69	8.89	7.51	9.36
2- 8 x 6- 8 1 3/4"	7.07	8.56	7.85	9.16	7.67	9.52
2-10 x 6- 8 1 3/4"	7.35	9.07	8.13	9.54	7.95	9.89
6-10 1 3/4"	7.79	9.51	8.57	10.13	8.39	10.40
3- 0 x 6- 8 1 3/4"	7.63	9.35	8.41	9.97	8.23	10.17
7- 0 1 3/4"	8.19	9.91	8.97	10.72	8.79	10.80
2- 8 x 6- 8 1 3/4"	8.96	10.45	9.74	11.05	9.56	11.41
3- 0 x 7- 0 1 3/4"	10.76	12.48	11.54	13.29	11.36	13.37

No. 2 FIR B. & C.

2- 6 x 6- 0 1 3/4"	6.39	7.59	7.17	8.11	6.99	8.61
6- 6 1 3/4"	6.66	8.03	7.44	8.56	7.26	9.11
6- 8 1 3/4"	6.74	8.17	7.52	8.72	7.34	9.19
2- 8 x 6- 8 1 3/4"	6.89	8.38	7.67	8.98	7.49	9.34
2-10 x 6- 8 1 3/4"	7.17	8.89	7.95	9.36	7.77	9.71
6-10 1 3/4"	7.60	9.32	8.38	9.94	8.20	10.21
3- 0 x 6- 8 1 3/4"	7.44	9.16	8.22	9.78	8.04	9.98
7- 0 1 3/4"	7.99	9.71	8.77	10.52	8.59	10.60

SASH DOORS



R-2185



R-2186



R-2187

No. 1 W. P. PINE C. & B.

Size	R-2185		R-2186		R-2187	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 6 x 6- 6 1 3/8"	\$6.76	\$7.70	\$7.56	\$8.57	\$7.89	\$8.83
6- 8 1 3/8"	6.85	7.86	7.65	8.72	7.98	8.99
2- 8 x 6- 8 1 3/8"	7.04	8.11	7.84	8.96	8.17	9.24
2-10 x 6-10 1 3/8"	7.61	8.81	8.41	9.62	8.74	9.94
3- 0 x 7- 0 1 3/8"	7.84	9.25	8.65	10.01	8.97	10.38

No. 2 FIR B. & C.

Size	R-2185		R-2186		R-2187	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 6 x 6- 6 1 3/8"	\$6.00	\$6.94	\$6.48	\$7.49	\$7.13	\$8.07
6- 8 1 3/8"	6.08	7.09	6.56	7.63	7.21	8.22
2- 8 x 6- 6 1 3/8"	6.16	7.23	6.64	7.76	7.29	8.36
6- 8 1 3/8"	6.23	7.30	6.71	7.83	7.36	8.43
7- 0 1 3/8"	6.74	7.94	7.27	8.47	7.87	9.07
2-10 x 6- 8 1 3/8"	6.51	7.71	6.99	8.16	7.74	8.84
6-10 1 3/8"	6.94	8.14	7.42	8.63	8.07	9.27
3- 0 x 7- 0 1 3/8"	7.33	8.74	7.81	9.17	8.46	9.87
2- 8 x 6- 8 1 3/4"	8.07	9.14	8.55	9.67	9.20	10.27
3- 0 x 7- 0 1 3/4"	9.82	11.23	10.30	11.66	10.95	12.36

SASH DOORS



R-2188



R-2189



R-2189-A

No. 1 W. P. PINE C. & B.

Size	R-2188		R-2189		R-2189-A	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 6 x 6- 6 1 3/8"	\$8.26	\$9.20	\$7.99	\$9.27	\$8.34	\$9.28
6- 8 1 3/8"	8.35	9.36	8.08	9.39	8.43	9.44
2- 8 x 6- 8 1 3/8"	8.54	9.61	8.27	9.58	8.62	9.69
2-10 x 6-10 1 3/8"	9.11	10.31	8.84	10.27	9.19	10.39
3- 0 x 7- 0 1 3/8"	9.34	11.12	9.07	10.64	9.42	10.83

No. 2 FIR B. & C.

Size	R-2188		R-2189		R-2189-A	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 6 x 6- 6 1 3/8"	\$7.50	\$8.44	\$6.72	\$8.00	\$7.58	\$8.52
6- 8 1 3/8"	7.58	8.59	6.80	8.11	7.66	8.67
2- 8 x 6- 6 1 3/8"	7.66	8.73	6.88	8.19	7.74	8.81
6- 8 1 3/8"	7.73	8.80	6.95	8.26	7.81	8.88
7- 0 1 3/8"	8.24	9.44	7.46	8.77	8.32	9.52
2-10 x 6- 8 1 3/8"	8.01	9.21	7.23	8.61	8.09	9.29
6-10 1 3/8"	8.44	9.64	7.66	9.09	8.52	9.72
3- 0 x 7- 0 1 3/8"	8.83	10.24	8.05	9.62	8.91	10.32
2- 8 x 6- 8 1 3/8"	9.57	10.54	8.79	10.10	9.65	10.72
3- 0 x 7- 0 1 3/8"	11.32	12.73	10.54	12.11	11.40	12.81


SASH DOORS



R-2189-B



R-2189-C



R-2158

No. 1 W. P. PINE C. & B.

Size	R-2189-B		R-2189-C		R-2158	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 6 x 6- 6 1 3/8"	\$ 8.86	\$ 9.80	\$ 8.86	\$ 9.80	\$ 7.67	\$ 9.03
2- 6 x 6- 8 1 3/8"	8.95	9.96	8.95	9.96	7.72	9.08
2- 8 x 6- 8 1 3/8"	9.14	10.21	9.14	10.21	7.86	9.28
2-10 x 6-10 1 3/8"	9.71	10.91	9.71	10.91
3- 0 x 7- 0 1 3/8"	9.94	11.35	9.94	11.35
2- 8 x 6- 8 1 3/4"	10.61	12.03

No. 2 FIR B. & C.

Size	R-2189-B		R-2189-C	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 6 x 6- 6 1 3/8"	\$ 8.10	\$ 9.04	\$ 8.10	\$ 9.04
2- 6 x 6- 8 1 3/8"	8.18	9.19	8.18	9.19
2- 8 x 6- 6 1 3/8"	8.26	9.33	8.26	9.33
2- 8 x 6- 8 1 3/8"	8.33	9.40	8.33	9.40
2- 8 x 6- 10 1 3/8"	8.84	10.04	8.84	10.04
2-10 x 6- 8 1 3/8"	8.61	9.81	8.61	9.81
2-10 x 6-10 1 3/8"	9.04	10.24	9.04	10.24
3- 0 x 7- 0 1 3/8"	9.43	10.84	9.43	10.84
2- 8 x 6- 8 1 3/4"	10.17	11.24	10.17	11.24
3- 0 x 7- 0 1 3/4"	11.92	13.33	11.92	13.33

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

SASH DOORS



R-2172

OVOLO STICKING



R-2190

C. & B. STICKING



R-2192

C. & B. STICKING

R-2172—Bottom Rail and Panel Height line with 6 Panel Doors

No. 1 W. P. PINE

Size	R-2172		R-2190		R-2192	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 6 x 6- 6 1 3/8"	\$ 7.67	\$ 9.03	\$ 7.20	\$ 8.39	\$ 6.40	\$ 7.52
6- 8 1 3/8"	7.72	9.08	7.25	8.44	6.44	7.64
2- 8 x 6- 6 1 3/8"	7.39	8.64	6.59	7.90
6- 8 1 3/8"	7.86	9.28	7.39	8.64	6.59	7.90
2-10 x 6-10 1 3/8"	7.91	9.30	7.11	8.67
3- 0 x 7- 0 1 3/8"	8.15	9.61	7.34	9.09
2- 6 x 6- 6 1 3/4"	10.32	11.68
6- 8 1 3/4"	10.41	11.77
2- 8 x 6- 8 1 3/4"	10.61	12.03	10.02	11.27	8.98	10.29
3- 0 x 6- 8 1 3/4"	11.01	12.58
7- 0 1 3/4"	11.65	13.51	11.06	12.52	10.02	11.77

No. 2 W. P. PINE

Size	R-2190		R-2192	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 4 x 6- 6 1 3/8"	\$ 6.77	\$ 7.89	\$ 6.00	\$ 7.01
2- 6 x 6- 0 1 3/8"	6.86	7.87	6.09	7.03
6- 6 1 3/8"	6.86	8.05	6.09	7.21
2- 8 x 6- 8 1 3/8"	7.04	8.29	6.27	7.58
2-10 x 6-10 1 3/8"	7.53	8.92	6.77	8.33
3- 0 x 7- 0 1 3/8"	7.76	9.22	6.99	8.74

FRONT DOORS



R-2007



R-2012



R-2014

Stiles $5\frac{1}{2}$ ", Bottom Rail $8\frac{1}{4}$ "
Panels $\frac{3}{4}$ " Thick with Heavy Hip Raise
Ovolo Sticking and Beads for Glass
Glass Bedded in Putty

These doors line satisfactorily with our Interior Colonial Doors.

No. 1 W. P. PINE

Size	R-2007		R-2012		R-2014	
	Open	Glazed D. S. B.	Open	Glazed D. S. B.	Open	Glazed D. S. B.
2- 8 x 6- 8 $1\frac{3}{4}$ "	\$21.89	\$23.98	\$15.78	\$16.49
3- 0 x 6- 8 $1\frac{3}{4}$ "	22.67	24.85	16.56	17.27	\$23.39	\$25.55
7- 0 $1\frac{3}{4}$ "	24.32	26.50	18.22	18.93	24.01	26.41
Glass Size for 3-0 x 6-8 Door	$6\frac{3}{16}$ " x $10\frac{1}{8}$ "		$5\frac{7}{8}$ " x $6\frac{7}{8}$ "		$8\frac{3}{8}$ " x $9\frac{7}{8}$ "	
For Glazed Plain Plate, Add to Open Door	\$2.57		\$1.43		\$5.69	


FRONT DOORS



R-2015



R-2016



R-2017

Stiles $5\frac{1}{2}$ ", Bottom Rail $8\frac{1}{4}$ "

Panels $\frac{3}{4}$ " Thick with Heavy Hip Raise

Ovolo Sticking and Beads for Glass

Glass Bedded in Putty

These doors line satisfactorily with our Interior Colonial Doors.

No. 1 W. P. PINE

Size	R-2015		R-2016		R-2017	
	Open	Glazed D. S. B.	Open	Glazed D. S. B.	Open	Glazed D. S. B.
3-0 x 6-8 $1\frac{3}{4}$ "	\$13.56	\$15.80	\$21.84	\$24.08	\$14.96	\$17.12
7-0 $1\frac{3}{4}$ "	14.28	16.68	22.46	24.86	15.68	17.90
Glass Size for 3-0 x 6-8 Door..	$8\frac{3}{8}$ " x $11\frac{3}{4}$ "		$8\frac{3}{8}$ " x 12"		$8\frac{3}{8}$ " x 10"	
For Glazed Plain Plate, Add to Open Door.....	\$6.60		\$6.60		\$5.69	

FRONT DOORS



R-2050



R-2053



R-2054

R-2050—RAISED MOULDING OUTSIDE; OVOLO STICKING INSIDE

R-2053—FLUSH MOULDING OUTSIDE; OVOLO STICKING INSIDE

R-2054—FLUSH MOULDING OUTSIDE; OVOLO STICKING INSIDE

Stiles 5½", Bottom Rail 8¼"

Panels ¾" Thick with Heavy Hip Raise

Glass Bedded in Putty

These doors line with Interior Doors R-2305, R-2307 and R-2310.

No. 1 W. P. PINE

Size	R-2050		R-2053		R-2054	
	Open	Glazed D. S. B.	Open	Glazed D. S. B.	Open	Glazed D. S. B.
2- 8 x 6- 8 1¾"	\$23.03	\$24.06	\$16.92	\$18.92	\$19.37	
2-10 x 6-10 1¾"	18.01	20.01	20.46	
3- 0 x 6- 8 1¾"	24.63	25.82	17.75	19.75	20.20	
7- 0 1¾"	25.25	26.44	18.63	20.63	21.08	

Glass Size for 2-8 x 6-8 R-2054 Door 9" x 6⅞".

For Glazed Plain Plate,

Add to Open Door: R-2050, \$3.45

R-2054, \$1.11

FRONT DOORS



R-2340



R-2220



R-2223

Special 5-Ply Construction

$\frac{1}{16}$ " Face Veneers

Glass Bedded in Putty

VENEERED UNSELECTED BIRCH

	R-2340	R-2220		R-2223	
Size		Open	Glazed D. S. B.	Open	Glazed D. S. B.
2- 8 x 6- 8 $1\frac{3}{4}$ "	\$19.05	\$28.05	\$28.95	\$24.60	\$25.85
3- 0 x 6- 8 $1\frac{3}{4}$ "	20.54	29.54	30.44	26.09	27.34
3- 0 x 7- 0 $1\frac{3}{4}$ "	21.08	30.08	30.98	26.63	27.88
Glass Size for 2-8 x 6-8 Door		6" x 12"		6 $\frac{3}{16}$ " x 8 $\frac{3}{4}$ "	
For Glazed Plain Plate, Add to Open Door		\$1.54		\$2.77	

NOTE: R-2340 Doors can be used as Interior or Exterior Doors.

These Doors can also be furnished with any light arrangement desired at prices proportionate with design.

FRONT DOORS



R-2060

V-GROOVE FLUSH DOORS

Sawn Face Veneers $\frac{3}{8}$ " thick.

These doors can be furnished from stock with any number, direction or spacing of grooves.

They can also be furnished promptly with any arrangement of lights or with any shape head.

Prices proportionate with design.

When ordering designs, other than those shown, submit exact details.

No. 1 W. P. PINE

Size	R-2060 Plain Flush (no V-grooves)	R-2060 With V-grooves (up to 5 each side)
2-8 x 6-8 $1\frac{3}{4}$ "	\$22.78	\$24.58
3-0 x 6-8 $1\frac{3}{4}$ "	24.41	26.21
7-0 $1\frac{3}{4}$ "	25.00	26.80


Unless otherwise specified R-2060 doors will be furnished with 3 V-grooves each side.

For Irregular Tops, Add the following:


For Circle Top	\$2.25
For Segment Top	2.25
For Tudor Gothic Top	3.40

For irregular tops, other than true half circle, submit detail with order.


FRONT DOORS




R-2060-A



R-2060-B




R-2060-C



R-2060-D



R-2060-E



R-2060-F



R-2060-G



R-2060-H

V-GROOVE FLUSH DOORS

Sawn Face Veneers $\frac{3}{8}$ " thick.

Glass Bedded in Putty.


NO. 1 W. P. PINE

For designs shown above, add the following extras to prices on opposite page given for "R-2060 With V-grooves (up to 5 each side)."

	Open No Bars	Open Wood Bars	Glazed D.S.B. No Bars	Glazed D.S.B. Wood Bars	Glazed Clear Leaded
R-2060-A.....	\$3.35	\$3.65	\$6.10
B.....	3.75	\$6.45	4.35	\$8.70	6.95
C.....	9.00	9.90
D.....	6.00	7.20	6.50	8.20	8.75
E.....	6.00	7.20	6.50	8.20	8.75
F.....	6.75	7.05	9.50
G.....	8.65	9.85	9.15	10.85	11.40
	No Lts.				
R-2060-H.....	\$3.00

For designs R-2060-E and R-2060-F submit detail of top with order.

FRONT DOORS



R-2075



R-2085



R-2076

Stiles, Top and Lock Rails 5½", Bottom Rails 9½"

No. 1 W. P. PINE, C. & B., FLAT PANEL

Size	R-2075		R-2085		R-2076	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 8 x 6- 8 1⅜"	\$ 8.56	\$ 9.29	\$ 9.31	\$10.13	\$ 9.50	\$10.35
6- 8 1¼"	11.54	12.27	12.42	13.24	12.68	13.53
2-10 x 6-10 1¼"	12.68	13.45	13.56	14.43	13.82	14.70
3- 0 x 6- 8 1⅜"	12.16	12.98	13.04	13.97	13.30	14.20
7- 0 1¼"	13.24	14.06	14.13	15.06	14.39	15.29

NO. 1 FIR, B. & C., RAISED PANEL

Size	R-2075		R-2085		R-2076	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 8 x 6- 8 1⅜"	\$ 7.70	\$ 8.43	\$ 8.06	\$ 8.88	\$ 8.18	\$ 9.03
6- 8 1¼"	9.59	10.32	9.95	10.77	10.07	10.92
2-10 x 6-10 1¼"	10.87	11.66	11.23	12.08	11.35	12.23
3- 0 x 6- 8 1⅜"	10.67	11.49	11.03	11.96	11.15	12.05
7- 0 1¼"	11.39	12.21	11.75	12.68	11.87	12.77

Glass Size for 2-8 x 6-8 Door
For Glazed Plain Plate,
Add to Open Door

22" x 18"

\$4.10

7" x 18"

\$3.60

5½" x 18"

\$2.96

FRONT DOORS



R-2077



R-2078

Stiles, Top and Lock Rails $5\frac{1}{2}$ ", Bottom Rail $9\frac{1}{2}$ ".

No. 1 W. P. PINE, C. & B., FLAT PANEL

Size	R-2077		R-2078	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 8 x 6- 8 $1\frac{3}{8}$ "	\$ 9.75	\$10.78	\$10.00	\$11.23
6- 8 $1\frac{3}{4}$ "	12.91	13.97	13.30	14.53
2-10 x 6-10 $1\frac{3}{4}$ "	14.08	15.16	14.44	15.70
3- 0 x 6- 8 $1\frac{3}{4}$ "	13.56	14.67	13.92	15.21
7- 0 $1\frac{3}{4}$ "	14.65	15.76	15.01	16.30

NO. 1 FIR, B. & C., RAISED PANEL

Size	R-2077		R-2078	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 8 x 6- 8 $1\frac{3}{8}$ "	\$ 8.66	\$ 9.69	\$ 9.02	\$10.25
6- 8 $1\frac{3}{4}$ "	10.55	11.58	10.91	12.14
2-10 x 6-10 $1\frac{3}{4}$ "	11.83	12.92	12.19	13.45
3- 0 x 6- 8 $1\frac{3}{4}$ "	11.63	12.74	11.99	13.28
7- 0 $1\frac{3}{4}$ "	12.35	13.46	12.71	14.00
Glass Size for 2-8 x 6-8 Door		7" x $8\frac{3}{4}$ "	5 $\frac{1}{8}$ " x $8\frac{3}{4}$ "	
For Glazed Plain Plate, Add to Open Door		\$3.75	\$3.65	

FRONT DOORS



R-2105



R-2107



R-2125


Stiles 5½", Bottom Rail 1½"

Size	R-2105		R-2107				R-2125	
	No. 1 W. P. Pine C. & B.		No. 1 W. P. Pine C. & B.		No. 1 Fir B. & C.		No. 1 W. P. Pine C. & B.	
	Open	Glazed D. S. B.	Open	Glazed S. S. B.	Open	Glazed S. S. B.	Open	Glazed D. S. B.
2- 6 x 6- 6 1 3/8"	\$7.13	\$9.72	\$7.90	\$9.93	\$7.94	\$10.86
2- 8 x 6- 8 1 3/8"	7.38	10.28	8.11	10.14	\$8.80	\$10.83	8.15	11.32
2-10 x 6-10 1 3/8"	7.97	11.36	8.61	10.76	8.65	12.10
3- 0 x 7- 0 1 3/8"	8.22	11.77	8.82	11.19	8.86	12.63
2- 8 x 6- 8 1 3/8"	10.19	13.09	11.11	13.14	10.41	12.44	11.11	14.28
7- 0 1 3/8"	11.02	14.41	11.81	13.99	11.81	15.21
2-10 x 6- 8 1 3/8"	10.45	13.84	11.33	13.48	11.33	14.65
6-10 1 3/8"	11.07	14.46	11.86	14.07	11.86	15.31
7- 0 1 3/8"	11.23	14.62	11.99	14.25	11.99	15.60
3- 0 x 6- 8 1 3/8"	10.66	14.05	11.51	13.78	11.33	13.60	11.51	15.04
7- 0 1 3/8"	11.44	14.99	12.17	14.54	11.94	14.31	12.17	15.94
For Glazed Plain Plate, Add to Open Door	\$14.35		\$11.24				\$13.92	
For Glass Bedded in Putty, Add to Glazed Door51				

FRONT DOORS



R-2126



R-2128



R-2140

Stiles $5\frac{1}{2}''$, Bottom Rails $18\frac{1}{2}''$

Cove and Bead Sticking

No. 1 W. P. PINE

Size	R-2126		R-2128		R-2140	
	Open	Glazed D. S. B.	Open	Glazed D. S. B.	Open	Glazed D. S. B.
2- 6 x 6- 6 $1\frac{3}{8}''$	\$ 9.16	\$13.26	\$ 8.19	\$11.38	\$ 7.94	\$10.86
2- 8 x 6- 8 $1\frac{3}{8}''$	9.37	13.72	8.40	11.84	8.15	11.32
2-10 x 6-10 $1\frac{3}{8}''$	9.87	14.50	8.90	12.62	8.65	12.10
3- 0 x 7- 0 $1\frac{3}{8}''$	10.08	15.03	9.11	13.15	8.86	12.63
2- 8 x 6- 8 $1\frac{3}{4}''$	12.53	16.88	11.42	14.86	11.11	14.28
7- 0 $1\frac{3}{4}''$	13.23	17.81	12.12	15.79	11.81	15.21
2-10 x 6- 8 $1\frac{3}{4}''$	12.74	17.24	11.64	15.23	11.33	14.65
6-10 $1\frac{3}{4}''$	13.28	17.91	12.17	16.89	11.86	15.31
7- 0 $1\frac{3}{4}''$	13.41	18.20	12.30	16.18	11.99	15.60
3- 0 x 6- 8 $1\frac{3}{4}''$	12.92	17.63	11.81	15.61	11.51	15.04
7- 0 $1\frac{3}{4}''$	13.58	18.53	12.48	16.52	12.17	15.94

For Glazed Plain Plate,

Add to Open Door

\$9.80

\$11.70

\$11.65

FRONT DOORS



R-2145



R-2146



R-2147

Stiles, Top and Lock Rails $5\frac{1}{2}''$, Bottom Rails $9\frac{1}{2}''$

Cove and Bead Sticking

No. 1 W. P. PINE

Size	R-2145		R-2146		R-2147	
	Open	Glazed D. S. B.	Open	Glazed D. S. B.	Open	Glazed D. S. B.
2- 6 x 6- 6 $1\frac{3}{4}''$	\$ 7.12	\$ 9.33	\$ 9.60	\$12.17	\$ 9.01	\$11.58
2- 8 x 6- 8 $1\frac{3}{4}''$	7.33	9.75	9.80	12.52	9.21	11.93
2-10 x 6- 8 $1\frac{3}{4}''$	7.47	9.89	9.95	12.80	9.36	12.21
6-10 $1\frac{3}{4}''$	7.92	10.82	10.40	13.30	9.80	12.70
3- 0 x 6- 8 $1\frac{3}{4}''$	7.62	10.52	10.10	13.10	9.50	12.50
7- 0 $1\frac{3}{4}''$	8.17	11.07	10.64	13.80	10.05	13.21
2- 8 x 6- 8 $1\frac{3}{4}''$	10.14	12.56	13.20	15.92	12.42	15.14
7- 0 $1\frac{3}{4}''$	10.92	13.51	13.97	16.94	13.20	16.17
2-10 x 6-10 $1\frac{3}{4}''$	11.02	13.92	14.08	16.98	13.30	16.20
3- 0 x 6- 8 $1\frac{3}{4}''$	10.56	13.46	13.61	16.61	12.83	15.83
7- 0 $1\frac{3}{4}''$	11.33	14.23	14.39	17.55	13.61	16.77

Glass Size for 2-8 x 6-8 Door 22" x 48"

For Glazed Plain Plate,

Add to Open Door

\$12.00

\$10.85

\$11.76

FRONT DOORS



R-2148



R-2155

Stiles, Top and Lock Rails 5 1/2", Bottom Rails 9 1/2"
Cove and Bead Sticking

No. 1 W. P. PINE

Size	R-2148		R-2155	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 6 x 6- 6 1 3/8"	\$ 8.86	\$10.83	\$ 9.70	\$11.95
2- 8 x 6- 8 1 3/8"	9.06	11.10	9.90	12.30
2-10 x 6- 8 1 3/8"	9.21	11.25	10.05	12.56
6-10 1 3/8"	9.65	11.75	10.49	13.00
3- 0 x 6- 8 1 3/8"	9.36	11.51	10.20	12.80
7- 0 1 3/8"	9.90	12.33	10.74	13.43
2- 8 x 6- 8 1 3/8"	12.42	14.46	13.35	15.75
7- 0 1 3/8"	13.20	15.46	14.13	16.67
2-10 x 6-10 1 3/8"	13.30	15.40	14.23	16.74
3- 0 x 6- 8 1 3/8"	12.83	14.98	13.77	16.37
7- 0 1 3/8"	13.61	16.04	14.54	17.23
Glass Size for 2-8 x 6-8 Door	7" x 15 3/8"		7" x 11 3/8"	
For Glazed Plain Plate, Add to Open Door	\$10.50		\$10.00	

FRONT DOORS



R-2198



R-2199



R-2200

Stiles and Top Rails 5½", Lock Rails 8¼", Bottom Rails 9½"

Cove and Bead Sticking

No. 1 W. P. PINE

Size	R-2198		R-2199		R-2200	
	Open	Glazed D. S. B.	Open	Glazed D. S. B.	Open	Glazed S. S. B.
2- 6 x 6- 6 1⅝"	\$ 7.57	\$ 9.18	\$ 9.45	\$11.34	\$ 9.21	\$11.13
2- 8 x 6- 8 1⅝"	7.87	9.72	9.75	11.73	9.50	11.42
2-10 x 6-10 1⅝"	8.51	10.94	10.40	12.64	10.15	12.14
3- 0 x 6- 8 1⅝"	8.22	10.65	10.10	12.50	9.85	11.86
7- 0 1⅝"	8.81	11.51	10.69	13.40	10.44	12.59
2- 8 x 6- 8 1¾"	10.66	12.51	12.94	14.92	12.83	14.75
2-10 x 6-10 1¾"	11.59	14.02	13.87	16.11	13.77	15.76
3- 0 x 6- 8 1¾"	11.18	13.60	13.46	15.86	13.35	15.36
7- 0 1¾"	12.01	14.71	14.28	16.99	14.18	16.33
Glass Size for 2-8 x 6-8 Door	22" x 38"			7" x 12¼"	
For Glazed Plain Plate,						
Add to Open Door	\$10.20		\$ 8.73		\$ 7.51	

FRONT DOORS



R-2195



R-2196




R-2197


Stiles and Top Rails $4\frac{11}{16}$ ", Bottom Rails $9\frac{1}{2}$ "

Size	R-2195		R-2196		R-2197	
	No. 2 W. P. Pine C. & B.		No. 1 Fir B. & C.		No. 1 W. P. Pine C. & B.	
	Open	Glazed S. S. B.	Open	Glazed D. S. B.	Open	Glazed D. S. B.
2- 6 x 6- 6 $1\frac{3}{8}$ "	\$ 6.80	\$ 7.68	\$ 6.74	\$ 8.20	\$ 6.98	\$ 8.46
2- 8 x 6- 8 $1\frac{3}{8}$ "	7.07	8.04	6.98	8.59	7.23	8.99
3- 0 x 7- 0 $1\frac{3}{8}$ "	8.10	10.53
2- 8 x 6- 8 $1\frac{3}{4}$ "	9.83	11.59
2-10 x 6-10 $1\frac{3}{4}$ "	10.71	13.14
3- 0 x 7- 0 $1\frac{3}{4}$ "	11.07	13.78
Glass Size for 2-8 x 6-8 Door	$23\frac{1}{2}$ " x 26"		$23\frac{1}{2}$ " x 34"		$23\frac{1}{2}$ " x 36"	
For Glazed Plain Plate, Add to Open Door	\$ 5.34		\$9.94		\$10.44	


FRONT DOORS



FDI-2020



FDI-2080



FDI-2105

"TRU-FIT" No. 1 FIR

Exact Size . . . Factory-Fitted . . . Individually Packaged

Scuff-Stripped . . . Trade-Marked


Panels $\frac{3}{4}$ " Thick, Raised Two Sides

Ovolo Sticking and Beads for Glass


Glass Bedded in Putty

Size	FDI-2020		FDI-2080		FDI-2105	
	Open	Glazed D. S. B.			Open	Glazed D. S. B.
2-8 x 6-8 $1\frac{3}{4}$ "	\$18.82	\$19.93	\$18.75		\$23.06	\$25.15
3-0 x 6-8 $1\frac{3}{4}$ "	18.82	20.10	18.75		23.06	25.29
7-0 $1\frac{3}{4}$ "	19.57	20.85	19.50		23.80	26.15
For Glazed Plain Plate,						
Add to Open Door		\$3.45			\$5.24

FRONT DOORS



FDI-2115



FDI-2120



FDI-2130

"TRU-FIT" No. 1 FIR

Exact Size . . . Factory-Fitted . . . Individually Packaged
Scuff-Stripped . . . Trade-Marked

Panels $\frac{3}{4}$ " Thick, Raised Two Sides

Ovolo Sticking and Beads for Glass

Glass Bedded in Putty

Size	FDI-2115		FDI-2120		FDI-2130
	Open	Glazed D. S. B.	Open	Glazed D. S. B.	
2-8 x 6-8 1 $\frac{3}{4}$ "	\$17.15	\$17.86	\$19.52	\$21.03	\$15.91
3-0 x 6-8 1 $\frac{3}{4}$ "	17.15	17.86	19.52	21.09	15.91
7-0 1 $\frac{3}{4}$ "	17.90	18.61	20.27	21.92	16.66
For Glazed Plain Plate, Add to Open Door.....	\$1.45		\$2.10	

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

SIDE LIGHTS



R-2040

Lines with
R-2053
R-2054



R-2041

Lines with
R-2053
R-2054



R-2086

Lines with
R-2075



R-2087

Lines with
R-2085



R-2156

Lines with
R-2145

No. 1 W. P. PINE

Size	R-2040		R-2041		R-2086		R-2087		R-2156	
	Open	Glazed D.S.B.	Open	Glazed S.S.B.	Open	Glazed S.S.B.	Open	Glazed S.S.B.	Open	Glazed D.S.B.
1- 0 x 6- 8 1 3/8"	\$5.10	\$5.97	\$5.89	\$6.65	\$4.90	\$5.38	\$5.20	\$5.82	\$4.11	\$5.07
7- 0 1 3/8"	5.35	6.27	6.14	6.96	5.15	5.63	5.45	6.07	4.36	5.39
1- 2 x 6- 8 1 3/8"	5.25	6.21	6.04	6.87	5.05	5.57	5.35	6.01	4.26	5.37
6-10 1 3/8"	5.49	6.49	6.28	7.17
7- 0 1 3/8"	5.54	6.58	6.33	7.23	4.55	5.71
Glass Size for Side Light										
1-0 x 6-8.....	8" x 40"		8" x 9 3/4"		8" x 18"		3 3/4" x 18"		8" x 48"	
For Glazed Plain Plate, Add to Open Side Light										
	\$3.88		\$3.18		\$1.51		\$1.55		\$4.35	

SIDE LIGHTS



R-2110

Lines with
R-2105



R-2130

Lines with
R-2107



R-2131

Lines with
R-2125



R-2142

Lines with
R-2140



R-2258

Lines with
R-2265

No. 1 W. P. PINE

		R-2110		R-2130		R-2131		R-2142		R-2258		
Size		Glazed Open D.S.B.		Glazed Open S.S.B.		Glazed Open D.S.B.		Glazed Open D.S.B.		Glazed Open S.S.B.		
1- 0	6- 8	1 3⁄8"	\$4.06	\$5.59	\$4.85	\$5.72	\$5.54	\$7.26	\$5.54	\$7.26	\$4.70	\$5.76
7- 0	1 3⁄8"	4.31	5.84	5.10	5.99	5.79	7.51	5.79	7.51	4.95	6.01	
1- 2	6- 8	1 3⁄8"	4.21	6.01	5.00	5.96	5.69	7.69	5.69	7.69	4.85	6.03
7- 0	1 3⁄8"	4.50	6.30	5.30	6.29	5.99	7.99	5.99	7.99	5.15	6.33	
1- 4	6- 8	1 3⁄8"	5.00	6.28	
7- 0	1 3⁄8"	5.30	6.58	
1- 6	6- 8	1 3⁄8"	4.50	6.53	5.30	6.47	5.99	8.22	5.99	8.22	5.15	6.62
7- 0	1 3⁄8"	4.80	6.97	5.59	6.86	6.29	8.65	6.29	8.65	5.45	6.92	
<hr/>												
Glass Size for Side Light												
1-0 x 6-8.....			8" x 56"		8" x 13 3⁄8"			8" x 12 3⁄8"	
<hr/>												
For Glazed Plain Plate, Add to Open Side Light:												
For 1-0 and 1-2 wide			\$4.55		\$4.53		\$5.80		\$5.80		\$4.65	
For 1-4 and 1-6 wide			7.80		6.22		5.80		5.80		6.90	

RADFORD & SANDERS

INC.

BALTIMORE

MARYLAND

FRENCH DOORS



R-2232



R-2233

Stiles and Top Rails $3\frac{1}{2}''$, Lock Rails $4\frac{11}{16}''$, Bottom Rails $8\frac{1}{4}''$

Bars and Munts $\frac{1}{4}''$ Between Glass

Ovolo Sticking

No. 1 W. P. PINE


Prices Per Single Door

Size	R-2232		R-2233	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 0 x 6- 6 $1\frac{3}{8}''$	\$ 7.20	\$ 8.81
6- 8 $1\frac{3}{8}''$	7.30	8.91
2- 6 x 6- 6 $1\frac{3}{8}''$	\$ 8.44	\$10.92
6- 8 $1\frac{3}{8}''$	8.53	11.01
2- 8 x 6- 8 $1\frac{3}{8}''$	8.63	11.23
Glass Size for 2-0 x 6-8 Door	$8\frac{3}{4}'' \times 13''$		$5\frac{5}{8}'' \times 13''$	
For Glazed Plain Plate,				
Add to Open Door	\$5.75		\$8.30	
For W. P. Pine T-Astragal, Add	.75		.75	

FRENCH DOORS



R-2240



R-2251

R-2240—Stiles $3\frac{1}{2}''$, Bottom Rail $11\frac{1}{2}''$

R-2251—Stiles $4\frac{1}{8}''$, Bottom Rail $9\frac{3}{8}''$

Size	R-2240 No. 1 W. P. Pine C. and B. Sticking		R-2251 No. 1 Fir B. and C. Sticking	
	Open	Glazed S. S. B.	Open	Glazed S. S. B.
2- 0 x 6- 6 $1\frac{3}{8}''$	\$ 5.42	\$ 7.23	\$ 5.76	\$ 7.53
6- 8 $1\frac{3}{8}''$	5.50	7.39	5.86	7.57
7- 0 $1\frac{3}{8}''$	5.84	7.73	6.27	8.05
2- 6 x 6- 6 $1\frac{3}{8}''$	5.59	7.73
6- 8 $1\frac{3}{8}''$	5.67	7.96	6.27	8.31
7- 0 $1\frac{3}{8}''$	6.01	8.30	6.71	8.83
2- 0 x 6- 8 $1\frac{3}{4}''$	7.26	9.15
7- 0 $1\frac{3}{4}''$	7.79	9.68
Glass Size for 2-0 x 6-8 Door	$8\frac{3}{4}'' \times 12\frac{3}{4}''$		$7\frac{1}{2}'' \times 13''$	
For Glazed Plain Plate, Add to Open Door	\$11.50		\$11.50	
For Glass Bedded in Putty, Add to Glazed Door	.42		.42	
For W. P. Pine T-Astragal:				
$1\frac{3}{8}''$, Add.....	.75		.75	
$1\frac{3}{4}''$, Add.....	1.00		1.00	

RADFORD & SANDERS

INC.

BALTIMORE

MARYLAND

FRENCH DOORS



R-2245

Stiles $3\frac{1}{2}''$, Bottom Rail $11\frac{1}{2}''$

C. and B. Sticking

PRICES PER SINGLE DOOR

No. 1 W. P. PINE

Size	Open	Glazed S. S. B.
2- 0 x 6- 6 $1\frac{3}{8}''$	\$ 6.09	\$ 8.27
6- 8 $1\frac{3}{8}''$	6.17	8.46
7- 0 $1\frac{3}{8}''$	6.51	8.80
2- 6 x 6- 6 $1\frac{3}{8}''$	6.26	8.76
6- 8 $1\frac{3}{8}''$	6.34	8.96
7- 0 $1\frac{3}{8}''$	6.68	9.30
2- 8 x 6- 8 $1\frac{3}{8}''$	6.38	9.15
7- 0 $1\frac{3}{8}''$	6.76	9.53
3- 0 x 7- 0 $1\frac{3}{8}''$	6.89	9.85

VENEERED UNSELECTED BIRCH

Size	Open	Glazed S. S. B.
2- 0 x 6- 8 $1\frac{3}{8}''$	\$13.14	\$15.43
7- 0 $1\frac{3}{8}''$	13.82	16.11
2- 6 x 6- 8 $1\frac{3}{8}''$	13.50	16.12
7- 0 $1\frac{3}{8}''$	14.17	16.79
2- 8 x 6- 8 $1\frac{3}{8}''$	13.62	16.39
7- 0 $1\frac{3}{8}''$	14.29	17.06
3- 0 x 7- 0 $1\frac{3}{8}''$	14.61	17.57

Glass Size for 2-8 x 6-8 Door, $8\frac{3}{8}''$ x $12\frac{3}{4}''$.

For Glazed Plain Plate, Add to Open Door..... \$13.00

For Glass Bedded in Putty, Add to Glazed Door..... .60

RADFORD & SANDERS

BALTIMORE


INC.

MARYLAND

FRENCH DOORS



R-2255



R-2265

R-2255—Stiles $4\frac{1}{16}$ " , Bottom Rail $9\frac{1}{2}$ "

R-2265—Stiles $5\frac{1}{2}$ " , Bottom Rail $11\frac{1}{2}$ "

R-2255					R-2265				
No. 1 W. P. Pine C. & B.			No. 1 Fir B. & C.		No. 1 W. P. Pine C. & B.			No. 1 Fir B. & C.	
Size	Open	Glazed S. S. B.	Open	Glazed S. S. B.	Open	Glazed S. S. B.	Open	Glazed S. S. B.	
2- 6 x 6- 6 $1\frac{3}{8}"$	\$ 6.93	\$ 9.40	\$ 6.80	\$ 9.27	\$ 7.57	\$ 9.96	
6- 8 $1\frac{3}{8}"$	7.01	9.48	6.87	9.34	7.65	10.15	
6-10 $1\frac{3}{8}"$	7.30	9.86	
7- 0 $1\frac{3}{8}"$	7.35	9.97	7.31	9.93	7.99	10.61	
2- 8 x 6- 6 $1\frac{3}{8}"$	6.94	9.44	
6- 8 $1\frac{3}{8}"$	7.06	9.56	7.00	9.50	7.69	10.19	
7- 0 $1\frac{3}{8}"$	7.43	10.05	7.45	10.07	8.07	10.69	
2-10 x 6-10 $1\frac{3}{8}"$	7.43	10.19	7.62	10.38	8.07	10.57	
7- 0 $1\frac{3}{8}"$	7.48	10.25	
3- 0 x 6- 8 $1\frac{3}{8}"$	7.48	10.13	
7- 0 $1\frac{3}{8}"$	7.56	10.32	7.96	10.73	8.20	10.97	
2- 6 x 6- 8 $1\frac{3}{4}"$	10.55	13.05	
7- 0 $1\frac{3}{4}"$	11.08	13.70	
2- 8 x 6- 8 $1\frac{3}{4}"$	10.64	13.14	\$ 9.33	\$11.83	
7- 0 $1\frac{3}{4}"$	11.17	13.79	9.91	12.53	
2-10 x 6-10 $1\frac{3}{4}"$	11.17	13.67	
7- 0 $1\frac{3}{4}"$	11.26	13.88	
3- 0 x 6- 8 $1\frac{3}{4}"$	10.81	13.46	
7- 0 $1\frac{3}{4}"$	11.35	14.12	10.86	13.63	
Glass Size for 2-8 x 6-8 Door			$7\frac{1}{2}" \times 13"$		$7" \times 12\frac{3}{8}"$				
For Glazed Plain Plate,									
Add to Open Door			\$11.80		\$11.80				
For Glass Bedded in Putty,									
Add to Glazed Door			.60		.60				

PANEL DOORS



R-2305
Standard Hip Raised
Panels 2 Sides



R-2307
Heavy $\frac{3}{4}$ " Hip Raised
Panels 2 Sides

Stiles and Top Rails $4\frac{11}{16}$ ", Bottom Rails $8\frac{1}{4}$ "
Ovolo Sticking
No. 1 W. P. Pine

Size	R-2305		R-2307	
	$1\frac{3}{8}$ "	$1\frac{3}{4}$ "	$1\frac{3}{8}$ "	$1\frac{3}{4}$ "
1- 6 x 6- 6	\$ 6.62	\$ 7.61
6- 8	6.71	7.70
1- 8 x 6- 8	6.80	7.80
2- 0 x 6- 0	6.62	7.61
6- 6	6.90	7.89
6- 8	6.99	7.99
7- 0	7.51	8.51
2- 2 x 6- 6	7.23	8.22
6- 8	7.32	8.32
2- 4 x 6- 6	7.51	8.51
6- 8	7.65	8.65
7- 0	9.17
2- 6 x 6- 0	7.51	8.51
6- 6	7.84	8.84
6- 8	7.94	\$10.35	8.93	\$11.39
7- 0	8.51	11.14	9.50	12.18
2- 8 x 6- 6	8.13
6- 8	8.27	10.84	9.26	11.38
7- 0	8.84	11.58	9.83	12.62
2-10 x 6-10	9.07	10.06
7- 0	13.07
3- 0 x 6- 8	11.63	12.67
7- 0	9.54	12.47	10.54	13.51

NOTE: 1-6 and 1-8 wide doors are made one panel wide.

PANEL DOORS



R-2206

Standard Bevel Raised
Panels 2 Sides

S. & T. R. $4\frac{9}{16}$ "—B. R. 8"



R-2310

Flat Panels
2 Sides

S. & T. R. $4\frac{11}{16}$ "—B. R. $8\frac{1}{4}$ "

Size	R-2206			R-2310		
	Fir			No. 1 W. P. Pine		
	Ovolo Sticking			Ven. Uns. Birch C. & B. Sticking		
	$1\frac{3}{8}$ " No. 1	No. 2	$1\frac{3}{4}$ " No. 1	$1\frac{3}{8}$ "	$1\frac{3}{8}$ "	$1\frac{3}{4}$ "
1-6 x 6-6	\$6.39	\$6.23
6-8	6.51	6.35	\$6.71
1-8 x 6-8	6.51	6.35	6.80
2-0 x 6-0	6.15	6.00	6.62
6-6	6.39	6.23	6.90	\$12.39
6-8	6.51	6.35	6.99	12.47
2-2 x 6-6	6.75	6.58	7.23
6-8	6.83	6.66	7.32	12.70
2-4 x 6-6	6.75	6.58	7.51	12.93
6-8	6.83	6.66	7.65	13.00
2-6 x 6-0	6.63	6.47
6-6	6.91	6.74	7.84	13.31
6-8	6.99	6.82	7.94	13.39
7-0	14.30
2-8 x 6-6	7.07	6.90
6-8	7.15	6.97	\$9.04	8.27	13.85	\$15.35
7-0	14.76
3-0 x 6-8	10.12
7-0	10.84	15.91	17.41

Note: 1-6 and 1-8 wide doors are made one panel wide.

PANEL DOORS



ARISTOCRAT
COLONIAL STICKING

Size	Veneered Brown Ash	Veneered Uns. Birch		Pine Stiles, Rails and Insert Birch Panel Fir Panel	
	1 3/8"	1 3/8"	1 3/4"	1 3/8"	1 3/8"
1- 6 x 6- 8	\$12.31	\$11.18	\$ 7.25
2- 0 x 6- 0	10.87	7.14
6- 6	12.23	11.10	7.49	\$ 7.10
6- 8	12.31	11.18	7.61	7.22
7- 0	12.10	8.25
2- 2 x 6- 6	12.47	11.33	7.90	7.49
6- 8	12.56	11.41	8.01	7.60
7- 0	12.33	8.66
2- 4 x 6- 6	12.80	11.64	8.25	7.83
6- 8	12.88	11.71	8.42	7.99
7- 0	12.63	9.07
2- 6 x 6- 6	13.20	12.02	8.66	8.21
6- 8	13.28	12.10	8.78	8.33
7- 0	14.26	13.01	\$14.51	9.48
2- 8 x 6- 8	13.77	12.56	14.06	9.18	8.71
7- 0	13.47	14.97	9.89
2-10 x 7- 0	14.01
3- 0 x 7- 0	15.96	14.62	16.12	10.76

DOORS

PANEL



BELLE PORTE

Stiles and Top Rail $4\frac{9}{16}''$
Bottom Rail $9\frac{3}{8}''$

PANEL



ONE FLAT PANEL

Stiles $4\frac{9}{16}''$ —Top Rail $5\frac{3}{8}''$
Bottom Rail $11\frac{3}{8}''$

FLUSH



R-2203

Hollow Core Construction
Slash Grain Face Veneers

No. 1 FIR

Size	Belle Porte	One Panel	R-2203
1- 6 x 6- 6 $1\frac{3}{8}''$	\$7.06	\$5.74	\$6.03
6- 8 $1\frac{3}{8}''$	7.18	5.86	6.03
2- 0 x 6- 0 $1\frac{3}{8}''$	6.82	5.50
6- 6 $1\frac{3}{8}''$	7.06	5.74	6.53
6- 8 $1\frac{3}{8}''$	7.18	5.86	6.68
2- 2 x 6- 6 $1\frac{3}{8}''$	7.42	6.10
6- 8 $1\frac{3}{8}''$	7.50	6.18
2- 4 x 6- 6 $1\frac{3}{8}''$	7.42	6.10	7.64
6- 8 $1\frac{3}{8}''$	7.50	6.18	7.84
2- 6 x 6- 0 $1\frac{3}{8}''$	7.30	5.98
6- 6 $1\frac{3}{8}''$	7.58	6.26	8.19
6- 8 $1\frac{3}{8}''$	7.66	6.34	8.39
7- 0 $1\frac{3}{8}''$	8.18
2- 8 x 6- 6 $1\frac{3}{8}''$	7.74	6.42
6- 8 $1\frac{3}{8}''$	7.82	6.50	8.95
7- 0 $1\frac{3}{8}''$	8.34
2-10 x 6- 6 $1\frac{3}{8}''$	8.26
6- 8 $1\frac{3}{8}''$	8.10
7- 0 $1\frac{3}{8}''$	8.62
3- 0 x 6- 8 $1\frac{3}{8}''$	8.38	7.06
7- 0 $1\frac{3}{8}''$	8.94	7.62
2- 8 x 6- 8 $1\frac{3}{4}''$	9.71
3- 0 x 7- 0 $1\frac{3}{4}''$	11.51

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

PANEL DOORS



FLAT PANELS



RAISED PANELS

5X PANEL—FIR

Size	Flat Panel B. & C.					Raised Panel B. & C.				
	1 1/8" Mill Run	No. 1	1 3/8" No. 2	No. 3	1 3/4" No. 1	1 1/8" Mill Run	No. 1	1 3/8" No. 2	No. 3	1 3/4" No. 1
1- 6 x 6- 6	\$5.50	\$5.74
6- 8	5.62	5.86
1- 8 x 6- 8	5.86
2- 0 x 6- 0	\$4.60	5.26	\$5.11	\$4.96	\$4.84	5.50	\$5.35	\$5.20
6- 6	4.80	5.50	5.34	5.19	5.04	5.74	5.58	5.43
6- 8	5.62	5.46	5.30	5.86	5.70	5.54
7- 0	6.10	5.93	6.34	6.16	6.00
2- 2 x 6- 6	5.11	5.86	5.69	6.10	5.93
6- 8	5.94	5.77	6.18	6.01
2- 4 x 6- 0	5.58	5.42	5.82	5.66
6- 4	5.74	5.58
6- 6	5.86	5.69	5.53	6.10	5.93	5.77
6- 8	5.94	5.77	5.61	6.18	6.01	5.85
7- 0	6.42	6.24	6.06	6.66	6.48	6.30
2- 6 x 6- 0	5.03	5.74	5.58	5.42	5.98	5.82	5.66
6- 6	5.27	6.02	5.85	5.68	5.51	6.26	6.09	5.92
6- 8	6.10	5.93	5.76	6.34	6.17	6.00
6-10	6.54	6.36	6.17	6.60	6.41
7- 0	6.62	6.44	6.25	6.86	6.68	6.49	\$8.87
2- 8 x 6- 0	6.14	5.97	5.81
6- 6	6.18	6.01	6.42	6.25	6.07
6- 8	5.50	6.26	6.08	5.91	\$8.15	6.50	6.32	6.15	8.39
6-10	6.70	6.51	6.33
7- 0	6.78	6.59	7.02	6.83	6.64
2-10 x 6- 6	6.78	6.60
6- 8	6.54	6.36	6.78	6.60	6.41
6-10	6.12	6.98	6.79	6.59	9.43	7.22	7.03	6.83
7- 0	7.06	6.86
3- 0 x 6- 6	6.94	6.75
6- 8	6.82	6.63	7.06	6.87	6.68
7- 0	7.38	7.18	6.97	9.95	7.62	7.42	7.21	10.19

PANEL DOORS



R-2295
C. and B. Sticking



R-2293
O. G. Sticking

RAISED
PANELS

Size	R-2295		R-2293	
	No. 1 W. P. Pine 1 3/8"	No. 2 W. P. Pine 1 3/8"	No. 1 W. P. Pine 1 3/8"	No. 2 W. P. Pine 1 3/8"
1- 6 x 6- 6	\$5.95
6- 8	6.05
1- 8 x 6- 8	6.14
2- 0 x 6- 0	5.95	\$5.67	\$5.16
6- 6	6.24	5.95	5.35
6- 8	6.34	6.05	6.05
7- 0	6.87	6.87
2- 2 x 6- 6	6.58	6.28	6.28
6- 8	6.68	6.37
2- 4 x 6- 0	6.32
6- 4	5.86
6- 6	6.87	6.56	6.87	5.91
6- 8	7.02	6.70	6.56
6-10	7.46	6.70
7- 0	7.56
2- 6 x 6- 0	6.87	5.91
6- 6	7.22	6.88	7.22	6.18
6- 8	7.31	6.98	7.31	6.88
6-10	7.80	6.98
7- 0	7.90	10.56	7.90
2- 8 x 6- 0	7.17
6- 6	7.51	7.16
6- 8	7.65	10.25	7.30	6.60
6-10	8.14	7.65	7.30
7- 0	8.24	11.02	7.86	7.86
2-10 x 6- 6	7.85	7.49
6- 8	7.95	7.58
6-10	8.48	11.32	8.09	8.09
7- 0	8.58	11.48
3- 0 x 6- 6	8.14
6- 8	8.29	7.91
7- 0	8.97	11.93	8.56	8.97

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

PANEL DOORS



2 FLAT PANELS

Size	Fir B. & C.				Pine S. & R.—C. & B.		Ven. Un.	Ven. Br.
	No. 1 1 3/8"	No. 1 1 3/4"	No. 2 1 3/8"	No. 2 1 3/4"	Fir Panel 1 3/8"	Birch Panel 1 3/8"	Birch C. & B. 1 3/8"	Ash C. & B. 1 3/8"
1- 6 x 6- 6	\$ 5.50	\$ 5.34
6- 8	5.62	5.46
1- 8 x 6- 8	5.62	5.46
2- 0 x 6- 0	5.26	5.11	\$ 5.67	\$ 6.31	\$11.24
6- 6	5.50	5.34	5.95	6.62	\$10.56	11.48
6- 8	5.62	5.46	6.05	6.73	10.64	11.56
7- 0	6.10	5.93	12.53
2- 2 x 6- 6	5.86	5.69	6.99	10.79
6- 8	5.94	5.77	7.09	11.81
7- 0	6.42
2- 4 x 6- 0	5.58	5.42
6- 6	5.86	5.69	6.56	7.30	12.05
6- 8	5.94	5.77	6.70	7.45	12.13
7- 0	6.42
2- 6 x 6- 0	5.74	5.58
6- 6	6.02	5.85	6.88	7.66	11.48	12.45
6- 8	6.10	5.93	6.98	7.76	11.56	12.53
6-10	6.54
7- 0	6.62	\$ 8.63	6.44	8.38	12.47	13.51
2- 8 x 6- 6	6.18	6.01
6- 8	6.26	8.15	6.08	\$ 7.92	7.30	8.12	12.02	13.02
6-10	6.71
7- 0	6.78	6.59	8.75
2-10 x 6- 8	6.54	6.36
6-10	6.98	9.43	6.79
7- 0	7.06	6.86
3- 0 x 6- 8	6.82	6.63
7- 0	7.38	9.95	7.18	9.52	15.21

CUPBOARD DOORS



R-2350



R-2352

R-2350—No. 1 W. P. Pine with Raised Cross Panels one side.

R-2352—No. 1 W. P. Pine Stiles and Rails, 3-Ply One Flat Fir Panel.

Stiles, Top and Cross Rails 2 1/4", Bottom Rails 3 1/4"

O. G. Sticking

3/4" Thick

Size	R-2350		R-2352	
		Price		Price
1- 4 x 2-	0.....	2X \$1.26		\$1.18
	2.....	2X 1.53	
	4.....	2X 1.53		1.43
	6.....	2X 1.58	
	8.....	2X 1.67		1.55
	0.....	4X 1.94		1.81
	2.....	4X 2.12		1.97
	4.....	4X 2.43	
	6.....	4X 2.75	
	8.....	4X 2.75	
1- 6 x 2-	0.....	2X 1.31		1.22
	2.....	2X 1.58	
	4.....	2X 1.58	
	6.....	2X 1.58		1.47
	8.....	2X 1.62	
	0.....	3X 1.76		1.64
	2.....	4X 2.03		1.89
	4.....	4X 2.25		2.10
	6.....	4X 2.57	
	8.....	4X 2.88	
1- 8 x 2-	0.....	2X 1.31		1.22
	2.....	2X 1.71	
	4.....	2X 1.71	
	6.....	2X 1.71		1.60
	8.....	2X 1.76	
	0.....	3X 1.89		1.76
	2.....	4X 2.21		2.06
	4.....	4X 2.43		2.27
	6.....	4X 2.79	
	8.....	4X 3.11	
2- 0 x 2-	0.....	2X 1.53		1.43
	2.....	2X 1.89	
	4.....	2X 1.89		1.76
	6.....	3X 2.12		1.97
	8.....	4X 2.43	
	0.....	4X 2.75		2.56
	2.....	4X 3.11	
	4.....	4X 3.51	

For Rabbetting in Pairs, add \$0.45 Per Pair.

MIRROR DOORS



ARISTOCRAT



R-2345

Following are prices on various types of Mirror Doors, designations indicating layout of reverse side. Our Mirror Doors are routed out one side to receive mirror, so that surface is flush with stiles and rails.

**PREPARING DOORS FOR MIRROR, ADD TO PRICE OF DOOR
(NO MIRROR)**

1-Panel.....	\$ 2.63	6-Panel.....	\$ 5.25
2-Panel.....	3.38	8-Panel.....	5.25
4-Panel.....	4.88	Belle Porte.....	4.13
5-X Panel.....	4.88	Aristocrat.....	4.13

EXTRA FOR BEVEL PLATE MIRROR

2-0 x 6-6 Door.....	\$21.88	2-6 x 6-8 Door.....	\$31.10
6-8 Door.....	22.67	7-0 Door.....	33.10
2-4 x 6-8 Door.....	26.89	2-8 x 6-8 Door.....	33.38
7-0 Door.....	28.66	7-0 Door.....	35.49
2-6 x 6-6 Door.....	30.10	3-0 x 7-0 Door.....	40.79

RADFORD & SANDERS

INC.

BALTIMORE

MARYLAND

MOULDINGS W. P. PINE

Numerically Listed

For illustrations of patterns, see pages 106 to 111, inclusive

PRICES PER 100 LINEAL FEET, RANDOM LENGTHS

Less than 200 Lineal Feet of a size and kind, 5% Extra

Specified Stock Lengths, 5% Extra

R-8009	Crown.....	$\frac{3}{4}$ x $3\frac{5}{8}$	\$ 6.58	R-8388 $\frac{1}{2}$	Back Band.....	$\frac{3}{4}$ x $1\frac{3}{8}$	\$ 2.26
R-8010	Crown.....	$\frac{3}{4}$ x $2\frac{3}{4}$	5.18	R-8390	Base Mldg.....	$\frac{3}{4}$ x $3\frac{5}{8}$	6.58
R-8013	Crown.....	$\frac{3}{4}$ x $4\frac{5}{8}$	8.14	R-8391	Base Mldg.....	$\frac{3}{4}$ x $3\frac{5}{8}$	6.58
R-8016	Crown.....	$\frac{3}{4}$ x $1\frac{3}{4}$	3.00	R-8394	Base or Jambs...	$\frac{3}{4}$ x $4\frac{5}{8}$	7.60
R-8019	Crown.....	$\frac{3}{4}$ x $2\frac{3}{4}$	5.18	R-8394A	Base or Jambs...	$\frac{3}{4}$ x $5\frac{5}{8}$	8.75
R-8021	Crown.....	$\frac{3}{4}$ x $4\frac{1}{4}$	7.58	R-8394B	Base or Jambs...	$\frac{3}{4}$ x $7\frac{1}{4}$	11.87
R-8023	Crown.....	$\frac{3}{4}$ x $3\frac{5}{8}$	6.58	R-8395	Fillet.....	$\frac{3}{4}$ x 1	1.44
R-8024	Cove.....	$\frac{3}{4}$ x $1\frac{3}{8}$	3.00	R-8422	Shoe Mldg.....	$\frac{3}{4}$ x $\frac{3}{4}$	1.13
R-8030	Bed Mldg.....	$\frac{3}{4}$ x $2\frac{1}{4}$	4.20	R-8427	Shoe Mldg.....	$\frac{3}{4}$ x $\frac{3}{4}$	1.13
R-8031	Bed Mldg.....	$\frac{3}{4}$ x $1\frac{3}{4}$	3.00	R-8432	Parting Stop.....	$\frac{3}{4}$ x $\frac{3}{4}$	1.13
R-8032	Bed Mldg.....	$\frac{3}{4}$ x 2	3.36	R-8441	Brick Mldg.....	$\frac{1}{2}$ x $1\frac{5}{8}$	2.66
R-8036	Bed Mldg.....	$\frac{3}{4}$ x $1\frac{1}{4}$	2.11	R-8441	Brick Mldg.....	$\frac{1}{2}$ x 2	5.64
R-8038	Bed Mldg.....	$\frac{1}{2}$ x $1\frac{3}{4}$	5.04	R-8441	Brick Mldg.....	$\frac{1}{2}$ x 2	6.87
R-8045	Bed Mldg.....	$\frac{3}{4}$ x $1\frac{3}{4}$	2.26	R-8442	Brick Mldg.....	$\frac{1}{2}$ x 2	9.36
R-8045 $\frac{1}{2}$	Bed Mldg.....	$\frac{3}{4}$ x $1\frac{3}{4}$	3.00	R-8445	Brick Mldg.....	$\frac{1}{2}$ x $1\frac{3}{8}$	4.08
R-8051	Corner Bead.....	1 x 1	3.00	R-8540	Stop.....	$\frac{1}{2}$ x $1\frac{1}{8}$	1.68
R-8060	Cove.....	$\frac{3}{4}$ x $7\frac{1}{2}$	1.42	R-8541	Stop.....	$\frac{1}{2}$ x $1\frac{1}{8}$	1.99
R-8063	Quarter Round.....	$\frac{1}{2}$ x $1\frac{1}{2}$.91	R-8542	Stop.....	$\frac{1}{2}$ x 1	2.38
R-8064	Quarter Round.....	$\frac{1}{2}$ x $1\frac{1}{2}$	1.18	R-8562	Glass Stop.....	$\frac{1}{2}$ x $\frac{1}{2}$.65
R-8065	Quarter Round.....	$\frac{1}{2}$ x $1\frac{1}{2}$	1.30	R-8562	Glass Stop.....	$\frac{1}{2}$ x $\frac{1}{2}$.65
R-8075	Half Round.....	$\frac{1}{2}$ x $1\frac{1}{2}$.65	R-8562	Glass Stop.....	$\frac{1}{2}$ x $\frac{1}{2}$.77
R-8076	Half Round.....	$\frac{1}{2}$ x $1\frac{1}{2}$.70	R-8562	Glass Stop.....	$\frac{1}{2}$ x $\frac{1}{2}$.82
R-8077	Half Round.....	$\frac{1}{2}$ x $1\frac{1}{2}$.84	R-8570	Glass Stop.....	$\frac{1}{2}$ x $\frac{1}{2}$.96
R-8078	Half Round.....	$\frac{1}{2}$ x 1	1.51	R-8570	Glass Stop.....	$\frac{1}{2}$ x $\frac{1}{2}$	1.13
R-8089 $\frac{1}{2}$	Stop.....	$\frac{1}{2}$ x $1\frac{1}{4}$	1.68	R-8610	Screen Mldg.....	$\frac{1}{2}$ x $\frac{1}{2}$.67
R-8090 $\frac{1}{2}$	Stop.....	$\frac{1}{2}$ x $1\frac{1}{4}$	2.38	R-8611	Screen Mldg.....	$\frac{1}{2}$ x $\frac{1}{2}$.67
R-8093	Stop.....	$\frac{1}{2}$ x $2\frac{1}{4}$	3.07	R-8612	Screen Stock.....	$\frac{1}{2}$ x $1\frac{1}{4}$	3.00
R-8094	Stop.....	$\frac{1}{2}$ x $1\frac{1}{4}$	2.62	R-8613	Screen Stock.....	1 x $1\frac{1}{4}$	5.04
R-8095	Stop.....	$\frac{1}{2}$ x $1\frac{1}{4}$	2.38	R-8614	Screen Stock.....	1 x $3\frac{1}{4}$	9.17
R-8096	Stop.....	$\frac{1}{2}$ x $1\frac{1}{4}$	1.99	R-8641	Apron.....	$\frac{3}{4}$ x $3\frac{5}{8}$	6.58
R-8097	Stop.....	$\frac{1}{2}$ x $1\frac{1}{4}$	1.68	R-8642 $\frac{1}{2}$	Apron.....	$\frac{3}{4}$ x $3\frac{5}{8}$	6.58
R-8098 $\frac{1}{2}$	Stop.....	$\frac{1}{2}$ x $1\frac{1}{4}$	1.99	R-8644	Apron.....	$\frac{3}{4}$ x $2\frac{5}{8}$	4.80
R-8099	Stop.....	$\frac{1}{2}$ x $1\frac{1}{4}$	1.30	R-8664	Panel Mldg.....	$\frac{3}{4}$ x $1\frac{1}{4}$	1.37
R-8118	Stop.....	$\frac{1}{2}$ x $1\frac{1}{4}$	1.68	R-8666	Panel Mldg.....	$\frac{3}{4}$ x $1\frac{1}{4}$	2.09
R-8118 $\frac{1}{2}$	Stop.....	$\frac{1}{2}$ x $1\frac{1}{4}$	1.54	R-8667	Panel Mldg.....	$\frac{3}{4}$ x $1\frac{1}{4}$	2.30
R-8119	Stop.....	$\frac{1}{2}$ x $1\frac{1}{4}$	1.99	R-8667	Panel Mldg.....	$\frac{3}{4}$ x $2\frac{1}{4}$	3.48
R-8124	Nosing.....	1 x 2	5.64	R-8668	Cap Mldg.....	$\frac{3}{4}$ x $2\frac{1}{4}$	3.36
R-8139	Screen Mldg.....	$\frac{1}{2}$ x $5\frac{1}{2}$.70	R-8669	Stool.....	$\frac{3}{4}$ x $3\frac{1}{4}$	6.24
R-8264	Picture Mldg.....	$\frac{1}{2}$ x $1\frac{3}{4}$	3.00	R-8708	Plinth.....	$\frac{1}{2}$ x $2\frac{1}{4}$	5.92
R-8267	Stool.....	$\frac{1}{2}$ x $3\frac{3}{4}$	10.45	R-8709	Casing.....	$\frac{3}{4}$ x $2\frac{5}{8}$	4.80
R-8268	Stool.....	$\frac{1}{2}$ x $4\frac{1}{4}$	9.17	R-8710	Casing.....	$\frac{3}{4}$ x $2\frac{5}{8}$	4.80
R-8268 $\frac{1}{2}$	Stool.....	$\frac{1}{2}$ x $4\frac{1}{4}$	11.62	R-8710A	Mull Casing.....	$\frac{3}{4}$ x $2\frac{5}{8}$	4.40
R-8280	Lattice.....	$\frac{3}{4}$ x $1\frac{1}{4}$	1.16	R-8711 $\frac{1}{2}$	Casing.....	$\frac{3}{4}$ x $3\frac{5}{8}$	6.58
R-8281	Lattice.....	$\frac{3}{4}$ x $1\frac{1}{4}$	1.39	R-8711 $\frac{1}{2}$ A	Mull Casing.....	$\frac{3}{4}$ x 5	7.44
R-8282	Lattice.....	$\frac{3}{4}$ x $1\frac{1}{4}$	1.78	R-8714	Casing.....	$\frac{3}{4}$ x $2\frac{1}{4}$	4.61
R-8283	Drip Cap.....	$\frac{1}{2}$ x 1	4.61	R-8714	Casing.....	$\frac{3}{4}$ x $3\frac{1}{2}$	6.38
R-8284	Drip Cap.....	$\frac{1}{2}$ x 2	5.64	R-8714A	Mull Casing.....	$\frac{3}{4}$ x $2\frac{1}{4}$	3.12
R-8285	Drip Cap.....	$\frac{1}{2}$ x $2\frac{1}{4}$	6.86	R-8714B	Mull Casing.....	$\frac{3}{4}$ x 5	7.44
R-8288	Drip or Stucco.....	$\frac{3}{4}$ x 1	2.23	R-8715	Cap Mldg.....	1 x 2	5.64
R-8308	Casing.....	$\frac{3}{4}$ x $3\frac{5}{8}$	6.58	R-8740 $\frac{1}{2}$	Base Mldg.....	$\frac{3}{4}$ x $1\frac{3}{4}$	3.00
R-8308A	Mull Casing.....	$\frac{3}{4}$ x 5	8.78	R-8742	Base Mldg.....	$\frac{1}{2}$ x $1\frac{1}{4}$	2.14
R-8309	Casing.....	$\frac{3}{4}$ x $4\frac{1}{4}$	7.58	R-8770	Base Mldg.....	$\frac{3}{4}$ x $1\frac{3}{8}$	2.26
R-8378	Back Band.....	$\frac{1}{2}$ x $1\frac{1}{4}$	1.97	R-8772	Base Mldg.....	$\frac{3}{4}$ x $1\frac{3}{8}$	2.26
R-8378	Back Band.....	$\frac{1}{2}$ x $1\frac{1}{4}$	3.24	R-8773	Base Mldg.....	$\frac{3}{4}$ x $1\frac{3}{4}$	3.00



CLOSET POLE—YELLOW PINE

Price per 100 Lineal Feet, Random Lengths

Less than 200 Lineal Feet of a size and kind, 5% Extra

Specified Stock Lengths, 5% Extra

R-8800 $1\frac{1}{8}$ x $1\frac{1}{8}$ \$2.47

R-8800

MOULDINGS W. P. PINE

PRICES PER 100 LINEAL FEET, RANDOM LENGTHS

Less than 200 Lineal Feet of a size and kind, 5% Extra

Specified Stock Lengths, 5% Extra

Patterns are listed Alphabetically—For Numerical listing, see Page 105



APRON

R-8641 $\frac{3}{4} \times 3\frac{5}{8}$ \$6.58

(For use with 8308)



APRON

R-8642 $\frac{1}{2} \times \frac{3}{4} \times 3\frac{5}{8}$ \$6.58

(For use with 8711 $\frac{1}{2}$)



APRON

R-8644 $\frac{3}{4} \times 2\frac{5}{8}$ \$4.80


(For use with 8710)



BACK BAND

R-8378 $\frac{3}{4} \times 1\frac{1}{8}$ \$1.97

R-8378 $1\frac{1}{8} \times 1\frac{1}{8}$ 3.24



BACK BAND

R-8388 $\frac{1}{2} \times \frac{3}{4} \times 1\frac{1}{8}$ \$2.26



BASE

R-8390 $\frac{3}{4} \times 3\frac{5}{8}$ \$6.58

(For use with 8770)



BASE

R-8391 $\frac{3}{4} \times 3\frac{5}{8}$ \$6.58

Mouldings can also be furnished in Yellow Pine. Price upon application.

MOULDINGS W. P. PINE

PRICES PER 100 LINEAL FEET, RANDOM LENGTHS

Less than 200 Lineal Feet of a size and kind, 5% Extra


Specified Stock Lengths, 5% Extra

Patterns are listed Alphabetically—For Numerical listing, see Page 105



BASE OR JAMBS

R-8394	$\frac{3}{4} \times 4\frac{5}{8}$	\$ 7.60
R-8394A	$\frac{3}{4} \times 5\frac{5}{8}$	8.75
R-8394B	$\frac{3}{4} \times 7\frac{1}{4}$	11.87



BASE MouldING

R-8740	$\frac{1}{2} \times 1\frac{1}{4}$	\$3.00
Rabt. for $\frac{3}{4}$ " Base.		



BASE MouldING

R-8742	$1\frac{1}{16} \times 1\frac{1}{4}$	\$2.14
--------	-------------------------------------	--------




BASE MouldING

R-8770	$\frac{3}{4} \times 1\frac{3}{8}$	\$2.26
(For use with R-8390)		



BASE MouldING

R-8772	$\frac{3}{4} \times 1\frac{3}{8}$	\$2.26
R-8773	$\frac{3}{4} \times 1\frac{1}{4}$	3.00



BED MouldING

R-8030	$\frac{3}{4} \times 2\frac{1}{4}$	\$4.20
R-8031	$\frac{3}{4} \times 1\frac{3}{4}$	3.00
R-8032	$\frac{3}{4} \times 2$	3.36




BED MouldING

R-8036	$\frac{3}{4} \times 1\frac{1}{4}$	\$2.11
R-8038	$1\frac{1}{8} \times 1\frac{3}{4}$	5.04
R-8045	$\frac{3}{4} \times 1\frac{3}{8}$	2.26
R-8045 $\frac{1}{2}$	$\frac{3}{4} \times 1\frac{3}{4}$	3.00




BRICK MouldING

R-8441	$\frac{5}{8} \times 1\frac{5}{8}$	\$2.66
R-8441	$1\frac{1}{8} \times 2$	\$5.64
R-8441	$1\frac{3}{8} \times 2$	\$6.87



BRICK MouldING

R-8442	$1\frac{1}{2} \times 2$	\$9.36
--------	-------------------------	--------



BRICK MouldING

R-8445	$1\frac{1}{8} \times 1\frac{3}{8}$	\$4.08
--------	------------------------------------	--------

Mouldings can also be furnished in Yellow Pine. Price upon application.

MOULDINGS W. P. PINE

PRICES PER 100 LINEAL FEET, RANDOM LENGTHS

Less than 200 Lineal Feet of a size and kind, 5% Extra
Specified Stock Lengths, 5% Extra

Patterns are listed Alphabetically—For Numerical listing, see Page 105



CAP MOULDING

R-8668 $\frac{1}{2} \times 2\frac{1}{2}$ \$3.36



CAP MOULDING

R-8715 $1\frac{1}{8} \times 2$. \$5.64

CASING



R-8308 $\frac{3}{4} \times 3\frac{3}{8}$ \$6.58

R-9309 $\frac{3}{4} \times 4\frac{1}{4}$ 7.58

MULL CASING

R-8308A $\frac{3}{4} \times 5$ \$8.78

CASING



R-8709 $\frac{3}{4} \times 2\frac{3}{8}$ \$4.80

CASING



R-8710 $\frac{3}{4} \times 2\frac{3}{8}$ \$4.80

MULL CASING

R-8710A $\frac{9}{16} \times 2\frac{3}{4}$ \$4.40

CASING




R-8711 $\frac{1}{2} \times 3\frac{3}{8}$ \$6.58

MULL CASING

R-8711 $\frac{1}{2}A \times 5$ \$7.44

CASING



R-8714 $\frac{3}{4} \times 2\frac{1}{2}$ \$4.61

R-8714 $\frac{3}{4} \times 3\frac{1}{2}$ 6.38

MULL CASING

R-8714A $\frac{3}{8} \times 2\frac{3}{4}$ 3.12

R-8714B $\frac{3}{8} \times 5$ 7.44



CORNER BEAD

R-8051 1×1\$ 3.00

Mouldings can also be furnished in Yellow Pine. Price upon application.


MOULDINGS W. P. PINE

PRICES PER 100 LINEAL FEET, RANDOM LENGTHS

Less than 200 Lineal Feet of a size and kind, 5% Extra

Specified Stock Lengths, 5% Extra

Patterns are listed Alphabetically—For Numerical Listing, see Page 105



COVE

R-8024 $\frac{3}{4}$ x $1\frac{3}{4}$ \$3.00



COVE

R-8060 $\frac{3}{4}$ x $\frac{7}{8}$ \$1.42



CROWN

R-8009 $\frac{3}{4}$ x $3\frac{5}{8}$
\$6.58

R-8010 $\frac{3}{4}$ x $2\frac{3}{4}$
\$5.18

R-8013 $\frac{3}{4}$ x $4\frac{5}{8}$
\$8.14




CROWN

R-8016 $\frac{3}{4}$ x $1\frac{3}{4}$
\$3.00

R-8019 $\frac{3}{4}$ x $2\frac{3}{4}$
\$5.18

R-8021 $\frac{3}{4}$ x $4\frac{1}{4}$
\$7.58

R-8023 $\frac{3}{4}$ x $3\frac{5}{8}$
\$6.58



DRIP CAP

R-8283 $1\frac{1}{8}$ x $1\frac{5}{8}$
\$4.61

R-8284 $1\frac{1}{8}$ x 2
\$5.64

R-8285 $1\frac{1}{8}$ x $2\frac{1}{2}$
\$6.86



DRIP OR
STUCCO MLDG.

R-8288 $\frac{5}{8}$ x $1\frac{3}{8}$ \$2.23



FILLET

R-8395 $\frac{1}{16}$ x 1..... \$1.44



GLASS STOP

R-8562 $\frac{3}{16}$ x $\frac{5}{16}$ \$.65

R-8562 $\frac{1}{4}$ x $\frac{1}{4}$65

R-8562 $\frac{3}{8}$ x $\frac{3}{8}$77

R-8562 $\frac{3}{8}$ x $\frac{1}{2}$82



GLASS STOP

R-8570 $\frac{1}{16}$ x $\frac{3}{16}$ \$.96

R-8570 $\frac{1}{16}$ x $\frac{3}{4}$ 1.13



HALF ROUND

R-8075 $\frac{1}{4}$ x $\frac{1}{16}$ \$.65

R-8076 $\frac{3}{16}$ x $\frac{5}{8}$70

R-8077 $\frac{3}{8}$ x $1\frac{1}{16}$84

R-8078 $\frac{1}{2}$ x 1..... 1.51

Mouldings can also be furnished in Yellow Pine. Price upon application.

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

MOULDINGS W. P. PINE

PRICES PER 100 LINEAL FEET, RANDOM LENGTHS

Less than 200 Lineal Feet of a size and kind, 5% Extra
Specified Stock Lengths, 5% Extra

Patterns are listed Alphabetically—For Numerical listing, see Page 105

LATTICE




R-8280	$\frac{5}{16} \times 1\frac{1}{8}$	\$1.16
R-8281	$\frac{5}{16} \times 1\frac{3}{8}$	1.39
R-8282	$\frac{5}{16} \times 1\frac{3}{4}$	1.78



NOSING

R-8124 $1\frac{1}{8} \times 2$.. \$5.64



PANEL MOULDING (FOR USE OVER PLASTER)

R-8664 $\frac{3}{8} \times 1\frac{1}{8}$... \$1.37



PANEL MOULDING

R-8666 $\frac{5}{8} \times 1\frac{1}{4}$... \$2.09



PANEL MOULDING

R-8667 $\frac{5}{8} \times 2\frac{1}{4}$
\$3.48

R-8667 $\frac{5}{8} \times 1\frac{3}{4}$
\$2.30



PARTING STOP


R-8432 $\frac{1}{2} \times \frac{3}{4}$ \$1.13



PICTURE MOULDING

R-8264 $\frac{3}{4} \times 1\frac{3}{4}$ \$3.00

PLINTH



(FOR USE WITH R-8710)

R-8708 $1\frac{5}{16} \times 2\frac{3}{4}$ \$5.92



QUARTER ROUND

R-8063 $\frac{1}{2} \times \frac{1}{2}$ \$0.91

R-8064 $\frac{5}{8} \times \frac{5}{8}$ 1.18

R-8065 $\frac{3}{4} \times \frac{3}{4}$ 1.30



SCREEN MOULDING

R-8139 $\frac{5}{16} \times \frac{5}{8}$ \$0.70



SCREEN MOULDING

R-8610 $\frac{1}{4} \times \frac{3}{4}$ \$0.67



SCREEN MOULDING

R-8611 $\frac{1}{4} \times \frac{3}{4}$ \$0.67

Mouldings can also be furnished in Yellow Pine. Price upon application.

MOULDINGS W. P. PINE


PRICES PER 100 LINEAL FEET, RANDOM LENGTHS

Less than 200 Lineal Feet of a size and kind, 5% Extra

Specified Stock Lengths, 5% Extra

Patterns are listed Alphabetically—For Numerical listing, see Page 105

SCREEN STOCK



R-8612 $\frac{3}{4} \times 1\frac{3}{4}$

\$3.00

R-8613 $1\frac{1}{8} \times 1\frac{3}{4}$

\$5.04

R-8614 $1\frac{1}{8} \times 3\frac{1}{4}$

\$9.17



SHOE MOULDING

R-8422 $\frac{1}{2} \times \frac{3}{4}$ \$1.13



SHOE MOULDING

R-8427 $\frac{5}{8} \times \frac{3}{4}$ \$1.34

STOOL



R-8267 $1\frac{1}{8} \times 3\frac{3}{4}$ (Rabt. $1\frac{1}{2}$ ") \$10.45

R-8669 $\frac{3}{4} \times 3\frac{3}{4}$ (Rabt. $1\frac{1}{2}$ ") 6.24

STOOL



R-8268 $1\frac{1}{16} \times 3\frac{1}{16}$ (Rabt. $1\frac{1}{2}$ ") \$ 9.17

R-8268 $\frac{1}{2} \times 4\frac{1}{4}$ (Rabt. 2") 11.62

STOP



R-8089 $\frac{1}{2} \times 1\frac{1}{8}$
1.68

R-8090 $\frac{1}{2} \times 1\frac{3}{8}$
\$2.38

R-8098 $\frac{1}{2} \times 1\frac{3}{8}$
\$1.99

STOP



R-8093 $\frac{1}{2} \times 2\frac{1}{4}$ \$3.07

R-8094 $\frac{1}{2} \times 1\frac{7}{8}$ 2.62

R-8095 $\frac{1}{2} \times 1\frac{3}{8}$ 2.38

R-8096 $\frac{1}{2} \times 1\frac{3}{8}$ 1.99

R-8097 $\frac{1}{2} \times 1\frac{1}{8}$ 1.68

STOP



R-8099 $\frac{1}{2} \times \frac{7}{8}$ \$1.30

R-8118 $\frac{1}{2} \times 1\frac{1}{8}$ 1.68

R-8118 $\frac{1}{2} \times \frac{7}{8}$ 1.54

R-8119 $\frac{1}{2} \times 1\frac{3}{8}$ 1.99

STOP



R-8540 $\frac{1}{2} \times 1\frac{1}{8}$ \$1.68

R-8541 $\frac{1}{2} \times 1\frac{3}{8}$ 1.99

R-8542 $\frac{1}{2} \times 1\frac{3}{8}$ 2.38

T-ASTRAGAL

Prices per piece

W. P. Pine

For $1\frac{3}{8}$ " Door

7-0 long \$0.75

For $1\frac{3}{4}$ " Door

7-0 long 1.00



Mouldings can also be furnished in Yellow Pine. Price upon application.

STOCK THRESHOLDS



R-2815

	Y. P.	Oak
$\frac{5}{8}$ " x $3\frac{5}{8}$ "—3'-1" long, per 100 pieces.....	\$25.95
$\frac{5}{8}$ " x $3\frac{5}{8}$ "—Long lengths, per 100 lin. ft.....	\$6.23	10.38

LATTICE W. P. PINE

Prices per 100 Lineal Feet, Random Lengths

Less than 200 Lineal Feet of a size and kind, 5% Extra

Specified Stock Lengths, 5% Extra

$\frac{5}{16}$ " x $1\frac{1}{8}$ ".....	\$1.16
$\frac{3}{16}$ " x $1\frac{3}{8}$ ".....	1.39
$\frac{5}{16}$ " x $1\frac{3}{4}$ ".....	1.78

SASH STOCK W. P. PINE

BALTIMORE LAYOUT

Prices per 100 Lineal Feet, Random Lengths

Less than 200 Lineal Feet of a size and kind, 5% Extra

Specified Stock Lengths, 5% Extra

For 1 $\frac{1}{8}$ " Sash			For 1 $\frac{3}{8}$ " Sash		
Stiles and Top Rail.	$1\frac{1}{8}$ " x $2\frac{1}{2}$ "	\$ 7.55	Stiles and Top Rail.	$1\frac{3}{8}$ " x $2\frac{1}{2}$ "	\$ 9.30
Bottom Rail.....	$1\frac{1}{8}$ " x $3\frac{1}{4}$ "	10.77	Bottom Rail.....	$1\frac{3}{8}$ " x $3\frac{1}{4}$ "	12.67
Plain Meeting Rail.	$1\frac{1}{8}$ " x $1\frac{1}{4}$ "	4.02	Check Rails.....	$1\frac{1}{4}$ " x $1\frac{3}{4}$ "	6.68
Bars $\frac{5}{16}$ " B. G.....	$\frac{5}{16}$ " x $1\frac{1}{8}$ "	2.13	Bars $\frac{5}{16}$ " B. G.....	$\frac{5}{16}$ " x $1\frac{3}{8}$ "	2.45
Bars $\frac{3}{8}$ " B. G.....	$\frac{3}{4}$ " x $1\frac{1}{8}$ "	2.17	Bars $\frac{3}{8}$ " B. G.....	$\frac{3}{4}$ " x $1\frac{3}{8}$ "	2.49

INSIDE DOOR JAMBS

W. P. PINE

In Sets—No Stops—Slides Dadoed

R-2556

Sizes	1 Set—3 pieces
2-6 x 6-6, Jambs $\frac{3}{4}$ " x $5\frac{5}{8}$ " S4S.....	\$1.88
2-5 x 6-8, Jambs $\frac{3}{4}$ " x $5\frac{5}{8}$ " S4S.....	1.95
2-8 x 6-8, Jambs $\frac{3}{4}$ " x $5\frac{5}{8}$ " S4S.....	1.97
3-0 x 7-0, Jambs $\frac{3}{4}$ " x $5\frac{5}{8}$ " S4S.....	2.09
5-0 x 7-0, Jambs $\frac{3}{4}$ " x $5\frac{5}{8}$ " S4S.....	2.33

CORNER BEADS




R-2810

W. P. PINE

R-2810 1 3/8 x 1 3/8-4-0.... per 100 pieces \$39.90

CORNER AND BASE BLOCKS

W. P. PINE



R-2800



R-2801



R-2805



R-2806

Style	Size		Per 100
R-2800	4 1/2 x 4 1/2	1 1/8"	\$18.33
R-2800	5 x 5	1 1/8"	18.33
R-2801	4 x 4	1 1/8"	16.95
R-2801	4 1/2 x 4 1/2	1 1/8"	18.33
R-2801	5 x 5	1 1/8"	18.33
R-2805	4 x 8	1 3/8"	25.70
R-2805	4 1/2 x 8	1 3/8"	26.62
R-2805	5 x 8	1 3/8"	26.62
R-2806	4 x 8	1 1/8"	25.70
R-2806	4 1/2 x 8	1 1/8"	26.62
R-2806	5 x 8	1 1/8"	26.62

FIR PORCH COLUMNS



R-2827

SQUARE

R-2827

Price	Size	
.....	6 x 6— 6 Ft.....	
.....	6 x 6— 8 Ft.....	
.....	6 x 6— 9 Ft.....	
\$ 6.39	8 x 8— 6 Ft.....	
7.92	8 x 8— 8 Ft.....	
8.67	8 x 8— 9 Ft.....	
.....	8 x 8—10 Ft.....	
8.04	10 x 10— 6 Ft.....	
9.99	10 x 10— 8 Ft.....	
11.01	10 x 10— 9 Ft.....	
.....	10 x 10—10 Ft.....	
9.66	12 x 12— 6 Ft.....	
11.87	12 x 12— 8 Ft.....	
13.02	12 x 12— 9 Ft.....	
.....	12 x 12—10 Ft.....	
.....	12 x 12—12 Ft.....	

Splitting, add \$1.50 per column.

R-2830 Columns can be fluted if desired and fitted with ornamental composition caps at extra price.

ROUND

R-2830

Price	
\$ 4.86	
6.02	
6.41	
6.83	
7.61	
8.75	
9.60	
8.57	
10.10	
11.48	
12.93	
11.81	
14.69	
15.96	
17.28	
20.76	



R-2830

CAPS AND BASES

	R-2827		R-2830	
	Caps	Bases	Caps	Bases
For 6-inch columns.....	\$0.42	\$0.83
For 8-inch columns.....	\$0.47	\$0.92	.65	1.20
For 10-inch columns.....	.63	1.28	.86	1.71
For 12-inch columns.....	.78	1.56	1.10	2.13



R-2828

FIR PORCH NEWELS

SQUARE

R-2828

Price	Size
\$4.34	8 x 8— 4 Ft.
5.48	10 x 10— 4 Ft.

ROUND

R-2832

Price
\$4.34
5.48



R-2832

FIR PORCH COLUMN

SQUARE—NOT TAPERED

K. D.

ASSEMBLING OF THIS COLUMN IS SIMPLE

Each knocked-down Column is conveniently packed in a compact bundle containing four sanded side members, and two sets of sanded and accurately mitered skirting for trimming the top and bottom of the shaft. Each bundle is strapped with galvanized iron bands, wrapped in heavy kraft paper. Each unit is then labeled to indicate its size.



R-2829



R-2829

K. D.

Size	Price
6 x 6-8	\$4.19
8 x 8-6	4.23
8	5.40
9	6.02
10 x 10-6	5.74
8	7.38
9	8.24

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

FIR PORCH WORK



R-2836



R-2837



R-2850



R-2854

R-2835

FIR PORCH POSTS

R-2835

Size	Price	Size	Price
4 x 4—8 Ft.....	\$2.57	5 x 5—10 Ft.....	\$5.03
4 x 4—9 Ft.....	2.90	6 x 6— 8 Ft.....	5.79
5 x 5—8 Ft.....	4.02	6 x 6— 9 Ft.....	6.52
5 x 5—9 Ft.....	4.53	6 x 6—10 Ft.....	7.24

Splitting, Add \$0.75 Each.

FIR PORCH NEWELS

Size	R-2836	R-2837
4 x 4—4 Ft.....	\$1.29	\$1.29
4 x 4—6 Ft.....	...	1.93
5 x 5—4 Ft.....	2.01	2.01
5 x 5—6 Ft.....	...	3.02
6 x 6—4 Ft.....	2.90	2.90
6 x 6—6 Ft.....	...	4.34

FIR BALUSTERS PRICES PER 100 PIECES

Size	R-2850 1 3/8" x 1 3/8" S. 4 S.	R-2850 1 3/4" x 1 3/4" S. 4 S.	R-2854 1 3/4" x 1 3/4" Turned
20".....			\$13.37
24".....	\$ 6.18	\$11.99	16.04
26".....	6.98
28".....	7.50	18.71
32".....	21.38

For Saddling R-2850, Add \$1.29 per 100.


BALUSTER STOCK — S. 4 S. — FIR

Less than 200 Lineal Feet of a size and kind, 5% Extra
Specified Stock Lengths, 5% Extra

Prices per 100 Lineal Feet—Random Lengths.....	1 1/8" x 1 1/8"	1 3/8" x 1 3/8"	1 3/4" x 1 3/4"
	\$2.92	\$4.37	\$7.56

PORCH RAIL


Prices per 100 Lineal Feet, Random Lengths—Specified Stock Lengths, 5% Extra
Top Rails grooved to special order, add \$1.25 per 100 lineal feet or less



R-2840


2 $\frac{5}{8}$ " x 2 $\frac{5}{8}$ " \$15.18

Also carried in stock grooved 1 $\frac{3}{8}$ "
and grooved 1 $\frac{3}{4}$ "



R-2841

2 $\frac{5}{8}$ " x 1 $\frac{5}{8}$ " \$8.82




R-2842

4 $\frac{1}{8}$ " x 2 $\frac{5}{8}$ " \$25.30




R-2843

1 $\frac{3}{4}$ " x 2 $\frac{5}{8}$ " \$ 8.82
1 $\frac{3}{4}$ " x 3 $\frac{1}{8}$ " 11.76



R-2844

3 $\frac{5}{8}$ " x 2 $\frac{1}{8}$ " \$20.24



R-2847


3 $\frac{5}{8}$ " x 1 $\frac{5}{8}$ " \$11.76

Carried in stock double grooved $\frac{7}{8}$ " and 1 $\frac{3}{8}$ "



R-2848

1 $\frac{3}{8}$ " x 3 $\frac{1}{8}$ " \$11.76




R-2849

3 $\frac{5}{8}$ " x 2 $\frac{5}{8}$ " \$20.24

Also carried in stock grooved 1 $\frac{3}{8}$ "
and grooved 1 $\frac{3}{4}$ "

STAIR WORK



Number	Description	Size	Yellow Pine	Uns. Birch	Plain Red Oak
R-2705	Starting Newel...	4½" x 4½"	4'-6"	\$ 7.61
R-2706	Starting Newel...	4½" x 4½"	4'-6"	7.98	\$ 9.18
R-2710	Angle Newel....	3½" x 3½"	5'- 4½"	5.67	7.61
R-2710	Angle Newel....	4½" x 4½"	5'- 4½"	5.93	7.98
R-2747	Starting Newel...	5" x 5"	4'-10"	9.13
R-2748	Angle Newel....	5" x 5"	5'-10½"	10.35
R-2752	Starting Newel...	3" x 3"	3'- 8"	4.55
R-2753	Angle Newel....	3" x 3"	5'- 2"	6.55
R-2754	Angle Newel....	3" x 3"	5'- 9"	7.09
R-2755	Starting Newel...	3¾" x 3¾"	3'- 6"	5.01
R-2756	Angle Newel....	3¾" x 3¾"	5'- 0"	6.99
R-2757	Starting Newel...	2½" x 2½"	2'-10¾"	3.79

STAIR WORK



Number	Description	Size	Yellow Pine	Uns. Birch	Plain Red Oak
R-2711	English Rail, per C. L. F.	2 1/8" x 3 3/4"			\$67.05
R-2712	Rail, per C. L. F.	2 3/8" x 3"	\$42.00	\$57.92	51.00
R-2713	Rail, per C. L. F.	2 3/8" x 3 1/4"	54.37	72.42	65.21
R-2715	Rail, per C. L. F.	1 3/4" x 1 5/8"	17.80	23.77	21.59
R-2760	Colonial Rail, per C. L. F.	2 1/4" x 2 3/8"		44.00	
R-2718	Shoe, per C. L. F.	3/4" x 2 3/4"	5.95		10.34
R-2719	Fillet, per C. L. F.	1/4" x 1 3/8"	2.70		4.73
		1/4" x 1 3/4"	3.60		6.30
Random Lengths—Specified Stock Lengths, 10% Extra. For grooving rails to order, add \$1.25 per 100 lineal feet or less.					
R-2726	Acorn for Rail R-2715, each. . .		\$ 0.60	\$ 0.60	\$ 0.60
R-2727	Rosette for Rail R-2715, each. .	3 1/2" dia.	.33	.33	.33
	Rosette for Rail R-2760, each. .	4 1/4" dia.		.33	
R-2721	Square Balusters, each.	1 1/8" x 1 1/8", 2 - 4"	\$ 0.13		
		1 3/8" x 1 3/8", 2 - 8"	.14		
		1 3/8" x 1 3/8", 2 - 4"	.20		
		1 3/8" x 1 3/8", 2 - 8"	.21		
R-2724	English Balusters, each.	2 1/8" x 2 1/8", 2 - 2"			\$ 1.46
		2 - 8"			1.71
W. P. Pine Uns. Birch					
R-2763 and R-2764	Colonial Balusters, each.	1 1/4" x 1 1/4", 2 - 7"	\$ 0.37	\$ 0.46	
		2 - 10"	.38	.48	
		3 - 0"	.39	.49	
		3 - 3"	.41	.51	
		3 - 6"	.42	.53	

RADFORD & SANDERS

BALTIMORE

INC.


MARYLAND

STAIR WORK



Number	Description	Size	Yellow Pine	Uns. Birch	Plain Red Oak
R-2730	Half Circle End, T. & R.....	3-6" Stair	\$11.00	\$11.55
R-2731	Quarter Circle End, T. & R....	3-6" Stair	9.13	9.57
R-2780	Scroll End, T. & R.....	3-6" Stair	\$12.65	12.65
R-2735	Treads.....	1 $\frac{1}{16}$ " x 11 $\frac{1}{2}$ " 3-0"	\$ 1.26	\$ 1.77
		3-6"	1.47	2.07
R-2736	Risers, S. 4 S.....	$\frac{3}{4}$ " x 7 $\frac{3}{4}$ " 3-0"	\$ 0.42	\$ 0.72
		3-6"	.5083
R-2737	Landing Treads.....	1 $\frac{1}{16}$ " x 3 $\frac{1}{2}$ " 3-6"	.3955
	For 1 $\frac{1}{16}$ " Flooring.				
R-2738	Nosing, per C. L. F.....	1 $\frac{1}{16}$ " x 1 $\frac{1}{4}$ "	\$ 3.40	\$ 5.75
		1 $\frac{1}{16}$ " x 1 $\frac{3}{4}$ "	4.50	7.92
	Scotia, per C. L. F.....	1 $\frac{1}{2}$ " x 9 $\frac{1}{16}$ "	1.50	2.40
		1 $\frac{1}{2}$ " x 13 $\frac{1}{16}$ "	1.50	2.40
	Nosing and Scotia, per C. L. F.....	1 $\frac{1}{16}$ " x 1 $\frac{5}{8}$ "	4.50	7.92
		1 $\frac{1}{16}$ " x 2"	5.65	9.56
	Return Nosings, each..	1 $\frac{1}{16}$ " x 1 $\frac{5}{8}$ " 14"39
R-2740	Stringers, S. 4 S. Per Lin. Ft. (Not housed or notched).	3 $\frac{1}{4}$ " x 9 $\frac{1}{4}$ "	\$ 0.14	\$ 0.30
		3 $\frac{1}{4}$ " x 11 $\frac{1}{4}$ "	.1833
R-2743	Stair Bracket.....	11" x 7" x $\frac{3}{8}$ "	\$ 0.42
R-2744	Stair Bracket.....	11" x 7" x $\frac{3}{8}$ "97

STAIR WORK



R-2714
2½" x 3½"



R-2716
2½" x 3"



R-2717
1¾" x 1¾"

STAIR RAIL

Prices per 100 Lineal Feet—Random Lengths
Specified Stock Lengths—10% Extra

Number	Fir	Oak	Yellow Pine
R-2714	\$20.24
R-2716	20.24	\$51.00	\$42.00
R-2717	6.50

R-2714 and R-2716 also carried in stock grooved 1⅜".
For grooving rails to special order, add \$1.25 per 100 lineal feet or less.

BULL NOSE TREAD AND RISER (REVERSIBLE)



R-2779

Size	Yellow Pine	Plain Red Oak
3'-6" Stair	\$9.68	\$12.27

STAIR BALUSTERS

R-2722

YELLOW PINE

Size	Price
1⅜" x 1⅜" 28"....	\$ 0.40
1⅜" x 1⅜" 32"....	.41½



R-2722

WORKING TREADS & RISERS

When specified Treads and Risers can be worked according to detail shown at the following extras.
When ordering specify exact size of carriage cut and state the number of balusters to be used on each tread.

	ADD
Reducing Treads and Risers in width	\$0.20
Grooving Treads for Scotia (Scotia extra)	.20
Working Tongue on Treads	.20
Mitering and Dovetailing Treads	.40
Grooving Risers to receive Tongue on Tread	.20
Mitering Risers for String Board or Brackets	.20
Mitering Brackets	.20

STAIR WORK



Number	Description	Uns. Birch
R-2765	Volute with Easing..... Specify whether right or left hand.	\$11.34
R-2767	Easing, with Newel Cap.....	5.33
	Easing, no Newel Cap.....	3.74
R-2768	Overhand Easing.....	3.74
R-2769	Level Quarter Turn.....	3.42
R-2770	Small Easing (90°).....	3.95
R-2771	Gooseneck for one Riser, with Newel Cap.....	6.65
	Gooseneck for one Riser, no Newel Cap.....	5.84
R-2772	Gooseneck for two Risers, with Newel Cap.....	7.82
	Gooseneck for two Risers, no Newel Cap.....	6.87
R-2773	Plain Gooseneck.....	3.65
R-2774	Newel Cap.....	1.66
R-2775	Newel Cap Quarter Turn, Two Openings.....	3.74

STAIR WORK



Number	Description	Uns. Birch
The following Colonial stair parts are made to fit Rail R-2760		
R-2783	Combination Gooseneck, with Newel Cap Quarter Turn and Easing, for two Risers, Left Hand	\$14.43
R-2784	Combination Gooseneck, with Newel Cap Quarter Turn and Easing, for two Risers, Right Hand	14.43
R-2785	Landing Return Gooseneck, for one Riser, Left Hand	11.44
R-2786	Landing Return Gooseneck, for one Riser, Right Hand	11.44
R-2787	Turnout Easing, Left Hand	6.26
R-2788	Turnout Easing, Right Hand	6.26



R-2671

MANTEL

R-2671

Colonial design with moulded shelf, fluted pilasters and combination ornaments.

Mantel Width—63".

Mantel Height—51".

Shelf Depth—7".

Brick Opening—47" x 36½".

Completely assembled.

Carton Packed—In the White.

R-2671 No. 1 W. P. Pine..... \$24.79

MANTEL

R-2673

Mantel Width—78½". Mantel Height—53¼".

Shelf Depth—7½". Brick Opening—50" x 37".

Completely assembled.

Carton Packed—In the White.

R-2673 No. 1 W. P. Pine..... \$22.68

R-2673-A

Made to fit over Projected Fireplace.

With 5½" Return.

Mantel Width—78½". Mantel Height—53¼".

Shelf Depth—12¾". Return Depth—5½".

Brick Opening—50" x 37". Completely Assembled.

Carton Packed—In the White.

R-2673-A No. 1 W. P. Pine..... \$34.92



R-2673



R-2679

MANTEL

R-2679

Mantel Width—71".

Mantel Height—53 $\frac{1}{4}$ ".


Shelf Depth—7 $\frac{1}{2}$ ".

Brick Opening—48" x 37".

Completely assembled.

Carton Packed—In the White.

R-2679. No. 1 W. P. Pine..... \$18.75



R-2680

MANTEL

R-2680

Mantel Width—73 $\frac{1}{4}$ ".

Mantel Height—52 $\frac{5}{8}$ ".

Shelf Depth—7 $\frac{1}{2}$ ".

Brick Opening—51" x 39".

Completely assembled.

Carton Packed—In the White.

R-2680. No. 1 W. P. Pine..... \$20.90



R-2656

CORNER CUPBOARD

R-2656

Width across Front, Overall—41".
 Height to top of Front, excluding Scroll—80".
 Plaster Opening—31½" x 82".
 Adjustable Shelves, top and bottom.
 No Hardware Included.
 Furnished K.D., Semi-assembled.
 Carton Packed—In the White.

R-2656. No. 1 W. P. Pine, Glazed..... \$48.55

CORNER CUPBOARD

R-2657

Width across Front, Overall—37".
 Height to top of Front—85".
 Plaster Opening—32" x 82½".
 Trim not Included, as room trim should be used.
 Adjustable Shelves, top and bottom.
 No Hardware Included.
 Furnished K.D., Semi-assembled.
 Carton Packed—In the White.



R-2657

R-2657. No. 1 W. P. Pine..... \$29.30

CORNER CUPBOARD

R-2658

Width across Front, Overall— $39\frac{1}{4}$ ".

Height to top of Front— $84\frac{3}{8}$ ".

Plaster Opening— $31\frac{1}{2}$ " x 82".

Adjustable Shelves, top and bottom.

Trim not Included, as room trim should be used.

No Hardware Included.

Furnished K.D., Semi-assembled.

Carton Packed—In the White.



R-2658

R-2658. No. 1 W. P. Pine, Glazed..... \$37.00



R-2659

CORNER CUPBOARD

R-2659

Width across Front, Overall—42".

Height to top of Front, excluding Scroll— $85\frac{1}{2}$ ".

No Plaster Opening required.

Adjustable Shelves, top and bottom.

No Hardware Included.

Furnished K.D., Semi-assembled.

Carton Packed—In the White.

R-2659. No. 1 W. P. Pine, Glazed..... \$40.65



R-2662

CORNER CUPBOARD

R-2664

Trim not included, as room trim should be used.

Plaster opening— $34\frac{1}{2}'' \times 81\frac{3}{4}''$.

K. D.—No Hardware (except adjustable brackets).

Carton packed—In the White.

R-2664 No. 1 W. P. Pine Glazed.....\$48.72



R-2677

CORNER CUPBOARD

R-2662

Width across Front— $44''$.

Height to top of Front, excluding scroll— $86\frac{5}{8}''$.

Plaster opening— $30'' \times 79\frac{1}{2}''$.

Only furnished Set Up with back.

No hardware (except adjustable brackets).

Carton packed—In the White.

R-2662 No. 1 W. P. Pine Glazed.....\$74.98



R-2664

COLONIAL BOOKCASE

R-2677

Built to fit in a recess.

Plaster opening $34\frac{1}{2}'' \times 81\frac{3}{4}''$.

Depth of opening from plaster face— $14''$.

Trim not included, as room trim should be used.

Semi K.D.—In the White.

R-2677 No. 1 W. P. Pine.....\$50.74



R-2600

KITCHEN DRESSER

R-2600 W. P. PINE

In the White, Knocked Down, Two Ends, No Back or Hardware.

Upper Section 12" deep.

Lower Section 17" deep.

Counter Shelf and Front 1 1/8".

Carton Packed.

Size	Glazed
3-0 x 7-6.....	\$26.47
3-6 x 8-0.....	29.06
4-0 x 7-6.....	29.66
4-0 x 8-0.....	30.60

Set up, including hardware.....add \$9.00

Freight shipments furnished K.D. only.

TELEPHONE CABINET

R-2683

Removable front for bell box compartment.

Size overall—18" x 31 1/4".

Rough Opening—14 3/8" x 29 3/4".

Depth—4 1/4".

Carton Packed—In the White.



R-2683 W. P. Pine.....\$5.64

R-2683

BREAKFAST SET

R-2645

Furnished complete as shown with table and two seats.

Occupies space about 5 ft. 6 in. wide.

Table Top 24" x 48".

Seats 48" long.

Back 38" high.

Shipped Semi-Knocked Down.

Carton Packed—In the White.

R-2645 No. 1 W. P. Pine..... \$23.66



R-2645

BREAKFAST SET

R-2647

Furnished complete as shown with table and two seats.

Pattern routed out on one end only. Plain end can be exposed if preferred.

Occupies space about 5 ft. 6 in. wide.

Table Top 26" x 48".

Seats 53 1/4" long.

Back 36" high.

Shipped Semi-Knocked Down.

Carton Packed—In the White.

R-2647 No. 1 W. P. Pine..... \$25.20



R-2647


IRONING BOARDS



R-2641



R-2642



R-2643



R-2644

Shipped in Corrugated Container

Furnished in the White

Doors with W. P. Pine Stiles and Fir Panels


No Door Hardware included

R-2641	Rough Opening 14" x 81"—Trim not included.....	\$10.70
R-2642	Rough Opening 14" x 81"—Trim not included.....	8.91
R-2643	Rough Opening 14" x 81"—Trim not included.....	9.04
R-2644	Flush Wall Type—17" x 70" Projects 2" from wall with Doors Closed	8.59

MEDICINE CABINETS



R-2694



R-2696

No Hardware Included
Furnished in the White
Shipped in Corrugated Container

W. P. PINE

R-2694

Wall Opening	Mirror Size	Price Open	Price with P. P. Mirror	Price with B. P. Mirror
1- 8½ x 2- 7	16 x 20	\$ 7.32	\$11.12	\$12.32

Made for opening 4¾" deep

Made with Wide Back Band Giving Inside Depth of 5½".

R-2696

Wall Opening	Mirror Size	Price Open	Price with P. P. Mirror	Price with B. P. Mirror
1- 5 x 1-10	12 x 16	\$ 4.20	\$ 6.33	\$ 7.32
1- 7 x 2- 2	14 x 20	4.75	7.79	8.99

Made for opening 4" deep.

MIAMI BATHROOM CABINETS



CAREY

No. 660

No. 670



COLONIAL

No. 400-BF

No. 400-CF

REGULAR EQUIPMENT

Bulb edge glass shelves, razor blade drop, two toothbrush racks

	Mirror Size	Wall Opening	Price
No. 660	16" x 24"	13 $\frac{3}{4}$ " x 19 $\frac{3}{4}$ " x 3 $\frac{1}{2}$ "	\$17.00
No. 670	18" x 26"	15 $\frac{3}{4}$ " x 21 $\frac{3}{4}$ " x 3 $\frac{1}{2}$ "	21.50
No. 400-BF	16" x 22"	13 $\frac{3}{4}$ " x 18 $\frac{1}{4}$ " x 3 $\frac{1}{2}$ "	10.00
No. 400-CF	16" x 22"	13 $\frac{3}{4}$ " x 18 $\frac{1}{4}$ " x 3 $\frac{1}{2}$ "	11.40

Model No. 400-BF has a rich black enamel frame around the mirror.

Model No. 400-CF is a framed cabinet, the mirror set in a stainless steel frame, polished and buffed to a chrome-like finish.

Tubular Light Brackets, wired ready for installation, can be furnished from the factory—Prices upon application.


MIAMI BATHROOM CABINETS



COLONIAL

No. 405


No. 405-A



CAREY

No. 2010

No. 2020



CAREY

No. 1622-BF

No. 1622-CF

REGULAR EQUIPMENT

Bulb edge glass shelves, razor blade drop, two toothbrush racks.

	Mirror Size	Wall Opening	Price
No. 405.....	16" x 22"	13 $\frac{3}{4}$ " x 18 $\frac{1}{4}$ " x 3 $\frac{1}{2}$ "	\$12.10
No. 405-A (Plate Mirror).....	16" x 22"	13 $\frac{3}{4}$ " x 18 $\frac{1}{4}$ " x 3 $\frac{1}{2}$ "	13.20
No. 2010 (No Light Brackets).....	16" x 26"	13 $\frac{3}{4}$ " x 19 $\frac{3}{4}$ " x 3 $\frac{1}{2}$ "	25.30
No. 2020 (No Light Brackets).....	18" x 28"	15 $\frac{3}{4}$ " x 21 $\frac{3}{4}$ " x 3 $\frac{1}{2}$ "	28.00
No. 2020 (With Light Brackets No. 5)	18" x 28"	15 $\frac{3}{4}$ " x 21 $\frac{3}{4}$ " x 3 $\frac{1}{2}$ "	53.30
No. 1622-BF.....	16" x 24"	13 $\frac{3}{4}$ " x 19 $\frac{3}{4}$ " x 3 $\frac{1}{2}$ "	16.00
No. 1622-CF.....	16" x 24"	13 $\frac{3}{4}$ " x 19 $\frac{3}{4}$ " x 3 $\frac{1}{2}$ "	18.40

Model No. 1622-BF has the mirror set in a rich black enamel frame.

Model No. 1622-CF has the mirror set in a frame of stainless steel, polished and buffed to a chrome finish.

Other Tubular Light Brackets, wired ready for installation, can be furnished from the factory—Prices upon application.

MIAMI BATHROOM CABINETS

FLUSH DOOR MODEL



CAREY

No. 200

No. 220

No. 250

Baked Enamel finish, bulb edge glass shelves, razor blade drop and toothbrush racks.

Sizes	No. 200	No. 220	No. 250
Mirror	12" x 16"	14" x 18"	16" x 22"
Inside	13 ⁷ / ₁₆ " x 17 ⁷ / ₁₆ "	15 ⁷ / ₁₆ " x 19 ⁷ / ₁₆ "	17 ⁷ / ₁₆ " x 23 ⁷ / ₁₆ "
Overall	16" x 20"	18" x 22"	20" x 26"
Wall Opening	14" x 18" x 3 ¹ / ₂ "	16" x 20" x 3 ¹ / ₂ "	18" x 24" x 3 ¹ / ₂ "

Prices	No. 200	No. 220	No. 250
Plain Crystal Mirror	\$11.00
Plain Plate Mirror	12.10	\$15.40	\$18.70
Bevel Plate Mirror	13.20	16.50	20.40


SQUARE TOP MODEL

REGULAR EQUIPMENT

Bulb edge glass shelves, razor blade drop, two toothbrush racks.

	Overall	Mirror
No. 2030	16 ¹ / ₄ " x 22 ¹ / ₄ "	16" x 22"
No. 2040	18 ¹ / ₄ " x 24 ¹ / ₄ "	18" x 24"
No. 2050	20 ¹ / ₄ " x 28 ¹ / ₄ "	20" x 28"

	Wall Opening	Price
No. 2030	13 ³ / ₄ " x 19 ³ / ₄ " x 3 ¹ / ₂ "	\$18.40
No. 2040	15 ³ / ₄ " x 21 ³ / ₄ " x 3 ¹ / ₂ "	24.20
No. 2050	17 ³ / ₄ " x 25 ³ / ₄ " x 3 ¹ / ₂ "	30.20



CAREY

No. 2030


No. 2040

No. 2050

Tubular Light Brackets, wired ready for installation, can be furnished from the factory—Prices upon application.

SOUND KNOTTY PINE PANELING

Ship-lapped $\frac{3}{8}$ " for greater ease of installation, stronger,
tighter joints and sounder edges where knots occur.




$\frac{3}{8}$ " thick, Random Widths worked from 6", 8", 10" and 12" stock.

Random Lengths 8', 10', 12', 14' and 16'.

No extra for specified lengths within these sizes.


# 2 Common.....	\$120.00 Per M. B. M.
# 3 Common.....	99.50 Per M. B. M.



This attractive design of Paneling can be easily applied and is in excellent taste for Basement Recreation Rooms.

Can be used equally as well in Dining Rooms, Living Rooms, Halls, Libraries, Dens and Offices.

The accompanying cuts show several suggested applications, using stock mouldings.



SASH CORD




	Per Hank
100 feet to a hank—Best Quality No. 7.....	\$1.22
100 feet to a hank—Best Quality No. 8.....	1.35

SASH WEIGHTS



Small lots—per 100 lbs.....	\$4.80
-----------------------------	--------

GRAND RAPIDS SASH PULLEYS



No. 109-M

MAHOGANY FINISH

2" Wheel

CONE-BEARING

1 $\frac{1}{16}$ " x 2 $\frac{13}{16}$ " Face

Weight About 160 Pounds to 100 Dozen

Price in Dozen Lots.....	\$0.92 dozen
--------------------------	--------------

Price on the above in Full Case Lots (100 Dozen), or on any of the Various Types of Grand Rapids Sash Pulleys in Full Case Lots, Upon Application.

PRIMELESS PUTTY

	Per 100 lbs.
100 lb. tubs.....	\$ 8.20
25 lb. cans.....	9.30
12 $\frac{1}{2}$ lb. cans.....	9.90
5 lb. cans.....	11.05
1 lb. cans.....	14.40

U. S. G. PRODUCTS

All of the following designs and sizes carried in stock.
For Prices, see Net Price Supplement.

WEATHERWOOD INSULATION

BUILDING BOARD

$\frac{1}{2}$ " Thick (6 per bundle).

Ivory-Hi-Lite.

Greytan.

48" x 84" 48" x 108"

48" x 96" 48" x 120"

48" x 144"

1" Thick (3 per bundle).

Ivory-Hi-Lite.

48" x 96"

48" x 120" 48" x 144"

LATH

18" x 48"

$\frac{1}{2}$ " Thick (90 sq. ft. per bundle).

1" Thick (42 sq. ft. per bundle).

ASPHALT COATED

SHEATHING

T & G

$\frac{25}{32}$ " Thick (4 per bundle).

24" x 96"

TILE

$\frac{1}{2}$ " Thick

Blendtex.

Ivory-Hi-Lite.

12" x 12" (32 per bundle).

16" x 16" (32 per bundle).

16" x 32" (16 per bundle).

$\frac{3}{4}$ " Thick

Ivory-Hi-Lite (12 per bundle)

16" x 32" (Cross-scored to represent 16" x 16")

PLANK

$\frac{1}{2}$ " Thick

Blendtex (12 per bundle).

Ivory-Hi-Lite (12 per bundle).

Widths—8", 10", 12", 16".

Lengths—8', 10', 12'.

MOULDINGS

Greytan—9' lengths.

No. 1 1" x 3 $\frac{7}{8}$ "

No. 2 1" x 1 $\frac{3}{8}$ "

No. 3 $\frac{1}{2}$ " x 2"

No. 4 $\frac{1}{2}$ " x 6"

No. 6 $\frac{1}{2}$ " x 3"

No. 7 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ "

No. 8 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ "

DUPLEX BOARD

$\frac{5}{16}$ " Thick (8 per bundle).

Ivory-Hi-Lite.

48" x 84" 48" x 108"

48" x 96" 48" x 120"

48" x 144"

ADHESIVE

1 Gallon Containers

5 Gallon Containers

CADMIUM PLATED NAILS

1 $\frac{1}{4}$ " Long (5 pounds per package).

1 $\frac{1}{2}$ " Long (5 pounds per package).

RED TOP INSULATING WOOL

Roll Blanket.

Inch 16" O.C. (125 sq. ft. per roll).

Medium 16" O.C. (75 sq. ft. per roll).

Thick 16" O.C. (50 sq. ft. per roll).

Bat Blanket.

Medium 16" O.C. (67 $\frac{1}{2}$ sq. ft. per carton).

Thick 16" O.C. (45 sq. ft. per carton).

Medium 24" O.C. (103 $\frac{1}{2}$ sq. ft. per carton).

Thick 24" O.C. (69 sq. ft. per carton).

Junior Bats.

Thick 12" or 16" O.C. (20 sq. ft. per bag).

Nodulated.

Loose (20 sq. ft. per bag).

U. S. G. PRODUCTS

All of the following designs and sizes carried in stock.

For Prices, see Net Price Supplement.

WEATHERWOOD
HARDBOARD

HARDBOARD—NOT TEMPERED

$\frac{1}{8}$ " Thick (6 per bundle).

48" x 72"

48" x 96" 48" x 120"

48" x 108" 48" x 144"

$\frac{1}{8}$ " Thick (10 per bundle).

48" x 24"

48" x 36" 48" x 48"

$\frac{3}{16}$ " Thick (6 per bundle).

48" x 96" 48" x 120"

48" x 108" 48" x 144"

$\frac{1}{4}$ " Thick (3 per bundle).

48" x 144"

HARDBOARD—TEMPERED

$\frac{1}{8}$ " Thick (6 per bundle).

48" x 72" 48" x 120"

48" x 96" 48" x 144"

HARDBOARD TILE—TEMPERED

$\frac{1}{8}$ " Thick (6 per bundle).

48" x 144"

STRUCTOBOARD

$\frac{1}{4}$ " Thick (6 per bundle).

48" x 72" 48" x 120"

48" x 96" 48" x 144"

$\frac{1}{4}$ " Thick (10 per bundle).

48" x 24"

48" x 36" 48" x 48"

DENSBOARD

$\frac{1}{4}$ " Thick (6 per bundle).

48" x 72"

48" x 96" 48" x 120"

48" x 108" 48" x 144"

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

GLASS

WINDOW GLASS

We carry in stock at all times a well-assorted stock of Window Glass in Single and Double Strength, both A and B qualities.

CRYSTAL SHEET GLASS

PLEXITE SAFETY GLASS

ROUGH ROLLED GLASS

GLAZING POINTS

GLASS CUTTERS

PUTTY KNIVES

PUTTY

Prices are always consistent with competitive market conditions.

Write for quotations.

CEDAR CLOSET LINING

Made of Aromatic Red Cedar, Sides and Ends Tongued and Grooved.

$\frac{3}{8}$ " x $2\frac{1}{2}$ " Face

48 sq. ft. per bdl.

$\frac{3}{8}$ " x $3\frac{1}{2}$ " Face

34 sq. ft. per bdl.

Sold in Full Bundles Only

For convenience in the Installation of Cedar Lining, we also carry

$\frac{3}{8}$ " x 10" Cedar Shelving, 40 B. M. Ft. per bundle — 6 pieces 8'

$\frac{3}{4}$ " Quarter Round Red Cedar Moulding

FOR PRICES, SEE NET PRICE SUPPLEMENT

FLINTKOTE ROOFING

Roll Roofing

Shingles

Building Papers

Siding

Asphalt Paints and Plastics

Flintkote Roofing assures you of a beautiful roof that will afford every protection from the elements for years and years.

FOR PRICES, SEE ROOFING PRICE LIST

FIR PANELS

ROTARY CUT VENEERS

Carried in Stock in the following sizes:

WALLBOARD GRADE

3-PLY

SANDED 2 SIDES TO $\frac{1}{4}$ INCH

48 x 60	48 x 84	48 x 108
48 x 72	48 x 96	48 x 120

SOUND 2 SIDES

SANDED 2 SIDES

3 PLY $\frac{1}{4}$ " THICK		3 PLY $\frac{3}{8}$ " THICK		5 PLY $\frac{5}{8}$ " THICK		5 PLY $\frac{3}{4}$ " THICK	
24 x 60	32 x 72	24 x 60	30 x 96	24 x 72		24 x 84	
24 x 72	32 x 96	24 x 72	36 x 60	24 x 96		30 x 60	
24 x 84	36 x 60	24 x 84	36 x 72	30 x 60		30 x 72	
24 x 96	36 x 72	24 x 96	36 x 84	30 x 72		30 x 84	
26 x 72	36 x 84	26 x 60	36 x 96	30 x 84		36 x 72	
28 x 60	36 x 96	26 x 72	48 x 60	30 x 96		36 x 84	
28 x 72	48 x 60	28 x 60	48 x 72	36 x 72		36 x 96	
28 x 84	48 x 72	28 x 72	48 x 84	36 x 84		48 x 60	
30 x 60	48 x 84	28 x 84	48 x 96	36 x 96		48 x 72	
30 x 72	48 x 96	30 x 60	48 x 108	48 x 96		48 x 84	
30 x 84	48 x 108	30 x 72	48 x 120			48 x 96	
30 x 96	48 x 120	30 x 84					

FOR PRICES, SEE NET PRICE SUPPLEMENT

FIR TENNIS TABLES

Tops—60 x 54 $\frac{5}{8}$ " 5-Ply Sound 2 Sides.

Tops—60 x 54 $\frac{3}{4}$ " 5-Ply Sound 2 Sides.

Bases—K.D.—Paper Wrapped.

FOR PRICES, SEE NET PRICE SUPPLEMENT

INDEX

	PAGE
Andersen Master Frames.....	26 to 29, inclusive
Andersen Units.....	14 to 26, inclusive, 36
Aristocrat Doors.....	98
Astragals.....	92, 93, 111
Barn Sash.....	46, 47, 53
Base Blocks.....	113
Blinds.....	62, 63
Bookcase.....	128
Breakfast Sets.....	130
Caps and Bases.....	114
Casement Sash.....	48
Cedar Lining.....	140
Cellar Sash.....	46, 53
Closet Pole.....	105
Colonial Shutters.....	63
Colonial Stairwork.....	118, 119, 120, 122, 123
Columns.....	114, 115
Corner Beads.....	113
Corner Blocks.....	113
Corner Cupboards.....	126, 127, 128
Cupboard Sash.....	48
DOORS—Aristocrat.....	98
Belle Porte.....	99
Combination.....	60, 61
Cupboard.....	103
Five Cross Panel.....	100, 101
Flush.....	77, 78, 79, 99
Four Panel.....	101
French.....	92 to 95, inclusive
Front.....	74 to 89, inclusive
Garage.....	64 to 67, inclusive
Mirror.....	104
One Panel.....	99
Sash.....	68 to 73, inclusive
Screen.....	58 to 61, inclusive
Six Panel.....	96, 97
Two Panel.....	102
V-Groove.....	78, 79
Door Jambs.....	112
Door Weatherstrips.....	9
Dressers.....	129
Economy Units.....	10, 11, 12
Entrance Frames.....	4 to 9, inclusive
Frames.....	4 to 8, inc., 10 to 12, inc., 14 to 37, inclusive
Garage Doors.....	64 to 67, inclusive
Garage Door Hardware.....	65, 66, 67
Gable Frames and Sash.....	37
Ironing Board Cabinets.....	131
Kitchen Dressers.....	129
Knotty Pine Paneling.....	136
Lattice.....	110, 111
Louvre Frames.....	37
Mantels.....	124, 125
Medicine Cabinets.....	132 to 135, inclusive
Mirror Doors.....	104

INDEX—CONTINUED

	PAGE
Mouldings.....	105 to 111, inclusive
Plinth.....	110
Plywood.....	141
Porch Work.....	114 to 117, inclusive
Pulleys.....	137
Putty.....	137
Roofing.....	140
SASH—Baltimore Openings:	
Barn.....	46, 47
Casement.....	48
Cellar.....	46
Cupboard.....	48
Gable.....	37
Garage.....	45
Single.....	45
Storm.....	56
SASH—New York Openings:	
Barn.....	53
Cellar.....	53
Sash Balances.....	13
Sash Cord.....	137
Sash Stock.....	112
Sash Weights.....	137
Screens.....	57
Screen Doors.....	58 to 61, inclusive
Shutters.....	63
Side Lights.....	90, 91
Stairwork.....	118 to 123, inclusive
Storm Sash.....	56
Telephone Cabinets.....	129
Tennis Tables.....	141
Thresholds.....	112
Transoms.....	45
Upson Products.....	140
U. S. G. Products.....	138, 139
Wallboard.....	140, 141
WINDOWS—Baltimore Openings:	
Divided Tops.....	44, 54
Eighteen Light.....	38
Eight Light.....	40
Fifteen Light.....	38
Four Light.....	41
Six Light.....	40
Sixteen Light.....	38
Twelve Light.....	39
Two Light.....	41, 42, 43
WINDOWS—New York Openings:	
Divided Tops.....	52, 54
Four Light.....	50
Twelve Light.....	50
Two Light.....	51
WINDOWS—Western Openings:	
Eight Light.....	49
Four Light.....	49

RADFORD & SANDERS

BALTIMORE

INC.

MARYLAND

MEMORANDUM



RADFORD

WOODWORK of DISTINCTION



**PRICE
BULLETIN**

**SEPTEMBER
1941**

RADFORD & SANDERS Inc.
BALTIMORE, MARYLAND